

**XT ULTRA CONC. PART B- sodium chlorite solution**  
**AgroChem USA, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**XT ULTRA CONC. PART B**

XT ULTRA CONC. PART B

CONCENTRATED ACIDIFIED NaClO<sub>2</sub> TEAT DIP PART B

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE.**

**HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.**

**CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.**

**MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.**

**KEEP OUT OF DIRECT SUNLIGHT.**

**FOR FARM AND INDUSTRIAL USE ONLY.**

**PREVENTION:** Wear protective gloves, protective clothing, and eye or face protection. Do not breathe vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

**FIRST AID/ RESPONSE:**

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

**IF SWALLOWED:** Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

**IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**STORAGE: Store locked up.**

**DISPOSAL: Dispose of contents and container in a waste disposal facility, in accordance with all local, regional and national regulations.**

**EMERGENCY TELEPHONE NUMBER (CareChem 24) 1-215-207-0061**

**866-928-0789** **Toll Free: 1-**

**ACTIVE INGREDIENT : Sodium Chlorite 8.0%**

**NDC: 17307-3024-3**

**LOT:**

**EXP. DATE:**

**NET CONTENTS: 55 GALLON (208.2L)**

XT ULTRA is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. XT ULTRA is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

### **General Use**

Use a teat dip cup to apply. Clean dip cup just prior to use. If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container. This product can also be foamed or sprayed using recommended equipment.

### **Pre Dipping Use**

Perform forestripping and inspect teats for clinical mastitis. Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels. Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

### **Post Dipping Use**

Immediately after each milking, use product. Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe. If outside

temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

## Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3 - 4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By:

AgroChem USA, LLC 26 Freedom Way • Saratoga Springs, NY 12866 • (518)226-4850

# XT ULTRA CONCENTRATE | PART B

CONCENTRATED  
ACIDIFIED NaClO<sub>2</sub>  
TEAT DIP PART B

## DANGER



**NOT FOR HUMAN USE.**  
**HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.**  
**CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.**  
**MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.**  
**KEEP OUT OF DIRECT SUNLIGHT.**  
**KEEP OUT OF REACH OF CHILDREN.**  
**FOR FARM AND INDUSTRIAL USE ONLY.**

**PREVENTION:** Wear protective gloves, protective clothing, and eye or face protection. Do not breathe vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

**FIRSTAID/ RESPONSE:**

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

**IF SWALLOWED:** Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

**IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**STORAGE:** Store locked up.

**DISPOSAL:** Dispose of contents and container in a waste disposal facility, in accordance with all local, regional and national regulations.

**EMERGENCY TELEPHONE NUMBER (CareChem 24) 1-215-207-0061**  
**Toll Free: 1-866-928-0789**

ACTIVE INGREDIENT: Sodium Chlorite 8.0%

NDC: 17307-3024-3

NET CONTENTS: 55 GALLON (208.2L)

LOT:  
EXP:



XT ULTRA is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. XT ULTRA is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

**DIRECTIONS:**

**IMPORTANT: THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE.** Mix by volume. MIX RATIO is (58 Water: 1 Part A : 1 Part B). In a clean container, add (58) parts water, then add (1) part XT ULTRA Part A, next add (1) part XT ULTRA Part B. CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing.

**General Use**

Use a teat dip cup to apply. Clean dip cup just prior to use. If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container. This product can also be foamed or sprayed using recommended equipment.

**Pre Dipping Use**

Perform forestripping and inspect teats for clinical mastitis. Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels. Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**Post Dipping Use**

Immediately after each milking, use product. Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

**Extended Use**

When a cow is being dried off, the teats should be dipped in product, once a day for 3 - 4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By: AgroChem USA, LLC  
26 Freedom Way  
Saratoga Springs, NY 12866  
Phone: 518-226-4850



**UN1908**, CHLORITE SOLUTION, 8, PGIII

## XT ULTRA CONC. PART B

sodium chlorite solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17307-3024
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	0.27 kg in 1 kg

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17307-3024-1	19 kg in 1 CONTAINER		
2	NDC:17307-3024-2	57 kg in 1 DRUM		
3	NDC:17307-3024-3	208 kg in 1 DRUM		
4	NDC:17307-3024-4	1003 kg in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/19/2024	

**Labeler** - AgroChem USA, LLC (118336116)**Registrant** - AgroChem USA, LLC (118336116)**Establishment**

Name	Address	ID/FEI	Business Operations
AgroChem USA, LLC		118336116	api manufacture, manufacture, analysis, label, pack

Revised: 7/2024

AgroChem USA, LLC