

**CANDIDA- abies canadensis, agaricus musc, allium cepa, allium sativum, aloe, antimonium crudum, asafoetida, borax, candida albicans, candida parapsilosis, carpinus betulus, flos, ignatia amara, lachesis mutus, lycopodium clavatum, malus pumila, flos, olea europaea, flos, phosphoricum acidum, phytolacca decandra, pulsatilla, sabadilla, sticta pulmonaria, sulphur, thuja occidentalis. liquid  
King Bio Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Candida**

### **Warnings**

**Stop use and ask your doctor if** symptoms persist or worsen.

**If pregnant or breast-feeding,** take only on advice of a healthcare professional.

**Keep out of reach of children.**

Reference image: Candida.jpg

**Keep out of reach of children.**

Reference image: Candida.jpg

### **Directions**

Adults 1 teaspoon
Children 6 - 12 years 1/2 teaspoon
Children under 6 years old Consult a physician

2 times daily on an empty stomach, before breakfast and at bedtime.

Reference image: Candida.jpg

**Tamper resistant for your protection.** Use only if seal is intact. This product has not been clinically tested.

King Bio, Inc. FDA Reg. #1053442  
3 Westside Dr. Asheville, NC 28806 USA

Questions? Call 866.298.2740

Reference image: Candida.jpg

### **Inactive ingredients**

Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (*Lonicera japonica*), Polylysine, Purified Water, Shagbark Hickory (*Carya ovata*) Bark Extract, Steviol (Steviol glycosides).

Reference image: Candida.jpg

Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, and 5LM potencies.

Abies canadensis .....	gnawing hunger
Agaricus musc.....	gastric disturbances, bloating
Allium cepa.....	burning in mouth and throat
Allium sativum .....	constipation
Aloe .....	headache, nausea
Antimonium crudum .....	ear ringing, pimples
Asafoetida .....	bloating, flatulence
Borax .....	nervousness
Candida albicans.....	yeast infections, thrush
Candida parapsilosis .....	itchy scalp, nail fungus
Carpinus betulus, flos.....	fatigue
Ignatia amara .....	moodiness, rash
Lachesis mutus .....	sleeplessness
Lycopodium clavatum.....	forgetfulness
Malus pumila, flos.....	obsessive cleansing
Olea europaea, flos .....	complete exhaustion
Phosphoricum acidum.....	listlessness
Phytolacca decandra.....	scaly scalp, dry skin
Pulsatilla .....	overly emotional
Sabadilla.....	cravings for sweets and starches
Sticta pulmonaria.....	diarrhea
Sulphur.....	cravings for sweets
Thuja occidentalis.....	GI irritation, brittle nails

Reference image: Candida.jpg

### **Active Ingredient**

Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, and 5LM potencies.

Abies canadensis, Agaricus musc, Allium cepa, Allium sativum, Aloe, Antimonium crudum, Asafoetida, Borax, Candida albicans, Candida parapsilosis, Carpinus betulus, flos, Ignatia amara, Lachesis mutus, Lycopodium clavatum, Malus pumila, flos, Olea europaea, flos, Phosphoricum acidum, Phytolacca decandra, Pulsatilla, Sabadilla, Sticta pulmonaria, Sulphur, Thuja occidentalis.

Reference image: Candida.jpg

## Use

Temporarily relieves symptoms due to overgrowth of *Candida albicans* yeast:

yeast infections

thrush

nausea

nail fungus

constipation

headache

itchy skin

fatigue

diarrhea

flatulence

forgetfulness

bloating

Reference image: Candida.jpg

**Drug Facts** (continued)  
**Warnings**  
■ Stop use and ask a doctor if symptoms persist or worsen.  
■ If pregnant or breast-feeding, ask a healthcare professional before use.  
■ Keep out of reach of children.

**Directions**

Adults	1 teaspoon
Children 6 - 12 years	1/2 teaspoon
Children under 6 years old	Consult a physician

■ 2 times daily on an empty stomach, before breakfast and at bedtime.

**Inactive ingredients** Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (*Lonicera japonica*), Polylysine, Purified Water, Shagbark Hickory (*Carya ovata*) Bark Extract, Steviol (Steviol glycosides).

Manufactured by:  
King Bio, Inc.  
FDA Reg. #1053442  
3 Westside Dr.  
Asheville, NC 28806 USA  
Questions? Call 866.298.2740  
DrKings.com

**SafeCare**  
**Candida**  
**Multi-Strain Formula**  
**for Candida Overgrowth**  
For temporary relief of:  
Fatigue  
Gastric Disturbances  
**High Potency Homeopathic Formula**  
**for Professional Use Only**  
Pure Water Base, Gluten Free  
Less than 1% Alcohol  
**8 fl oz (236 mL)**

**Drug Facts**  
**Active ingredients**      **Purpose**  
Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, and 5LM potencies.  
Abies canadensis ..... gnawing hunger  
Agaricus musc ..... gastric disturbances, bloating  
Allium cepa ..... burning in mouth and throat  
Allium sativum ..... constipation  
Aloe ..... headache, nausea  
Antimonium crudum ..... ear ringing, pimples  
Asafoetida ..... bloating, flatulence  
Borax ..... nervousness  
Candida albicans ..... yeast infections, thrush  
Candida parapsilosis ..... itchy scalp, nail fungus  
Carpinus betulus, flos ..... fatigue  
Ignatia amara ..... moodiness, rash  
Lachesis mutus ..... sleeplessness  
Lycopodium clavatum ..... forgetfulness  
Malus pumila, flos ..... obsessive cleansing  
Olea europaea, flos ..... complete exhaustion  
Phosphoricum acidum ..... listlessness  
Phytolacca decandra ..... scaly scalp, dry skin  
Pulsatilla ..... overly emotional  
Sabadilla ..... cravings for sweets and starches  
Sclita pulmonaria ..... diarrhea  
Sulphur ..... cravings for sweets  
Thuja occidentalis ..... GI irritation, brittle nails

**Uses** temporarily relieves symptoms due to overgrowth of *Candida albicans* yeast: ■ yeast infections ■ thrush ■ nausea ■ nail fungus ■ constipation ■ headache ■ itchy skin ■ fatigue ■ diarrhea ■ flatulence ■ forgetfulness ■ bloating

## CANDIDA

abies canadensis, agaricus musc, allium cepa, allium sativum, aloe, antimonium crudum, asafoetida, borax, candida albicans, candida parapsilosis, carpinus betulus, flos, ignatia amara, lachesis mutus, lycopodium clavatum, malus pumila, flos, olea europaea, flos, phosphoricum acidum, phytolacca

decandra, pulsatilla, sabadilla, sticta pulmonaria, sulphur, thuja occidentalis. liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57955-3017
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TSUGA CANADENSIS BARK</b> (UNII: R53V5F950S) (TSUGA CANADENSIS BARK - UNII:R53V5F950S)	TSUGA CANADENSIS BARK	12 [hp_X] in 236 mL
<b>AMANITA MUSCARIA FRUITING BODY</b> (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	12 [hp_X] in 236 mL
<b>ONION</b> (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	12 [hp_X] in 236 mL
<b>GARLIC</b> (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	12 [hp_X] in 236 mL
<b>Aloe</b> (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	Aloe	12 [hp_X] in 236 mL
<b>ANTIMONY TRISULFIDE</b> (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	12 [hp_X] in 236 mL
<b>FERULA ASSA-FOETIDA RESIN</b> (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	FERULA ASSA-FOETIDA RESIN	12 [hp_X] in 236 mL
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO) (BORATE ION - UNII:44OAE30D22)	SODIUM BORATE	12 [hp_X] in 236 mL
<b>Candida albicans</b> (UNII: 4D7G21HD8C) (CANDIDA ALBICANS - UNII:4D7G21HD8C)	Candida albicans	12 [hp_X] in 236 mL
<b>CANDIDA PARAPSILOSIS</b> (UNII: 0KZ676D44N) (CANDIDA PARAPSILOSIS - UNII:0KZ676D44N)	CANDIDA PARAPSILOSIS	12 [hp_X] in 236 mL
<b>CARPINUS BETULUS FLOWERING TOP</b> (UNII: QOI241B01F) (CARPINUS BETULUS FLOWERING TOP - UNII:QOI241B01F)	CARPINUS BETULUS FLOWERING TOP	12 [hp_X] in 236 mL
<b>STRYCHNOS IGNATII SEED</b> (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	12 [hp_X] in 236 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 236 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 236 mL
<b>MALUS DOMESTICA FLOWER</b> (UNII: EF626V855K) (MALUS DOMESTICA FLOWER - UNII:EF626V855K)	MALUS DOMESTICA FLOWER	12 [hp_X] in 236 mL
<b>OLEA EUROPAEA FLOWER</b> (UNII: 498M34P1VZ) (OLEA EUROPAEA FLOWER - UNII:498M34P1VZ)	OLEA EUROPAEA FLOWER	12 [hp_X] in 236 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 236 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V8VEG)	PHYTOLACCA AMERICANA ROOT	12 [hp_X] in 236 mL
<b>PULSATILLA PATENS WHOLE</b> (UNII: 4M1169RWJD) (ANEMONE PATENS WHOLE - UNII:4M1169RWJD)	PULSATILLA PATENS WHOLE	12 [hp_X] in 236 mL
<b>SCHOENOCAULON OFFICINALE SEED</b> (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	12 [hp_X] in 236 mL
<b>LOBARIA PULMONARIA</b> (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	12 [hp_X] in 236 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 236 mL
<b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	12 [hp_X] in 236 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CITRUS AURANTIUM FRUIT OIL</b> (UNII: 59JDQ5VT0T)	
<b>ORANGE PEEL</b> (UNII: T19T76XD44)	
<b>CITRUS RETICULATA FRUIT OIL</b> (UNII: 25P9H3QU5E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>LONICERA JAPONICA FLOWER</b> (UNII: 4465L2WS4Y)	
<b>POLYEPSILON-LYSINE (4000 MW)</b> (UNII: WB0M8X4TWR)	
<b>CARYA OVATA BARK</b> (UNII: X765CF609L)	
<b>STEVIOLE</b> (UNII: 4741LYX6RT)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-3017-8	236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/01/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/01/2022	

**Labeler** - King Bio Inc. (617901350)

**Registrant** - King Bio Inc. (617901350)

## Establishment

Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-3017) , api manufacture(57955-3017)

Revised: 11/2024

King Bio Inc.