

**MINERAL BEAUTY BALM BROAD SPECTRUM SPF 50 SUNSCREEN UVA-UVB
SUNCREEN LIGHT/MEDIUM- titanium dioxide and zinc oxide cream
MINERAL BEAUTY BALM BROAD SPECTRUM SPF 50 SUNSCREEN UVA-UVB
SUNCREEN MEDIUM/DARK- titanium dioxide and zinc oxide cream
MDSolarSciences**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Mineral Beauty Balm
Broad Spectrum SPF 50 Sunscreen UVA-UVB Sunscreen**

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Titanium Dioxide 2%	Sunscreen
Zinc Oxide 17%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
After 80 minutes of swimming or sweating
Immediately after towel drying
At least every 2 hours
Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other Information

- Shake well. Rub in well.

- Protect the product in this container from excessive heat and direct sunlight
- May stain some fabrics
- You may report serious adverse reaction to: Report Reaction, LLC. PO Box 22, Plainsboro, NJ 08536-0222

Inactive Ingredients

Dimethicone, Dimethicone Crosspolymer, Caprylic/Capric Triglyceride, Glyceryl Isostearate, Polyhydroxystearic Acid, Dimethicone/Vinyl Dimethicone Crosspolymer, Silica, Butyloctyl Salicylate, Polysilicone-15, Tetrahexyldecyl Ascorbate, PEG/PPG-18/18 Dimethicone, Triethoxycaprylylsilane, Iron Oxide, Caffeine, Niacinamide, Ubiquinone, Tocopheryl Acetate, Squalane, Camellia Sinensis (Green Tea) Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Punica Granatum (Pomegranate) Extract.

PRINCIPAL DISPLAY PANEL - 35 g Tube Carton - Light/Medium

MDSolarSciences™

50

**MD CRÈME
MINERAL
BEAUTY BALM**

light • medium

**BROAD SPECTRUM
SPF 50
UVA-UVB SUNSCREEN**

**+R
enhanced with
ProVention-R™**

**developed & approved
by Dermatologists**

**Water resistant (80 minutes)
Non-comedogenic – won't clog pores**

sun repair


Net Wt. 35 g - 1.23 Oz.



MDSolarSciences™



MDSolarSciences™



**MD CRÈME
MINERAL
BEAUTY BALM**
light · medium

**BROAD SPECTRUM
SPF 50
UVA-UVB SUNSCREEN**

**+R| enhanced with
ProVention-R™**

**developed & approved
by Dermatologists**

Water resistant (80 minutes)
Non-comedogenic - won't clog pores

sun repair

Net Wt. 35 g - 1.23 Oz.

Your anti-aging
skin perfecter!

This innovative
SPF 50 mineral
beauty balm delivers
the anti-aging
benefits you want
in a wonderful
whipped texture.

Enhanced with
ProVention-R™
antioxidants to help
prevent photo aging
and repair agents
such as caffeine and
niacinamide to
reduce the appearance
of redness and
discolorations so skin
looks brighter and
more even-toned.

Naturally derived safer
mineral UVA-UVB
protection helps
reduce the risk of sun
induced aging and skin
cancer. Primes skin
for make-up.

MDSolarSciences™
mineral sunscreens
are derived from
natural minerals
and do not contain
Oxybenzone,
Octinoxate,
Aminobenzole Acid
(PABA), Parabens
or fragrance.

- ✓ For all skin types including acne/roseacea prone and sensitive
- ✓ Oil-free
- ✓ Hypoallergenic
- ✓ Not tested on animals
- ✓ Gluten free



Drug Facts

Active Ingredients: **Purpose**
Titanium Dioxide 2% Sunscreen
Zinc Oxide 17% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Shake well. Rub in well.
- Protect the product in this container from excessive heat and direct sunlight
- May stain some fabrics
- You may report serious adverse reactions to: Report Reaction, LLC, PO Box 22, Plainsboro, NJ 08536-0222

Distributed by:
MDSolarSciences Corp.
40 Richards Avenue, 3rd Fl.
Norwalk, CT 06854
1-877-301-5355 MADE IN U.S.A.

Protecting
yourself from the
sun is not always
on your mind,
however,
it is on ours...

We are dedicated to
providing safer and
more efficacious
products for your
skin. Our Scientific
Advisory Council
governs our
formulations,
ensuring state
of the art broad
spectrum protection
to help prevent skin
cancer and repair the
visible signs of sun
induced aging.
Experience the
benefits of our
doctor-selected
ProVention-R™
Ingredient Library.

Drug Facts (cont.)


Inactive ingredients

Dimethicone, Dimethicone
Crosspolymer, Caprylic/
Capric Triglyceride,
Glyceryl Isostearate,
Polyhydroxystearic Acid,
Dimethicone/Vinyl
Dimethicone Crosspolymer,
Silica, Butyloctyl Saliolate,
Polysilicone-15,
PEG/PPG-18/18 Dimethicone,
Triethoxycaprylylsilane, Iron
Oxide, Caffeine, Niacinamide,
Tetrahexyldecyl Ascorbate,
Ubiquinone, Tocopheryl
Acetate, Squalane, Camellia
Sinensis (Green Tea) Extract,
Vaccinium Macrocarpon
(Cranberry) Fruit Extract,
Punica Granatum
(Pomegranate) Extract.

Learn more about us at:
www.mdsolarciences.com

2392002

FPO



PRINCIPAL DISPLAY PANEL - 35 g Tube Carton - Medium/Dark

MDSolarSciences™

50

MD CRÈME

MINERAL

BEAUTY BALM

medium • dark

BROAD SPECTRUM

SPF 50

UVA-UVB SUNSCREEN

+R

enhanced with

ProVention-R™

developed & approved

by Dermatologists

Water resistant (80 minutes)

Non-comedogenic – won't clog pores

sun repair

Net Wt. 35 g - 1.23 Oz.



MDSolarSciences™



MDSolarSciences™

Drug Facts

Active Ingredients: **Purpose**

Titanium Dioxide 2% Sunscreen
Zinc Oxide 17% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

Shake well. Rub in well.

- Protect the product in this container from excessive heat and direct sunlight
- May stain some fabrics
- You may report serious adverse reactions to: Report Reaction, LLC, PO Box 22, Plainsboro, NJ 08536-0222

Protecting yourself from the sun is not always on your mind, however, it is on ours...

We are dedicated to providing safer and more efficacious products for your skin. Our Scientific Advisory Council governs our formulations, ensuring state of the art broad spectrum protection to help prevent skin cancer and repair the visible signs of sun induced aging. Experience the benefits of our doctor-selected ProVention-R™ Ingredient Library.

Drug Facts (cont.)

Inactive ingredients

Dimethicone, Dimethicone Crosspolymer, Caprylic/Capric Triglyceride, Glyceryl Isostearate, Polyhydroxystearic Acid, Dimethicone/Vinyl Dimethicone Crosspolymer, Silica, Butyloctyl Salicylate, Polysilicone-15, PEG/PPG-18/18 Dimethicone, Triethoxycaprylsilane, Iron Oxide, Caffeine, Niacinamide, Tetrahexyldecyl Ascorbate, Ubiquinone, Tocopheryl Acetate, Squalane, Camellia Sinensis (Green Tea) Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Punica Granatum (Pomegranate) Extract.

Your anti-aging skin perfecter!

This innovative SPF 50 mineral beauty balm delivers the anti-aging benefits you want in a wonderful whipped texture.

Enhanced with ProVention-R™ antioxidants to help prevent photo aging and repair agents such as caffeine and niacinamide to reduce the appearance of redness and discolorations so skin looks brighter and more even-toned.

Naturally derived safer mineral UVA-UVB protection helps reduce the risk of sun induced aging and skin cancer. Primes skin for make-up.

MDSolarSciences™ mineral sunscreens are derived from natural minerals and do not contain Oxybenzone, Octinoxate, Aminobenzole Acid (PABA), Parabens or fragrance.

- ✓ For all skin types including acne/ rosacea prone and sensitive
- ✓ Oil-free
- ✓ Hypoallergenic
- ✓ Not tested on animals
- ✓ Gluten free

MD CRÈME
MINERAL
BEAUTY BALM
medium - dark

BROAD SPECTRUM
SPF 50
UVA-UVB SUNSCREEN

+R|enhanced with
ProVention-R™

developed & approved
by Dermatologists

Water resistant (80 minutes)
Non-comedogenic - won't clog pores

sun repair

Net Wt. 35 g - 1.23 Oz.

Learn more about us at:
www.mdsolarciences.com



2349001

FPO

Distributed by:
MDSolarSciences Corp.
40 Richards Avenue, 3rd Fl.
Norwalk, CT 06854
1-877-301-5355 MADE IN U.S.A.

MINERAL BEAUTY BALM BROAD SPECTRUM SPF 50 SUNSCREEN UVA-UVB SUNCREEN LIGHT/MEDIUM

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49358-550
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	2.7 g in 35 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	1.3 g in 35 g

Inactive Ingredients

Ingredient Name	Strength
Dimethicone (UNII: 92RU3N3Y1O)	
DIMETHICONE/DIENE DIMETHICONE CROSSPOLYMER (UNII: RSA9I561OK)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CAFFEINE (UNII: 3G6A5W338E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
UBIDECARENONE (UNII: EJ27X76M46)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SQUALANE (UNII: GW89575KF9)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CRANBERRY (UNII: 0MVO31Q3QS)	
POMEGRANATE JUICE (UNII: 99S671U9KB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49358-550-01	1 in 1 CARTON	04/01/2014	
1		35 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	04/01/2014	

MINERAL BEAUTY BALM BROAD SPECTRUM SPF 50 SUNSCREEN UVA-UVB SUNCREEN MEDIUM/DARK

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49358-551
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	2.7 g in 35 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	1.3 g in 35 g

Inactive Ingredients

Ingredient Name	Strength
Dimethicone (UNII: 92RU3N3Y1O)	
DIMETHICONE/DIENE DIMETHICONE CROSSPOLYMER (UNII: RSA9I561OK)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CAFFEINE (UNII: 3G6A5W338E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
UBIDECARENONE (UNII: EJ27X76M46)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SQUALANE (UNII: GW89575KF9)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CRANBERRY (UNII: 0MVO31Q3QS)	
POMEGRANATE JUICE (UNII: 99S671U9KB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49358-551-01	1 in 1 CARTON	04/01/2014	
1		35 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	04/01/2014	

Labeler - MDSolarSciences (013647301)

Revised: 1/2020

MDSolarSciences