

**DIMENHYDRINATE- dimenhydrinate tablet**  
**LEADER/ Cardinal Health 110, Inc.**

-----  
**1006-Cardinal**

***Drug Facts***

***Active ingredient (in each tablet)***

Dimenhydrinate 50 mg

***Purpose***

Antiemetic

***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

**Do not give to** children under 2 years of age unless directed by a doctor

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking** sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity
- **adults and children 12 years of age and over:** 1 to 2 tablets every 4-6 hours;

not to exceed 8 tablets in 24 hours, or as directed by a doctor

■ **children 6 to under 12 years of age:** 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor

■ **children 2 to under 6 years of age:** 1/2 tablet every 6-8 hours; not to exceed 1 1/2 tablets in 24 hours, or as directed by a doctor

### ***Other information***

■ **each tablet contains:** calcium 30 mg

■ store in a dry place at 15° – 30°C (59° – 86°F)

■ protect from moisture

■ see end flap for expiration date and lot number

■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose

### ***Questions or comments?***

**1-800-231-4670**

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine®

### **KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

©2021 Cardinal Health. All Rights Reserved.

CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

[www.myleader.com](http://www.myleader.com) 1-800-200-6313

Essential to Care™ since 1979

All LEADER™ Brand

Products Have A

100%

Money Back

Guarantee

LEADER

NDC 7000-0404-1

Original Formula

## Motion Sickness Relief


Dimenhydrinate, 50 mg/ Antiemetic

COMPARE TO DRAMAMINE® ORIGINAL FORMULA active ingredient\*

Fast Acting Motion Sickness Relief for Children & Adults

12 Tablets

R50592



NDC 70000-0404-1


**Original Formula**

# Motion Sickness Relief

Dimenhydrinate, 50 mg | Antiemetic

Return to place of purchase if not satisfied.

**100% Money Back Guarantee**



Actual Size

**COMPARE TO DRAMAMINE® ORIGINAL FORMULA active ingredient\***

Fast Acting Motion Sickness Relief for Children & Adults


**12 TABLETS**

**100% Money Back Guarantee**

**Drug Facts (continued)**

**Inactive ingredients** croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose

**Questions or comments?** 1-800-231-4670



CIN 545548 REV. 8/21 3

**Warnings**

- Do not give to children under 2 years of age unless directed by a doctor.
- Ask a doctor before use if you have:
  - glaucoma
  - a breathing problem such as emphysema or chronic bronchitis
  - trouble urinating due to an enlarged prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers
- When using this product
  - marked drowsiness may occur
  - avoid alcoholic drinks
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - use caution when driving a motor vehicle or operating machinery


**Other information**

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity
- to prevent or treat motion sickness, see below:
  - adults and children 12 years of age and over: 1 to 2 tablets every 4-6 hours; not to exceed 8 tablets in 24 hours, or as directed by a doctor
  - children 6 to under 12 years of age: 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor
  - children 2 to under 6 years of age: 1/2 tablet every 6-8 hours; not to exceed 1 1/2 tablets in 24 hours, or as directed by a doctor
- each tablet contains: calcium 30 mg ■ store in a dry place at 15° - 30°C (59° - 86°F) ■ protect from moisture
- see end flap for expiration date and lot number
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

©2021 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

**Cardinal Health™**

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43007  
www.myleader.com 1-800-200-6335  
**Essential to Care™ since 1979**



## DIMENHYDRINATE

dimenhydrinate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0404
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (CHLORTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	1006;1006
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0404-1	1 in 1 CARTON	01/04/2019	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	01/04/2019	

**Labeler** - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 2/2025

LEADER/ Cardinal Health 110, Inc.