

OXYGEN - oxygen gas
American Compressed Gases Inc.

Oxygen

Oxygen, compressed



OXYGEN, COMPRESSED USP
UN 1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. **Produced by Air Liquefaction. WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.** Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for Oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52oC (125oF). Use in accordance with the **Material Safety Data Sheet (MSDS)**.

CAS:7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

AMERICAN COMPRESSED GASES, INC.

NEW YORK CITY, NY (718) 392-9800 . WEST/BRONX, NY (914) 968-8708

ROCKLAND (845) 623-8066 . LONG ISLAND, NY (516) 935-4700

BRANFORD, CT (203) 483-7772

17033 (R 04/05)

CONTENTS: LTRS. _____ CU.FT. _____

Oxygen, refrigerated liquid

OXYGEN, REFRIGERATED LIQUID

USP



UN1073

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

CONTENTS: _____

LOT #: _____

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.
VIGOROUSLY ACCELERATES COMBUSTION.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT
CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin, or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Cylinder temperature should not exceed 52°C (125°F)
Close valve after each use and when empty.
Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.
CAS: 7782-44-7
DO NOT REMOVE THIS PRODUCT LABEL.



AMERICAN COMPRESSED GASES, INC.
34-52 LAUREL HILL BLVD.
MASPETH, NY 11378
(718) 392-9800

47136
10/00

**OXYGEN, REFRIGERATED LIQUID USP
UN 1073**

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS:7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

AMERICAN COMPRESSED GASES, INC.

34-52 LAUREL HILL BLVD.

MASPETH, NY 11378

(718) 392-9800

47136 (10/00)

Oxygen, certificate of analysis

CERTIFICATE OF ANALYSIS Facility No. Ref. SOP 16.03, 16.07, 16.11
Product: Oxygen, USP American Compressed Gases, Inc. 34-52 Laurel Hill Blvd. Maspeth, NY
11378-2007

Serial No. _____

Lot No. _____

Produced by Air Liquefaction

Bulk storage vessel Vehicle-mounted vessel DOT 4L portable cylinder Home
cryogenic vessel High-pressure cylinder

ANALYZE	SPECIFICATION	RESULTS	ANALYTICAL METHOD	ANALYZER
Odor	None	_____	Olfaction (smell)	

ID _____ Paramagnetic Oxygen analyzer
 Assay Oxygen _____
 ≥99.2 _____

Analyst _____ Date: _____

“This is to certify that I have been trained in the vendor’s analytical methodology and have witnessed the analysis of this lot of drug product”

Witnessed: _____ (Customer representative) Date: _____

Company: _____

Remarks:

OXYGEN

oxygen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:49496-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49496-011-03	141 L in 1 CYLINDER		
2	NDC:49496-011-14	226 L in 1 CYLINDER		
3	NDC:49496-011-09	396 L in 1 CYLINDER		
4	NDC:49496-011-20	509 L in 1 CYLINDER		
5	NDC:49496-011-25	3171 L in 1 CYLINDER		
6	NDC:49496-011-38	7050 L in 1 CYLINDER		
7	NDC:49496-011-39	8636 L in 1 CYLINDER		
8	NDC:49496-011-97	618470 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141354	08/27/2010	

Labeler - American Compressed Gases Inc. (043598622)

Establishment

Name	Address	ID/FEI	Business Operations
American Compressed Gases Inc.		046172334	manufacture