

CAMBISON- neomycin sulfate, prednisolone ointment
OASIS TRADING

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Neomycin Sulfate, Prednisolone

■ temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching

Keep out of reach of children

■ Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily

For external use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

cetostearyl alcohol, propylene glycol, purified water, sodium lauryl sulfate, white petrolatum

For external use only

CAMBISON

<i>Drug Facts</i>	
<i>Active Ingredients (in 1g)</i>	<i>Purpose</i>
Neomycin Sulfate 3mg -----	Anti-itch
Prednisolone 4mg -----	Anti-itch
<i>Uses</i>	
■ temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching	
<i>Warnings</i>	
For external use only.	
Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.	
Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.	
When using this product consult a doctor before exceeding recommended dosage.	
Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<i>Directions</i>	
■ Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily	
<i>Other Information</i>	
■ Store at room temperature	
<i>Inactive Ingredient</i>	
cetostearyl alcohol, propylene glycol, purified water, sodium lauryl sulfate, white petrolatum	

CAMBISON

neomycin sulfate, prednisolone ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72689-0016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PREDNISOLONE (UNII: 9PHQ9 Y1OLM) (PREDNISOLONE - UNII:9PHQ9 Y1OLM)	PREDNISOLONE	4 mg in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72689-0016-1	10 g in 1 TUBE; Type 0: Not a Combination Product	11/16/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/15/2018	

Labeler - OASIS TRADING (689991468)**Registrant** - OASIS TRADING (689991468)**Establishment**

Name	Address	ID/FEI	Business Operations
OASIS TRADING		689991468	manufacture(72689-0016)

Revised: 12/2018

OASIS TRADING