

THERA PLUS ECZEMA HYDROCORTISONE ANTI ITCH- hydrocortisone cream
Fourstar Group USA, Inc.

Thera Plus Eczema Cream 1% Hydrocortisone Anti-Itch

Drug Facts

Active ingredients

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be under advice and supervision of a doctor

Warnings

For external use only.

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes.
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persists for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching
- adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- store at room temperature 68 °- 77° F (20° - 25°C).

Inactive ingredients

aloe barbadensis leaf juice, cetyl alcohol, dimethicone, EDTA, ethylparaben, glycerin, glyceryl monostearate, isohexadecane, maltodextrin, methyl gluceth-20, methylparaben, petrolatum, phenoxyethanol, polysorbate 80, propylene glycol, sodium citrate, stearic acid, tocopherol, water, zingiber officinale (ginger) root extract

Questions?

1-800-639-3803 Weekdays 9 AM to 4 PM EST

Package Labeling:



COMPARE TO THE ACTIVE OF
INGREDIENT CORTIZONE-10®
INTENSIVE HEALING FOR ECZEMA*

- Fast, long-lasting and soothing relief for itchy dry skin
- Visibly restores and moisturizes skin



Eczema Cream

1% Hydrocortisone
Anti-itch



NET WT. 1 OZ (28 g)

*Cortizone-10® is a registered trademark of Chatter, Inc. All trademarks and registered trademarks are the property of their respective owners. TheraPlus® is not manufactured or distributed by Chatter, Inc.

MANUFACTURED FOR:
FOURSTAR GROUP USA, INC.
925 GRANT ST., AKRON, OH 44311 USA
MADE IN CHINA



Drug Facts		Drug Facts (continued)
Active ingredients Hydrocortisone 1%	Purpose Anti-Itch	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Uses ■ temporarily relieves itching associated with minor skin irritations, inflammation and rashes due to: ■ eczema ■ psoriasis ■ poison ivy, oak, sumac ■ insect bites ■ contact dermatitis ■ jewelry ■ cosmetics ■ soaps ■ seborrheic dermatitis ■ temporarily relieves external anal and genital itching ■ other uses of this product should be under advice and supervision of a doctor		Directions ■ for itching of skin irritation, inflammation, and rashes: ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: do not use, ask a doctor ■ for external anal and genital itching: ■ adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly ■ gently dry by patting or blotting with toilet tissue or soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor
Warnings For external use only. Do not use ■ in the genital area if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor. When using this product ■ avoid contact with eyes. ■ do not use more than directed unless told to do so by a doctor. ■ do not put directly into the rectum by using fingers or any mechanical device or applicator. Stop use and ask a doctor if ■ condition worsens, symptoms persists for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor. ■ rectal bleeding occurs.		Other information ■ store at room temperature 68° - 77° F (20° - 25° C). Inactive ingredients ■ oleo-burdock leaf juice, cetyl alcohol, dimethicone, EDTA, ethylparaben, glycerin, glyceryl monostearate, sodium lauryl sulfate, methyl glycerol-20, methylparaben, polybutene, polybutene-2, polybutene-3, polybutene-4, polybutene-6, polybutene-10, polybutene-12, polybutene-14, polybutene-16, polybutene-18, polybutene-20, polybutene-22, polybutene-24, polybutene-26, polybutene-28, polybutene-30, polybutene-32, polybutene-34, polybutene-36, polybutene-38, polybutene-40, polybutene-42, polybutene-44, polybutene-46, polybutene-48, polybutene-50, polybutene-52, polybutene-54, polybutene-56, polybutene-58, polybutene-60, polybutene-62, polybutene-64, polybutene-66, polybutene-68, polybutene-70, polybutene-72, polybutene-74, polybutene-76, polybutene-78, polybutene-80, polybutene-82, polybutene-84, polybutene-86, polybutene-88, polybutene-90, polybutene-92, polybutene-94, polybutene-96, polybutene-98, polybutene-100.
		Questions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

COMPARE TO THE ACTIVE INGREDIENT OF CORTIZONE-10® INTENSIVE HEALING FOR ECZEMA*

Eczema Cream

- Fast, long-lasting and soothing relief for itchy dry skin
- Visibly restores and moisturizes skin

1% Hydrocortisone
Anti-itch

NET WT. 1 OZ (28 g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredients Hydrocortisone 1%. **Purpose** Anti-Itch. **Uses** ■ temporarily relieves itching associated with minor skin irritations, inflammation and rashes due to: ■ eczema ■ psoriasis ■ poison ivy, oak, sumac ■ insect bites ■ contact dermatitis ■ jewelry ■ cosmetics ■ soaps ■ seborrheic dermatitis ■ temporarily relieves external anal and genital itching ■ other uses of this product should be under advice and supervision of a doctor. **Directions** ■ for itching of skin irritation, inflammation, and rashes: ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: do not use, ask a doctor ■ for external anal and genital itching: ■ adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly ■ gently dry by patting or blotting with toilet tissue or soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor. **Other information** ■ store at room temperature 68° - 77° F (20° - 25° C). **Inactive ingredients** ■ oleo-burdock leaf juice, cetyl alcohol, dimethicone, EDTA, ethylparaben, glycerin, glyceryl monostearate, sodium lauryl sulfate, methyl glycerol-20, methylparaben, polybutene, polybutene-2, polybutene-3, polybutene-4, polybutene-6, polybutene-10, polybutene-12, polybutene-14, polybutene-16, polybutene-18, polybutene-20, polybutene-22, polybutene-24, polybutene-26, polybutene-28, polybutene-30, polybutene-32, polybutene-34, polybutene-36, polybutene-38, polybutene-40, polybutene-42, polybutene-44, polybutene-46, polybutene-48, polybutene-50, polybutene-52, polybutene-54, polybutene-56, polybutene-58, polybutene-60, polybutene-62, polybutene-64, polybutene-66, polybutene-68, polybutene-70, polybutene-72, polybutene-74, polybutene-76, polybutene-78, polybutene-80, polybutene-82, polybutene-84, polybutene-86, polybutene-88, polybutene-90, polybutene-92, polybutene-94, polybutene-96, polybutene-98, polybutene-100.

Questions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

*Cortizone-10® is a registered trademark of Chatter, Inc. All trademarks and registered trademarks are the property of their respective owners. TheraPlus® is not manufactured or distributed by Chatter, Inc.

MANUFACTURED FOR: FOURSTAR GROUP USA, INC.
925 GRANT ST., AKRON, OH 44311 USA
MADE IN CHINA

THERA PLUS ECZEMA HYDROCORTISONE ANTI ITCH

hydrocortisone cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80684-146
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
ISOHEXADECANE (UNII: 918X10UF1E)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PETROLATUM (UNII: 4T6H12BN9U)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

SODIUM CITRATE (UNII: 1Q73Q2JULR)
STEARIC ACID (UNII: 4ELV7Z65AP)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0KO0R)
GINGER (UNII: C5529G5JPQ)
METHYL GLUCETH-20 (UNII: J3QD0LD11P)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
CETYL ALCOHOL (UNII: 936JST6JCN)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETIC ACID (UNII: 9G34HU7RV0)
ETHYLPARABEN (UNII: 14255EXE39)
GLYCERIN (UNII: PDC6A3C0OX)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80684-146-00	28 g in 1 TUBE; Type 0: Not a Combination Product	03/03/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/03/2025	

Labeler - Fourstar Group USA, Inc. (140099503)

Revised: 3/2025

Fourstar Group USA, Inc.