

**OXYGEN- oxygen gas**  
**Alick's Home Medical Equipment, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

**Oxygen**

**Principal for Oxygen Product**

**OXYGEN,  
COMPRESSED USP  
UN 1072**



**DANGER:**  
MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.  
CONTAINS GAS UNDER PRESSURE;  
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

**DO NOT REMOVE THIS PRODUCT LABEL.**

CAS NO: 7782-44-7

Contents	Size
170 Liters	<input type="checkbox"/> M6
248 Liters	<input type="checkbox"/> C
415 Liters	<input type="checkbox"/> D
682 Liters	<input type="checkbox"/> E
3470 Liters	<input type="checkbox"/> M
6910 Liters	<input type="checkbox"/> H
	<input type="checkbox"/> Other

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2025

   **NO SMOKING  
NO VAPING**

**Alick's Home Medical Equip., Inc.**  
17187 State Road 23  
South Bend, IN 46635  
574-273-6000 or 800-633-4144

OXYGEN  
COMPRESSED  
USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE;  
OXIDIZER. CONTAINS GAS UNDER  
PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °c (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2025

NO SMOKING

NO VAPING

**OXYGEN,  
REFRIGERATED  
LIQUID USP**

UN 1073



CONTENTS: \_\_\_\_\_ LITERS

CAS NO: 7782-44-7



**DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:**

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

© Applied Home Healthcare Equipment 2025



**NO SMOKING  
NO VAPING**

**Alick's Home Medical Equip., Inc.**

17187 State Road 23

South Bend, IN 46635

574-273-6000 or 800-633-4144

OXYGEN,

REFRIGERATED

LIQUID USP

UN 1073

CONTENTS \_\_\_\_\_ LITERS

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS

REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS

OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON

## IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

## FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

## DO NOT REMOVE THIS PRODUCT LABEL.

Warning: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

©Applied Home Healthcare Equipment 2025

NO SMOKING

NO VAPING

~~LOT  
EXPIRATION DATE~~

Representative Labeling  
pursuant to 21 CFR 207.3 (10)

---

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:64075-123
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:64075-123-01	164 L in 1 CYLINDER; Type 0: Not a Combination Product	09/16/2009	
2	NDC:64075-123-02	255 L in 1 CYLINDER; Type 0: Not a Combination Product	09/16/2009	
3	NDC:64075-123-03	425 L in 1 CYLINDER; Type 0: Not a Combination Product	09/16/2009	
4	NDC:64075-123-04	640 L in 1 CYLINDER; Type 0: Not a Combination Product	09/16/2009	
5	NDC:64075-123-05	680 L in 1 CYLINDER; Type 0: Not a Combination Product	09/16/2009	
6	NDC:64075-123-06	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	09/16/2009	
7	NDC:64075-123-08	21 L in 1 DEWAR; Type 0: Not a Combination Product	09/16/2009	
8	NDC:64075-123-09	46 L in 1 DEWAR; Type 0: Not a Combination Product	09/16/2009	
9	NDC:64075-123-10	31 L in 1 DEWAR; Type 0: Not a Combination Product	09/16/2009	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		09/17/2007	

**Labeler** - Alick's Home Medical Equipment, Inc. (102357936)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Alick's Home Medical Equipment, Inc.		081111600	manufacture(64075-123)

## Establishment

Name	Address	ID/FEI	Business Operations
Alick's Home Medical Equipment, Inc.		102357936	manufacture(64075-123)

Revised: 10/2025

Alick's Home Medical Equipment, Inc.