

**NITROGEN- nitrogen gas**  
**Metro Welding Supply Corporation**

**Nitrogen**

NITROGEN, COMPRESSED NF  
UN1066

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

METRO WELDING SUPPLY  
12620 SOUTHFIELD  
DETROIT, MI 48223  
CALL (313) 834-1660 FOR PICKUP


**NITROGEN,  
COMPRESSED  
NF  
UN1066**



Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9  
DO NOT REMOVE THIS PRODUCT LABEL.  
METRO WELDING SUPPLY  
12620 SOUTHFIELD • DETROIT, MI 48223  
CALL (313) 834-1660 FOR PICKUP

NITROGEN, REFRIGERATED LIQUID NF  
UN1977  
RX ONLY

**WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING:** CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLAE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. **DO NOT** change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7727-37-9 **DO NOT REMOVE THIS PRODUCT LABEL.**  
**METRO WELDING SUPPLY**  
**12620 SOUTHFIELD**  
**DETROIT, MI 48223**  
**CALL (313) 834-1660 FOR PICKUP**



<b>NITROGEN</b>			
nitrogen gas			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:62273-002
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)		NITROGEN	995 mL in 1 L

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:62273-002-01	690 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2012	
2	NDC:62273-002-02	5270 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2012	
3	NDC:62273-002-03	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2012	

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA205850	03/01/2012	

**Labeler** - Metro Welding Supply Corporation (005328869)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Metro Welding Supply Corporation		005328869	manufacture(62273-002)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Metro Welding Supply Corporation		079716147	manufacture(62273-002)

Revised: 10/2025

Metro Welding Supply Corporation