DYNAREX MUSCLE RUB CREAM- menthol and methyl salicylate cream Dynarex Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dynarex Muscle Rub Cream

Active Ingredient

Active Ingredient Purpose

Menthol 10% Topical analgesic

Methyl salicylate 15% w/w Topical analgesic

Purpose

Temporary relief of minor aches and pains of muscle joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Do not use Dother than directed.

Indications and Usage

Uses

Temporary relief of minor aches and pains of sore muscles and joints.

Warnings

For external use only.

- Avoid contact with the eyes or mucous membranes.
- Do not apply to wounds or damaged skin.
- Do not bandage tightly.
- Do not use with heating pad or device.

Stop Use

Stop Use And Ask A Doctor If:

- Condition worsens, or if symptoms persist for more than 7 days,
- symptoms clear up and occur again in a few days
- redness is present or excessive skin irritation develops

Keep Out Of Reach Of Children

KEEP OUT OF REACH OF CHILDREN

If accidentally ingested, get medical help or contact a Poison Control Center immediately.

Dosage & Administration

Directions

- Use only as directed
- Adults and children 12 years of age and older: apply to the affected areas not more than 3 or 4 times daily.
- Children under 12 years of age: Consult a physician.

Other Information

Store at 20° - 25°C (68°-77°F)

Inactive Ingredients

Allantoin, carbomer, cetyl alcohol, dimethicone, disodium EDTA, glycerin, glyceral monostearate, isopropyl myristate, methyparaben, phenoxyethanol, potassium cetyl phoshate, propylparaben, purified water, sodium hydroxide, stearic acid, titanium dioxide, polysorbate 20, Vitamin E, xanthan gum.

Principal Display panel

1135 GV.jpg

Drug Facts	
Active Ingredients	Purpose
Menthol 10% w/w	
Methyl Salicylate 15% w/w	Topical analgesic

Uses

Temporarily relieves the minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains Do not use other than as directed

When using this product

■ avoid contact with the eyes or mucous membranes ■ do not apply to wounds or damaged skin ■ do not bandage tightly

do not use with a heating pad

Stop use and ask a doctor if

■ condition worsens or symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days ■ redness is present or excessive skin irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)	Drug Facts (continued)
Directions ■ use only as directed ■ adults & children 12 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor Other information ■ store at 20°-25°C (68°-77°F)	Glyceryl Monostearate, Isopropyl Myristate, Methyl Paraben, Phenoxyethanol, Potassium Cetyl Phosphate, Propyl Paraben, Purified Water, Sodium Hydroxide, Stearic Acid, Titanium Dioxide, Tween 20, Vitamin E, Xanthan Gum
Inactive Ingredients Allantoin, Carbomer (Ultrez 10), Cetyl Alcohol, Dimethicone, Disodium EDTA, Glycerin.	

Net Wt. 3 oz. (84.7g) NDC #67777-416-01 Reorder No. 1135





NUMBER AND EXP.DATE S TO BE PRINTED HERE Manufactured for: Dynarex Corporation Orangeburg, NY 10962 www.dynarex.com Made in India

DYNAREX MUSCLE RUB CREAM

menthol and methyl salicylate cream

Product Information

 Product Type
 HUMAN OTC DRUG
 Item Code (Source)
 NDC:67777-416

 Route of Administration
 TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg in 1 g	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	15 mg in 1 g	

ETYL ALCOHOL (UNII: 936JST6JCN) ETATE DISODIUM (UNII: 7FLD9 1C86K) DTASSIUM CETYL PHO SPHATE (UNII: 03KCY6P7UT) ANTHAN GUM (UNII: TTV12P4NEE) LYCERIN (UNII: PDC6A3C0OX) ARBOMER 940 (UNII: 4Q93RCW27E) LLANTO IN (UNII: 344S277G0Z) ETHYLPARABEN (UNII: 28IX2SC10H) DLYSORBATE 20 (UNII: 7T1F30V5YH) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O) HENO XYETHANOL (UNII: HIE492ZZ3T)	
DETATE DISO DIUM (UNII: 7FLD9 1C8 6 K) D TASSIUM CETYL PHO SPHATE (UNII: 03KCY6P7UT) ANTHAN GUM (UNII: TTV12P4NEE) LYCERIN (UNII: PDC6 A3C0 O X) ARBO MER 940 (UNII: 4Q93RCW27E) LLANTO IN (UNII: 344S277G0 Z) ETHYLPARABEN (UNII: 28 IX2SC10H) D LYSORBATE 20 (UNII: 7T1F30 V5YH) LYCERYL MO NO STEARATE (UNII: 230 O U9 XXE4) O PRO PYL MYRISTATE (UNII: 0 RE8 K4LNJS) TEARIC ACID (UNII: 4EL V7Z65AP) D DIUM HYDRO XIDE (UNII: 15FIX9 V2JP) METHICO NE (UNII: 92RU3N3Y1O)	Strength
TASSIUM CETYL PHO SPHATE (UNII: 03KCY6P7UT) ANTHAN GUM (UNII: TTV12P4NEE) LYCERIN (UNII: PDC6A3C0OX) ARBOMER 940 (UNII: 4Q93RCW27E) LLANTO IN (UNII: 344S277G0Z) ETHYLPARABEN (UNII: A2I8C7HI9T) ROPYLPARABEN (UNII: Z8IX2SC1OH) DLYSORBATE 20 (UNII: 7T1F30V5YH) LYCERYL MONOSTEARATE (UNII: 230OU9 XXE4) OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) FEARIC ACID (UNII: 4ELV7Z65AP) DIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9V2JP) METHICO NE (UNII: 92RU3N3Y1O)	
ANTHAN GUM (UNII: TTV12P4NEE) LYCERIN (UNII: PDC6 A3C0 O X) ARBOMER 940 (UNII: 4Q93RCW27E) LLANTO IN (UNII: 344S277G0 Z) ETHYLPARABEN (UNII: A2I8 C7H19T) ROPYLPARABEN (UNII: 28 IX2SC10H) DLYSORBATE 20 (UNII: 7T1F30 V5YH) LYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4) OPROPYL MYRISTATE (UNII: 0RE8 K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
LYCERIN (UNII: PDC6A3C0OX) ARBOMER 940 (UNII: 4Q93RCW27E) LLANTO IN (UNII: 344S277G0Z) ETHYLPARABEN (UNII: A2I8C7HI9T) ROPYLPARABEN (UNII: Z8IX2SC1OH) DLYSORBATE 20 (UNII: 7T1F30V5YH) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DUIUM HYDROXIDE (UNII: 55X04QC32I) TANIUM DIOXIDE (UNII: 15FIX9V2JP) METHICONE (UNII: 92RU3N3Y1O)	
ARBOMER 940 (UNII: 4Q93RCW27E) LLANTO IN (UNII: 344S277G0 Z) ETHYLPARABEN (UNII: A2I8C7HI9T) ROPYLPARABEN (UNII: Z8IX2SC10H) LLYSORBATE 20 (UNII: 7T1F30 V5YH) LYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4) OPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
ETHYLPARABEN (UNII: 3248C7H9T) ROPYLPARABEN (UNII: Z8IX2SC1OH) DLYSORBATE 20 (UNII: 7T1F30V5YH) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DDIUM HYDROXIDE (UNII: 55X04QC32I) TANIUM DIOXIDE (UNII: 15FIX9V2JP) METHICONE (UNII: 92RU3N3Y1O)	
ETHYLPARABEN (UNII: A2I8C7HI9T) ROPYLPARABEN (UNII: Z8IX2SC10H) DLYSORBATE 20 (UNII: 7T1F30 V5YH) LYCERYL MONOSTEARATE (UNII: 2300U9 XXE4) OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DDIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
ROPYLPARABEN (UNII: Z8IX2SC10H) DLYSORBATE 20 (UNII: 7T1F30 V5YH) LYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4) OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DDIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
DLYSORBATE 20 (UNII: 7T1F30 V5YH) LYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4) OPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS) TEARIC ACID (UNII: 4ELV7Z65AP) DDIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
LYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4) OPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS) FEARIC ACID (UNII: 4ELV7Z65AP) ODIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
OPROPYL MYRISTATE (UNII: 0RE8K4LNJS) FEARIC ACID (UNII: 4ELV7Z65AP) DDIUM HYDROXIDE (UNII: 55X04QC32I) TANIUM DIOXIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
TEARIC ACID (UNII: 4ELV7Z65AP) D DIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICONE (UNII: 92RU3N3Y1O)	
DDIUM HYDRO XIDE (UNII: 55X04QC32I) TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICO NE (UNII: 92RU3N3Y1O)	
TANIUM DIO XIDE (UNII: 15FIX9 V2JP) METHICO NE (UNII: 92RU3N3Y1O)	
METHICO NE (UNII: 92RU3N3Y1O)	
IENO XYETHANO L (UNII: HIE492ZZ3T)	
LPHA-TOCOPHEROL (UNII: H4N855PNZ1)	

l	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:67777-416-01	85 g in 1 TUBE; Type 0: Not a Combination Product	05/16/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/16/2016	

Labeler - Dynarex Corporation (008124539)

Registrant - Dynarex Corporation (008124539)

Revised: 6/2017 Dynarex Corporation