MG217 PSORIASIS MEDICATED MULTI-SYMPTOM- coal tar ointment Wisconsin Pharmacal Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient

Coal Tar 2% (from Coal Tar Topical Solution, USP 20%)

Purpose

Psoriasis, Seborrheic Dermatitis, Dandruff Treatment

Uses For the relief of these symptoms associated with psoriasis and/or seborrheic dermatitis ■ itching ■ scaling

■ flaking ■ redness ■ irritation of the skin. Helps prevent recurrence.

Warnings

For external use only. Use only as directed.

Ask a doctor before use ■ for prolonged periods ■ if condition covers a large area of the body ■ around the rectum or in the genital area or groin ■ with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs ■ do not use for prolonged periods without consulting a physician.

When using this product ■ Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water. ■ Not recommended for use on scalp unless directed by a physician, ointment may be difficult to remove from hair.

Stop use and ask a doctor if ■ condition worsens ■ condition does not improve after regular use of this product as directed. Use caution in exposing skin to sunlight after applying this product, as it may increase your tendency to sunburn for up to 24 hours after application.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

WARNING: This product can expose you to chemicals including Coal Tar, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Directions

Apply to affected areas 1 to 4 times daily or as directed by a physician.

Inactive ingredients

Petrolatum, C12-15 Alkyl Benzoate, Bis-Diglyceryl Polyacyladipate-2, PEG/PPG-18/18 Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Vitamin E Acetate, Vitamin A (retinyl palmitate), Vitamin D 3 (cholecalciferol)

Questions or comments? 1-800-635-3696

Drug Facts

Active ingredient Coal Tar 2% (from Coal Tar Topical Solution, USP 20%).....

Drug Facts

oal Tar 2%.... om Coal Tar Topical Solution, USP 20%)

Warnings For external use only. Use only as directed

Active ingredient

Uses For the relief of these symptoms associated with psoriasis and/or seborrheic dermatitis 🔳 itching 🔳 scaling 🔳 flaking 🔳 redness irritation of the skin. Helps prevent recurrence. Warnings For external use only. Use only as directed. Ask a doctor before use 🖬 for prolonged periods 🖩 if condition covers a large area

of the body around the recting a subcease and both of the body around the body around the body around the recting a subcease around the recting and the rectin as directed. Use caution in exposing skin to sunlight after applying this product, as it may increase your tendency to sunburn for up to 24 hours after application. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. WARNING: This product can expose you to chemicals including Coal Tar, which is known to the State of California

to cause cancer. For more information go to www.P65Warnings.ca.gov Directions Apply to affected areas 1 to 4 times daily or as directed by a physician.

Purpose

Psoriasis. Se

Uses For the relief of these symptoms associated with psoriasis and/or seborrheic dermatitis the itching to caling flaking tendess in irritation of the skin. Helps prevent

Ask a doctor before use III for prolonged periods III if condition covers a large area of the body III around the rectum or in the genital area or groin with other forms of porials therapy such as ultraviolet radiation or prescription drugs III do not use for prolonged periods without consulting

When using this product Avoid contact with the eyes.

contact occurs, rinse eyes thoroughly with water.
Note: Note:

Stop use and activation to reinvertion main. Stop use and activation confident worsens is condition does not improve after regular use of this product as directed. Use caution in exposing skin to sunlight after applying this product, as it may increase your tendency to sunburn for up to 24 hours after application. (continued)

Inactive ingredients Petrolatum, C12-15 Alkyl Benzoate, Bis-Diglyceryl Polyacyladipate-2, PEG/PPG-18/18 Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Vitamin E Acetate, Vitamin A (retinyl palmitate), Vitamin D₃ (cholecalciferol)

 Duestions or comments?
 1-800-635-3696

 "Doctor recommended active ingredient.
 Manufactured by: Lake Consumer Products, 1 Pharmacal Way, P.O. Box 198, Jackson, WI, 53037

 U.S.A.
 MADE IN U.S.A. OF U.S. AND IMPORTED MATERIALS
 ©2018

Drug Facts (continued)

Inactive ingredients

Directions

keep for future reference.

Manufactured by: AKE CONSUMER PRODUCTS, INC

Keep out of reach of children. If swallowed, get medica help or contact a Poison Control Center Immediately. WARNING: This product can expose you to chemicals inclu Coal Tar, which is known to the State of California to cause can

pply to affected areas 1 to 4 times daily or as directed by a phy

Horitatum, C12-15 Alkyl Benzoate, Bis-Diglyceryl Polyacytadipate EG/PPG-18/18 Dimethicone, Giyceryl Stearate, PEG-100 Stearate, tamin E Acetate, Vitamin A (retinyl palmitate), Vitamin D₃ (choleco

Questions or comments? 1-800-635-3696 * Doctor recommended active ingredient. IMPORTANT: Read all information on this packaging and


©2018 1-800-635-3696 www.MG217.com

For more information go to www.P65Warnings.ca.go

ed, get medical

NET WT 3.8 OZ (107 g)

D5004J



MG217 PSORIASIS MEDICATED MULTI-SYMPTOM

coal tar ointment

Product Informati	on							
Product T ype		HUMAN OTC DRUG	Item Code (Sou	m Code (Source)		NDC:68093-7233		
Route of Administrati	ion	TOPICAL						
Active Ingredient/	Active Moi	ety						
Ingredient Name				Basis of Strength Strengt				
COAL TAR (UNII: R533)	ESO2EC) (COA	C	COAL TAR	0.	03g in 1g			
Inactive Ingredien	its							
		Ingredient Name				Strength		
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)								
CHOLECALCIFEROL (UNII: 1C6V77Q	(F41)						
PETROLATUM (UNII: 4	T6H12BN9U)							
.ALPHATO COPHERO	L, D- (UNII: N9	PR3490H9)						
GLYCERYL MONOSTI	EARATE (UNII:	230 O U9 XXE4)						
ALKYL (C12-15) BENZ	COATE (UNII: A	.9EJ3J61HQ)						
PEG/PPG-18/18 DIMET	HICO NE (UNII:	9H0AO7T794)						
PEG-100 STEARATE (U	JNII: YD0 1N19 9	9 R)						
VITAMIN A PALMITAT	E (UNII: 1D1K0	N0 VVC)						
Packaging								
# Item Code]	Package Description	Marketi	ng Start Date	Marketii	ng End Date		
1 NDC:68093-7233-1	1 in 1 CARTON		0 2/0 1/20 18	3				
1	107 g in 1 JAR;	Type 0: Not a Combination Prod	uct					
Marketing Info	rmation							
Marketing Category		on Number or Monograph Cit	ation Marke	ting Start Date	Marketi	ng End Date		
			0.0.4/0.0					
OTC monograph final	part358H		02/01/20	18				

Labeler - Wisconsin Pharmacal Company (800873986)

Registrant - Wisconsin Pharmacal Company (800873986)

Establishment									
Name	Address	ID/FEI	Business Operations						
Wisconsin Pharmacal Company		800873986	manufacture(68093-7233)						

Revised: 12/2018

Wisconsin Pharmacal Company