

SURFACE SHEER TOUCH SPF 50 WITH FRAGRANCE- avobenzone, homosalate, octisalate, octocrylene lotion

Inspec Solutions LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SURFACE SHEER TOUCH SPF 50 Sunscreen Lotion with FRAGRANCE

Avobenzone 3.0%

Homosalate 15.0%

Octisalate 5.0%

Octocrylene 10.0%

WARNINGS

For external use only.

Highly Flammable: Do not apply or use product near heat, flame, or while smoking.

When using this product:

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- Do not puncture or incinerate, Contents under pressure
- Do not store at temperature above 120°F

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Behenyl Alcohol

BHT

Butyloctyl Salocylate

Caprylyl Methicone

Dimethicone

Dimethyl Capramide

Disodium EDTA

Ethylhexyl Stearate

Ethylhexylglycerin

Fragrance

Glyceryl Stearate

Hydrated Silicia

PEG-100 Stearate

Phenoxyethanol

Polyester-8

Sodium Polyacrylate

Styrene/ Acrylate Copolymer

Trideceth-6

Trimethylsiloxysilicate

VP/Hexadecene Copolymer

Water

Xanthan Gum

Stop use and ask a doctor if rash occurs.

Avobenzone 3.0%Sunscreen

Homosalate 15.0%Sunscreen

Octisalate 5.0%Sunscreen

Octocrylene 10.0%Sunscreen

REEF SAFE

50

SPF 50 TROPIX FRAGRANCE PARABEN FREE CRUELTY FREE

SURFACE

SHEER TOUCH
ULTRA LIGHT & CLEAN FEELING

OXYBENZONE & OCTINOXATE FREE
WATER RESISTANT (80 MINS)

BROAD SPECTRUM SPF 50
UVA / UVB PROTECTION

6.0 FL OZ (177mL)

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 15.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Octocrylene 10.0%	Sunscreen

Uses • helps prevent sunburn

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse eyes with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure
• reapply • after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2 hours
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain fabrics.

Inactive ingredients Benzyl Alcohol, BHT, Butylcetyl Salicylate, Caprylyl Methacrylate, Dimethicone, Dimethyl Caprylate, Disodium EDTA, Ethylhexyl Stearate, Ethylhexylglycerin, Fragrance, Glyceryl Stearate, Hydrated Silica, PEG-100 Stearate, Phenylethyl Alcohol, Polyacrylate-6, Sodium Polyacrylate, Styrene/Acrylate Copolymer, Trideceth-6, Trimethylsiloxysilicate, VP/Hexadecene Copolymer, Water, Xanthan Gum.

REEF SAFE

NO PARABENS

The Worlds Most Comfortable Sunscreens

Made in USA with USA and Imported Materials / distributed by Surface Products Corp., Covington, LA, USA surfacecorp.com

8 50000 61603 5

SURFACE SHEER TOUCH SPF 50 WITH FRAGRANCE

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72667-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHYL CAPRAMIDE (UNII: O29Y6X2JEZ)	
COBALT DISODIUM EDETATE (UNII: 3EY1Y2QRLI)	
DOCOSANOL (UNII: 9G1OE216XY)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIMETHICONE 20 (UNII: H8YMB5QY0D)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
XANTHAN GUM (UNII: TTV12P4NEE)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENYL CAPPED) (UNII: T9296U138P)	
STYRENE (UNII: 44LJ2U959V)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
WATER (UNII: 059QF0K00R)	
4-METHYL-1,4-PENTANEDIYL DIMETHACRYLATE (UNII: 3BHT04VYO9)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72667-005-01	177 mL in 1 TUBE; Type 0: Not a Combination Product	12/10/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/10/2018	

Labeler - Inspec Solutions LLC. (081030372)

Establishment

Name	Address	ID/FEI	Business Operations
Inspec Solutions LLC.		081030372	manufacture(72667-005)

Revised: 3/2020

Inspec Solutions LLC.