

**MAXIMUM STRENGTH ANTACID CHERRY- aluminum hydroxide, magnesium hydroxide, simethicone suspension**  
**WAL-MART STORES, INC.**

-----  
**walmart ant max cherry**

**Active ingredients (in each 10 mL dose)**

Aluminum hydroxide (equivalent to dried gel, USP) 800 mg

Magnesium hydroxide 800 mg

Simethicone 80 mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**Keep out of reach of children.**

**Directions**

- shake well before use
- **adults and children 12 years and over:** 10 mL-20 mL (1-2 doses) between meals, at bedtime, or as directed by a doctor
- do not take more than 60 mL (6 doses) in any 24 hour period

- do not use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor
- measure with dosing cup provided
- mL=milliliter

### **Other information**

- each 10 mL dose contains: **magnesium 340 mg, sodium 10 mg**
- keep tightly closed
- store at room temperature and avoid freezing

### **Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

### **Questions or Comments?**

**1-888-287-1915**

### **package Label**

NDC 49035-638-12

**equate™**



**MAXIMUM STRENGTH**

# Antacid

Alumina, Magnesia, and  
Simethicone Oral Suspension USP  
Antacid/Anti-Gas  
Liquid

## Fast Relief of:

- Heartburn
- Acid indigestion
- Sour stomach
- Pressure and bloating



**Cherry**

12 FL OZ (355 mL) ⓘ

228-11322-1 REV GC-0219

## Drug Facts

**TAMPER-EVIDENT:** Do not use if imprinted neckband is missing or broken.

### Active ingredients (in each 10 mL dose)

Active ingredients (in each 10 mL dose)	Purposes
Aluminum hydroxide 800 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 800 mg	Antacid
Simethicone 80 mg	Antigas

**Uses** relieves • heartburn • sour stomach  
• acid indigestion • the symptoms referred to as gas

### Warnings

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if symptoms last more than 2 weeks**

**Keep out of reach of children.**

### Directions

- shake well before use
- **adults and children 12 years and over:** 10 mL – 20 mL (1-2 doses) between meals, at bedtime or as directed by a doctor
- do not take more than 60 mL (6 doses) in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor
- measure with dosing cup provided
- mL = milliliter

**Other information** • each 10 mL dose contains:  
**magnesium 340 mg; sodium 10 mg** • keep tightly closed  
• store at room temperature and avoid freezing

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions?** 1-888-287-1915

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716  
\*This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Maalox® Advanced Maximum Strength Antacid & Antigas.

REV GC-0619 928-11322-1

545902



## MAXIMUM STRENGTH ANTACID CHERRY

aluminum hydroxide, magnesium hydroxide, simethicone suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-638
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	800 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 10 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-638-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2014	

**Labeler** - WAL-MART STORES, INC. (051957769)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(49035-638)

