## YOUNGGAKSAN- apricot kernel, powdered glycyrrhiza, powdered platycodon root, powdered senega powder OASIS TRADING

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

Apricot Kernel

Powdered Glycyrrhiza

Powdered Platycodon Root

Powdered Senega

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

temporarily relieves:

cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

the intensity of coughing

the impulse to cough to help you get to sleep

Keep out of reach of children

Directions (take without water)

- adult and children 15 years of age and older: 0.3g
- children 7 to under 15 years of age: 0.2g three to six times a day
- children 5 to under 7 years of age: 0.1g three to six times a day
- children under 5 years of age: ask a doctor

Ask a doctor before use if you have

persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

cough accompanied by too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

cellulose, corn starch, magnesium stearate, sodium starch glycolate

For oral use only

# YOUNGGAKSAN

Active Ingredients (in 0.3g)       Purpose         Apricot Kernel 0.83mg/0.3g       Antitussive and mucoactive         Powdered Glycyrrhiza 8.3mg/0.3g       Antitussive and mucoactive         Powdered Platycodon Root 11.7mg/0.3g       Antitussive and mucoactive         Powdered Senega 0.5mg/0.3g       Antitussive and mucoactive         Powdered Platycodon Root 11.7mg/0.3g       Antitussive and mucoactive         Powdered Senega 0.5mg/0.3g       Antitussive and mucoactive         Powdered Platycodon Root 11.7mg/0.3g       Antitussive and mucoactive         Uses       helps loosen phlegm (mucus) and thin bronchial secretions to rid         the bronchial passageways of bothersome mucus and make coughs       more productive         temporarily relieves:       cough due to minor throat and bronchial irritation as may occur         with the common cold or inhaled irritants       the intensity of coughing         the intensity of coughing       the intensity of cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema         cough accompanied by too much phlegm (mucus)       When using this product do not use more than directed         Stop use and ask a doctor if       cough	Drug Facts					
Apricot Kernel 0.83mg/0.3g       Antitussive and mucoactive         Powdered Glycyrhiza 8.3mg/0.3g       Antitussive and mucoactive         Powdered Platycodon Root 11.7mg/0.3g       Antitussive and mucoactive         Powdered Senega 0.5mg/0.3g       Antitussive and mucoactive         Powdered Senega 0.5mg/0.3g       Antitussive and mucoactive         Uses       helps loosen phlegm (mucus) and thin bronchial secretions to rid         the bronchial passageways of bothersome mucus and make coughs more productive       temporarily relieves:         cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants       the intensity of coughing         the intensity of coughing       the impulse to cough to help you get to sleep         Warnings       Ask a doctor before use if you have         persistent or chronic cough such as occurs with smoking, asthma.       chronic bronchitis, or emphysema         cough lasts more than 7 days, comes back, or occurs with fever,       rash, or persistent headache. These could be signs of a serious         illness.       If pregnant or breast-feeding, ask a health professional before       use.         Keep out of reach of children. In case of overdose, get medical       help or contact a Poison Control Center right away.         Directions (take without water)       adult and children 15 years of age: 0.1g three to six times a day         adult and children 15 years of age: 0.1g thr		Durnasa				
Powdered Glycyrrhiza 8.3mg/0.3g Antitussive and mucoactive Powdered Platycodon Root 11.7mg/0.3g Antitussive and mucoactive Powdered Senga 0.5mg/0.3g Antitussive and mucoactive Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children 5 to under 7 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA						
Powdered Platycodon Root 11.7mg/0.3g       Antitussive and mucoactive         Powdered Senega 0.5mg/0.3g       Antitussive and mucoactive         Uses       helps loosen phlegm (mucus) and thin bronchial secretions to rid         the bronchial passageways of bothersome mucus and make coughs       more productive         temporarily relieves:       cough due to minor throat and bronchial irritation as may occur         with the common cold or inhaled irritants       the intensity of coughing         the intensity of coughing       the intensity of cough such as occurs with smoking, asthma,         chronic bronchitis, or emphysema       cough accompanied by too much phlegm (mucus)         When using this product do not use more than directed       Stop use and ask a doctor if         cough lasts more than 7 days, comes back, or occurs with fever,       rash, or persistent headache. These could be signs of a serious         illness.       If pregnant or breast-feeding, ask a health professional before       use.         Keep out of reach of children. In case of overdose, get medical       help or contact a Poison Control Center right away.         Directions (take without water)       adult and children 15 years of age: 0.2g three to six times a day         a children 7 to under 15 years of age: 0.2g three to six times a day       children 7 to under 15 years of age: 0.2g three to six times a day         ichildren 7 to under 15 years of age: 0.2g three to six times a day       children						
Powdered Senega 0.5mg/0.3g       Antitussive and mucoactive         Uses       helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive         temporarily relieves:       cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants         the intensity of coughing       the intensity of coughing         the intensity of cough to help you get to sleep       Warnings         Ask a doctor before use if you have       persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema         cough accompanied by too much phlegm (mucus)       When using this product do not use more than directed         Stop use and ask a doctor if       cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.         If pregnant or breast-feeding, ask a health professional before use.       Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.         Directions (take without water)       adult and children 15 years of age: 0.2g three to six times a day         a children 7 to under 15 years of age: 0.2g three to six times a day       children n5 years of age: ask a doctor         Other Information       Store at room temperature       Indit and children 15 years of age: 0.2g three to six times a day         a children 7 to under 15 years of age: ask a doctor       Other						
Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep Warnings Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions (take without water) adult and children 15 years of age: 0.1g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children 5 years of age: as a doctor Other Information Store at room temperature Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&& FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA						
helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children st ounder 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA		Antitussive and mucoactive				
the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.2g three to six times a day children s to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA						
more productive temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA						
temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.1g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA		he mucus and make coughs				
cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> a dult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.2g three to six times a day children s to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	··········					
with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.1g three to six times a day children s to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA						
the intensity of coughing the impulse to cough to help you get to sleep <i>Warnings</i> Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age: 0.2g three to six times a day children 7 to under 15 years of age: 0.1g three to six times a day children s to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA						
the impulse to cough to help you get to sleep Warnings Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions (take without water) a dult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor Other Information Store at room temperature Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	with the common cold or inhaled irritan	ts				
<ul> <li>Warnings</li> <li>Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus)</li> <li>When using this product do not use more than directed</li> <li>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.</li> <li>If pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water) <ul> <li>adult and children 15 years of age: 0.2g three to six times a day</li> <li>children 7 to under 15 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> </ul> </li> <li>Other Information <ul> <li>Store at room temperature</li> </ul> </li> <li>Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? <ul> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul> </li> </ul>						
Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children under 5 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	the impulse to cough to help you get to	sleep				
persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Warnings					
chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) When using this product do not use more than directed Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Ask a doctor before use if you have					
<ul> <li>cough accompanied by too much phlegm (mucus)</li> <li>When using this product do not use more than directed</li> <li>Stop use and ask a doctor if</li> <li>cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.</li> <li>If pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water)</li> <li>adult and children 15 years of age: 0.2g three to six times a day</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>		urs with smoking, asthma,				
<ul> <li>When using this product do not use more than directed</li> <li>Stop use and ask a doctor if</li> <li>cough lasts more than 7 days, comes back, or occurs with fever,</li> <li>rash, or persistent headache. These could be signs of a serious</li> <li>illness.</li> <li>If pregnant or breast-feeding, ask a health professional before</li> <li>use.</li> <li>Keep out of reach of children. In case of overdose, get medical</li> <li>help or contact a Poison Control Center right away.</li> <li>Directions (take without water)</li> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	chronic bronchitis, or emphysema					
<ul> <li>Stop use and ask a doctor if</li> <li>cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.</li> <li>If pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water)</li> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	cough accompanied by too much phlegm (mucus)					
<ul> <li>cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.</li> <li>If pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water) <ul> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> </ul> </li> <li>Other Information <ul> <li>Store at room temperature</li> </ul> </li> <li>Inactive Ingredient <ul> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> </ul> </li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	When using this product do not use m	ore than directed				
<ul> <li>rash, or persistent headache. These could be signs of a serious illness.</li> <li>If pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water) <ul> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> </ul> </li> <li>Other Information <ul> <li>Store at room temperature</li> </ul> </li> <li>Inactive Ingredient <ul> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> </ul> </li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	Stop use and ask a doctor if					
<ul> <li>illness.</li> <li>If pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water) <ul> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> </ul> </li> <li>Other Information <ul> <li>Store at room temperature</li> </ul> </li> <li>Inactive Ingredient <ul> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> </ul> </li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	cough lasts more than 7 days, comes back, or occurs with fever,					
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions (take without water) adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor Other Information Store at room temperature Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	rash, or persistent headache. These could be signs of a serious					
use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <i>Directions (take without water)</i> adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor <i>Other Information</i> Store at room temperature <i>Inactive Ingredient</i> cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	illness.					
<ul> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> <li>Directions (take without water) <ul> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> </ul> </li> <li>Other Information <ul> <li>Store at room temperature</li> </ul> </li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	If pregnant or breast-feeding, ask a health professional before					
<ul> <li>help or contact a Poison Control Center right away.</li> <li>Directions (take without water) <ul> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> </ul> </li> <li>Other Information <ul> <li>Store at room temperature</li> </ul> </li> <li>Inactive Ingredient <ul> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> </ul> </li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	use.					
Directions (take without water) adult and children 15 years of age and older: 0.3g children 7 to under 15 years of age: 0.2g three to six times a day children 5 to under 7 years of age: 0.1g three to six times a day children under 5 years of age: ask a doctor Other Information Store at room temperature Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Keep out of reach of children. In case of overdose, get medical					
<ul> <li>adult and children 15 years of age and older: 0.3g</li> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	help or contact a Poison Control Center right away.					
<ul> <li>children 7 to under 15 years of age: 0.2g three to six times a day</li> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	Directions (take without water)					
<ul> <li>children 5 to under 7 years of age: 0.1g three to six times a day</li> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	adult and children 15 years of age an	d older: 0.3g				
<ul> <li>children under 5 years of age: ask a doctor</li> <li>Other Information</li> <li>Store at room temperature</li> <li>Inactive Ingredient</li> <li>cellulose, corn starch, magnesium stearate, sodium starch glycolate</li> <li>Questions or comments ?</li> <li>Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405</li> <li>Distributed By: P&amp;K FRONTIER MARKETING CORP.</li> <li>329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	children 7 to under 15 years of age: 0.2g three to six times a day					
Other Information  Store at room temperature Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	■ children 5 to under 7 years of age: 0.1g three to six times a day					
<ul> <li>Store at room temperature</li> <li>Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&amp;K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA</li> </ul>	children under 5 years of age: ask a doctor					
Inactive Ingredient cellulose, corn starch, magnesium stearate, sodium starch glycolate Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Other Information					
cellulose, corn starch, magnesium stearate, sodium starch glycolate <i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 <b>Distributed By: P&amp;K FRONTIER MARKETING CORP.</b> 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Store at room temperature					
Questions or comments ? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Inactive Ingredient					
Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	cellulose, corn starch, magnesium stearate, sodium starch glycolate					
Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Questions or comments ?					
329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405					
	Distributed By: P&K FRONTIER MARKETING CORP.					
Made in South Korea	329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA					

#### YOUNGGAKSAN

apricot kernel, powdered glycyrrhiza, powdered platycodon root, powdered senega powder

I I oudet Informat	ion							
Product Type		HUMAN OTC DRUG	Ite m C	m Code (Source) NI		NDC:72689-0	NDC:72689-0021	
Route of Administra	tion	ORAL						
Active Ingredient	/Active Moi	ety						
	Ing	redient Name			Basis of	Strength	Strengt	
PLATYCODON GRANDIFLORUS ROOT (UNII: 2DF0NS0O2Z) (PLATYCODON GRANDIFLORUS ROOT - UNII:2DF0NS0O2Z)			DN	PLATYCODON GRANDIFLORUS ROOT		11.7 mg in 0.3 g		
POLYGALA SENEGA ROOT (UNII: M7T6H7D4IF) (POLYGALA SENEGA ROOT - UNII:M7T6H7D4IF)			Т -	POLYGALA SENEGA ROOT		0.5 mg in 0.3 g		
APRICOT KERNEL OIL (UNI: 54JB35T06A) (APRICOT KERNEL OIL - UNI:54JB35T06A)					APRICOT KERNEL OIL		0.83 mg in 0.3 g	
GLYCYRRHIZIN (UNII: 6FO62043WK) (GLYCYRRHIZIN - UNII:6FO62043WK)				GLYCYRRHIZIN		8.3 mg in 0.3 g		
PO WDERED CELLUL	<b>DSE</b> (UNII: SMD	Ingredient Name				0	trength	
MACNESHIM STEADA	<b>TE</b> (UNII: 7000'	,						
	•	,						
MAGNESIUM STEARA STARCH, CORN (UNII: SODIUM STARCH GL	08232NY3SJ)	,	B)					
STARCH, CORN (UNII: SODIUM STARCH GL	08232NY3SJ)	7M6I30)	В)					
STARCH, CORN (UNII: SODIUM STARCH GL Packaging	08232NY3SJ) YCOLATE TYP	7M6I30) E A CORN (UNII: AG9B65PV6I		Marketing	Start Date	Marketing	End Date	
STARCH, CORN (UNII: SODIUM STARCH GL Packaging # Item Code	O8232NY3SJ) YCOLATE TYP	7M6I30)		<b>Marketing</b> 11/22/20 18	Start Date	Marketing	End Date	
STARCH, CORN (UNII: SODIUM STARCH GL Packaging # Item Code 1 NDC:72689-0021-1	O8232NY3SJ) YCOLATE TYP J 25 g in 1 JAR; 1	7M6I30) PE A CORN (UNII: AG9B65PV6) Package Description		-	Start Date	Marketing	End Date	
STARCH, CORN (UNII: SODIUM STARCH GL Packaging # Item Code 1 NDC:72689-0021-1	O8232NY3SJ) YCOLATE TYP J 25 g in 1 JAR; 1	7M6I30) PE A CORN (UNII: AG9B65PV6) Package Description		-	Start Date	Marketing	End Date	
STARCH, CORN (UNII: SODIUM STARCH GL Packaging # Item Code	O8232NY3SJ) YCOLATE TYP I 25 g in 1 JAR; 7 Drmation	7M6I30) PE A CORN (UNII: AG9B65PV6) Package Description	uct 1	11/22/20 18	Start Date			

#### Labeler - OASIS TRADING (689991468)

## **Registrant -** OASIS TRADING (689991468)

Establishment				
Name	Address	ID/FEI	Business Operations	
OASIS TRADING		689991468	label(72689-0021), manufacture(72689-0021)	