OXYGEN- oxygen gas Med Way Medical

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

O Con	XYG APR US UN 10	2011/201	<	ox	YGEN	
	C.A.S.	NO. 7782-44-7			\checkmark	
Co	mpany	to 21 CFR name and ed in this bo	conta		mation	
KARNING: H NO SMOKING Keep oil and Jse only with Jse only with Jse in accord DO NOT REI VARNING: F	mpany printe in printe in optiment i equipment flow preven dance with i MOVE THIS or emergence	A name and ed in this bo WRE OXIDIZING GAS RESENCE OF OXYGEN by Open valve slowly cleaned for oxygen s tative device in the se and when empty. C Metenal Safety Data S FFIODUCT LABEL by use only when admin	207.3 conta X VIGOROL NOR A FIRI Store and ervice and alping. Vinder terr ineet (MSD	ct infor	Personnel for oxyge	(12) n def
WARNING: H NO SMOKINI Keep oil and Use only with Use in accor DO NOT RE WARNING: F WARNING: T Stand resuscita sxygen over a tul. Use only	mpany printe a printe grease awa h equipment flow preven after each us dance with I MOVE THIS for emergenc a long duratic with pressure	A name and ed in this bo BURE OXIDIZING GAS RESENCE OF OXYGEN by Open valve slowly cleaned for oxygen s trative device in the se and when empty. C Material Safety Data S is PFIODUCT LABEL by use only when admin other medical applicatio on, without monitoring J e reducing equipment a ped breathing unless u	207.3 conta X VIGOROL V OR A FIRI Store and apping. Vinder terr heet (MSD listened by p ins, R x on a affect on and apparati seffect on ju	ct infor	RATES COMBUSTI T. LT. Late ventilation der pressure: uld not exceed 52°C personnel for oxyge ed use of high conce t of artenal blood, m r oxygen. Do not att	(12) n def ntrat ry be
ARNING: H O SMOKINI eep oil and se only with se a back lose valve ise in accorr O NOT RE (ARNING: F ARNING: M ARNING: M ARNING: M Use only	mpany printe in printe grease awa h equipment flow preven after each us dance with I MOVE THIS for energenc tion. For all o a long duratio with pressum ho have stop	A name and ed in this bo BURE OXIDIZING GAS RESENCE OF OXYGEN by Open valve slowly cleaned for oxygen s thative device in the se and when empty. Of Material Safety Data S is PFODUCT LABEL by use only when admin other medical applicatio on, without monitoring I e reduced groupment a ped breathing unless u Produced 1	207.3 conta X VIGOROL V OR A FIRI Store and apping. Vinder terr heet (MSD listened by p ins, R x on a affect on and apparati seffect on ju	ct infor SLY ACCELE E MAY RESUL use with adeo rated for cytin perature shot S). roperly trained by Uninterrupt oxygen conter us designed to notion with res efaction.	RATES COMBUST T. uate ventilation der pressure: uld not exceed 52°C personnel for oxyge ed use of high conce t of artenal blood, m ir oxygen. Do not att uscitative equipment	(12: n defi ntrat ty be impt
ARNING: H O SMOKINI eep oil and se only with se a back lose valve ise in accorr O NOT RE (ARNING: F ARNING: M ARNING: M ARNING: M Use only	mpany printe a printe grease awa h equipment flow preven after each us dance with I MOVE THIS for emergenc a long duratic with pressure	A name and ed in this bo BURE OXIDIZING GAS RESENCE OF OXYGEN by Open valve slowly cleaned for oxygen s trative device in the se and when empty. C Material Safety Data S is PFIODUCT LABEL by use only when admin other medical applicatio on, without monitoring J e reducing equipment a ped breathing unless u	207.3 conta X VIGOROL V OR A FIRI Store and apping. Vinder terr heet (MSD listened by p ins, R x on a affect on and apparati seffect on ju	ct infor	RATES COMBUSTI T. LT. Late ventilation der pressure: uld not exceed 52°C personnel for oxyge ed use of high conce t of artenal blood, m r oxygen. Do not att	(125 n deh ntrat in be impt
VARNING: H IO SMOKINI Seep oil and Jse only with Jse in accor OO NOT RE VARNING: F VARNING: T VARNING: M VARNING: M VARNING: M VARNING: M VARNING: M	mpany printe a printe a printe a In THE PF grease awa a equipment flow preven after each us dance with I MOVE THIS MOVE THIS a long duration with pressur- no have stop Size	V name and ed in this bo BURE, OXIDIZING GAS RESENCE OF OXYGEN by Open valve slowly cleaned for oxygen s tative device in the se and when empty. C Material Safety Data S PFIODUCT LABEL by use only when admin other medical application on, without monitoring I e reducing equipment a ped breathing unless u Produced I Contents	207.3 conta X VIGOROL V OR A FIRI Store and apping. Vinder terr heet (MSD listened by p ins, R x on a affect on and apparati seffect on ju	ct infor ISLY ACCELE E MAY RESULUSE with adeo rated for cylin sperature shou S). roperly trained by, Uninterrup oxygen conter is designed for notion with res effection. Size	Personnel for oxyge or oxygen. Do not att ustative equipment contents	(12) ntrai ny be impl

OXYGEN, COMPRESSED USP UN 1072

C.A.S No. 7782-44-7

WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventative device in the piping.

Close valve after each use and when empty. Cylinder temperatures should not exceed 52°C (125°F). Use in accordance with Material Safety Data Sheet (MSDS). DO NOT REMOVE THIS PRODUCT LABEL.

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction



Representative Labeling pursuant to 21 CFR 207.3 (10)

xygen gas				
Product Information				
Product T ype	HUMAN PRESCRIPTION	DRUG I	ltem Code (Source)	NDC:69319-001
Route of Administration	RESPIRATORY (INHALA	ΓΙΟN)		
Active Ingredient/Active M				
Ingre	edient Name		Basis of Strengt	h Strength
Dxygen (UNII: S88TT14065) (Oxyge	en - UNII:S88TT14065)		Oxygen	99 L in 100 L
Packaging				
Lachaging				

1 NDC:69319-001-01	170 L in 1 CYLINDER			
2 NDC:69319-001-02	248 L in 1 CYLINDER			
3 NDC:69319-001-03	415 L in 1 CYLINDER			
4 NDC:69319-001-04	682 L in 1 CYLINDER			
Marketing Inform	mation			
Marketing Inform Marketing Category	mation Application Number or Monogr	aph Citation	Marketing Start Da	te Marketing End Date
0		aph Citation	Marketing Start Dat 10/20/2014	te Marketing End Date

Labeler - Med Way Medical (006449435)

Registrant - Med Way Medical (006449435)

Establishment			
Name	Address	ID/FEI	Business Operations
Med Way Medical		006449435	manufacture (69319-001)

Revised: 10/2014

Med Way Medical