

**MAXIMUM STRENGTH ANTACID ANTIGAS- aluminum hydroxide, magnesium hydroxide, dimethicone suspension  
WALGREEN COMPANY**

-----  
**WALgreens max antacid**

**Active ingredients (in each 5 mL teaspoonful)**

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)

Magnesium hydroxide 400 mg

Simethicone 40mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

**Warnings**

**Do not take** more than 12 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- shake well before use

- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- children under 12 years of age: ask a doctor

**Other information**

- **each 5 mL teaspoonful contains:** magnesium 165 mg, sodium 5 mg
- store at room temperature and avoid freezing
- keep tightly closed

**Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments?**

**1-800-540-3765**

**package Label**




Compare to the active ingredients in Maximum Strength Mylanta®<sup>††</sup>

# Antacid + Anti-Gas Liquid

**ALUMINA, MAGNESIA, AND SIMETHICONE ORAL SUSPENSION / ANTACID & ANTI-GAS**

**Maximum Strength**

- Fast relief of heartburn, pressure, bloating, acid indigestion & sour stomach
- ALCOHOL 0.5%



12 FL OZ (355 mL)      Classic Flavor

222-06122-8 REV GC-0222

**Drug Facts**      **TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

<b>Active ingredients (in each 5 mL teaspoonful)</b>	<b>Purposes</b>
Aluminum hydroxide 400 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 400 mg	Antacid
Simethicone 40 mg	Antigas

**Uses** relieves • heartburn      • sour stomach  
• acid indigestion      • symptoms referred to as gas

**Warnings**  
Do not take more than 12 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.  
Ask a doctor before use if you have  
• kidney disease      • a magnesium-restricted diet  
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.  
Stop use and ask a doctor if symptoms last more than 2 weeks  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

**Directions** • shake well before use  
• adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals as needed, at bedtime, or as directed by a doctor  
• children under 12 years: ask a doctor

**Other information**  
• each 5 mL teaspoonful contains: magnesium 165 mg, sodium 5 mg  
• store at room temperature and avoid freezing • keep tightly closed

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments? 1-800-540-3765**

<sup>††</sup>Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
<sup>†††</sup>This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., the owner of the registered trademark Mylanta®.  
DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015 3  
100% SATISFACTION GUARANTEED  
walgreens.com ©2021 Walgreen Co.  
MADE IN U.S.A. W3ORG1021-F  
ITEM 221700 W10071-1021-F  
822-08122-8 REV GC-0821



## MAXIMUM STRENGTH ANTACID ANTIGAS

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1691
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IU0)	ALUMINUM HYDROXIDE	400 mg in 5 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	40 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1691-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2014	

**Labeler** - WALGREEN COMPANY (008965063)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0363-1691) , pack(0363-1691)

Revised: 11/2023

WALGREEN COMPANY