

**STERILE ALCOHOL PREP PADS- sterile alcohol prep pads swab**  
**Yangzhou Suxiang Medical Instrument Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Sterile Alcohol Prep Pad - 1**

**Active Ingredient**

Isopropyl Alcohol, 70% v/v

**Purpose**

Antiseptic, Sterile Solution

**Uses**

Antiseptic cleanser

Kills harmful bacteria and germs

First aid to help prevent infection

**Warnings**

**For External Use Only**

**Avoid contact with the eyes**

**If contact occurs, flush eyes with water**

**Flammable, keep away from fire or flame.**

**Do Not Use**

With electrocautery procedures

In the eyes

**Stop Use and ask a doctor if**

Irritation and redness develops

If condition persists for more than 72 hours, consult a physician

**Discontinue use and consult a healthcare practitioner if**

Irritation develops

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

Use as part of your daily cleansing routine

May be covered with a sterile bandage

## Other Information

Store at room temperature 15°-30°C (59°-86°F)

Avoid excessive heat

## Inactive Ingredients

Water

## Sterile Alcohol Prep Pads - 1pad



**MEDCA**  
SOLUTIONS FOR A BETTER WORLD

**Sterile Alcohol Prep Pads**

For External Use Only  
Apply topically as needed. Discard after single use.

Sterile unless pouch is opened or damaged.  
Saturated with 70% Isopropyl Alcohol.

STERILE  latex free **1 Pad**  
Medium

**Drug Facts**

**Active Ingredient:** Isopropyl Alcohol, 70% v/v **Purpose:** Antiseptic, Sterile Solution

**Uses:** Antiseptic cleanser • Kills harmful bacteria and germs  
• First aid to help prevent infection

**Warnings:** For External Use Only • Avoid contact with the eyes.  
If contact occurs, flush eyes with water.  
Flammable, keep away from fire or flame.  
Do not use • With electrocautery procedures • In the eyes  
Stop use and ask a doctor if • Irritation and redness develops  
• If condition persists for more than 72 hours, consult a physician  
Discontinue use and consult a healthcare professional if  
• Irritation develops  
Keep out of reach of children • If swallowed, get medical help or  
contact a Poison Control Center right away

**Directions:** Use as part of your daily cleansing routine  
• May be covered with a sterile bandage  
**Other Information:** Store at room temperature 15°-30° C (59°-86° F)  
• Avoid excessive heat  
**Inactive Ingredients:** Water

--- Tear Here ---  
LOT: EXP:

## STERILE ALCOHOL PREP PADS

sterile alcohol prep pads swab

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72766-002
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL

### Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

### Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72766-002-00	1 in 1 PACKET; Type 0: Not a Combination Product	12/15/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/15/2018	

**Labeler** - Yangzhou Suxiang Medical Instrument Co., Ltd. (543387280)

Revised: 7/2020

Yangzhou Suxiang Medical Instrument Co., Ltd.