

**LIVE BETTER TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment**  
**The Great Atlantic & Pacific Tea Company**

-----  
**Live Better**  
**Triple Antibiotic**

**Drug Facts**

<b>Active ingredients (each gram contains)</b>	<b>Purpose</b>
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

**Uses**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area and dry thoroughly

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

**Questions?**

Call **1-866-923-4914**

DISTRIBUTED BY ONPOINT, INC.  
2 PARAGON DRIVE, MONTVALE, NJ 07645

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

Original Strength

**Triple Antibiotic Ointment**

■ **BACITRACIN ZINC** ■ **NEOMYCIN SULFATE** ■ **POLYMYXIN B SULFATE**

**FIRST AID ANTIBIOTIC OINTMENT**

NET WT 1 OZ (28.4g)

NDC 51143-018-02

Compare to the active ingredients  
in Neosporin<sup>®</sup>



Helps Prevent Infection in  
Minor Cuts, Scrapes, and Burns.

LPK-7205-0  
0113-0  
M289

Original Strength

# Triple Antibiotic Ointment

■ BACITRACIN ZINC ■ NEOMYCIN SULFATE ■ POLYMYXIN B SULFATE

FIRST AID ANTIBIOTIC OINTMENT

NET WT 1 OZ (28.4g)

T51



DISTRIBUTED BY ONPOINT, INC.  
2 PARAGON DRIVE, MONTVALE, NJ 07645  
© 2013. ALL RIGHTS RESERVED.  
Made in Canada



NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

The product is not  
manufactured or  
distributed by  
Johnson & Johnson  
Corporation,  
owner of the  
registered trademark  
Neosporin<sup>®</sup>

**Drug Facts**

**Active ingredients (each gram contains)**  
Bacitracin zinc 40 units.....First aid antibiotic  
Neomycin sulfate 3.5 mg.....First aid antibiotic  
Polymyxin B sulfate 5,000 units.....First aid antibiotic

**Uses** First aid to help prevent infection in minor: • cuts • scrapes • burns

**Warnings** For external use only.  
Do not use • in the eyes  
• If you are allergic to any of the ingredients  
Ask a doctor before use if you have  
• deep or puncture wounds • animal bites • serious burns  
Stop use and ask a doctor if • condition persists or gets worse  
• you need to use longer than 1 week  
• or rash or other allergic reaction develops  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage

**Other information**  
• To open: unseal cap, pull tab to remove foil seal  
• store at 20° to 25°C (68° to 77°F)  
• see carton or tube cap for lot number and expiration date

**Inactive ingredient** with the product

**Questions?** Call 1-800-923-4914

**LIVE BETTER TRIPLE ANTIBIOTIC**  
bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51143-016
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51143-016-02	1 in 1 CARTON	12/14/1995	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	12/14/1995	

**Labeler** - The Great Atlantic & Pacific Tea Company (001367366)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Sun Pharma Canada Inc.		243339023	manufacture(51143-016)

Revised: 7/2025

The Great Atlantic &amp; Pacific Tea Company