

SUNMARK MILK OF MAGNESIA ORIGINAL- magnesium hydroxide suspension
STRATEGIC SOURCING SERVICES LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sunmark milk of mag original 12oz

Active ingredient (in each 15 mL tablespoon)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

| age | dose |
|---------------------------------------|------------------------------|
| adults and children 12 years and over | 2 to 4 tablespoonfuls (TBSP) |
| children 6 to 11 years | 1 to 2 tablespoonfuls (TBSP) |
| children under 6 years | ask a doctor |

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

Inactive ingredients

purified water, sodium hypochlorite

Questions or Comments?

1-866-534-4631

package label



TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

| Drug Facts | Active ingredient (in each 15 mL tablespoon) | Purpose |
|-------------------|---|-----------------|
| | Magnesium hydroxide 1200 mg | Saline laxative |

Use

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

| age | dose |
|---------------------------------------|------------------------------|
| adults and children 12 years and over | 2 to 4 tablespoonfuls (TBSP) |
| children 6 to 11 years | 1 to 2 tablespoonfuls (TBSP) |
| children under 6 years | ask a doctor |

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

Inactive ingredients purified water, sodium hypochlorite



*This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips® Milk of Magnesia.



Questions or comments? 1-866-534-4631

Another Quality Product
Distributed by McKesson
One Post Street
San Francisco, CA 94104
Money Back Guarantee
Please visit us at
www.sunmarkbrand.com

973-19112-2 REV1218

magnesium hydroxide suspension

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70677-0043 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---------------------|---------------------|
| MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P) | MAGNESIUM HYDROXIDE | 1200 mg in 15 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0K00R) | |
| SODIUM HYPOCHLORITE (UNII: DY38VHM5OD) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:70677-0043-1 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 12/01/2018 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part334 | 04/01/2012 | |

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Registrant - GCP Laboratories (965480861)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------|---------|-----------|-------------------------|
| GCP Laboratories | | 965480861 | manufacture(70677-0043) |

Revised: 12/2019

STRATEGIC SOURCING SERVICES LLC