

ANTI-ITCH- hydrocortisone ointment

Meijer, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Anti-Itch Cream 1oz (94035, 2018)

Meijer Anti-Itch Cream 2oz (94036, 2018)

Active ingredient Purpose

Hydrocortisone 1%.....Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- jewelry
- insect bites
- soaps
- cosmetics
- detergents
- seborrheic dermatitis
- poison ivy, oak, sumac
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.
- more than directed unless directed by a doctor

When using this product

- avoid contact with eyes
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying

- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

- store at room temperature 20-25°C (68-77°F)

aloe vera gel, butylated hydroxytoluene, cetanol, ceteth-20, liquid paraffin, methylparaben, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearyl alcohol

Questions or comments?

Call 1-800-814-8028

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

Made in South Korea

MAXIMUM STRENGTH anti-itch cream

Hydrocortisone 1% (Anti-itch)

Relieves Itch Fast With Healing Aloe**

Skin Irritation & Rashes
Inflammation & Redness

Relieves itch associated with minor skin irritations,
inflammation and rashes.

meijer

MAXIMUM STRENGTH

anti-itch cream

Hydrocortisone 1% (Anti-itch)

Relieves Itch Fast With Healing Aloe**

NET WT 1 OZ (28 g)

INSECT BITES | POISON IVY | ECZEMA | PSORIASIS

Compare to Cortizone-10®
Anti-Itch Creme
active ingredient*

MAXIMUM STRENGTH
anti-itch cream
Hydrocortisone 1% (Anti-itch)



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

Made in South Korea

94035-TK-BX-R1
OM-MD-TK119-18

*Decolorized aloe vera gel. Prop 65.
*This product is not manufactured or distributed by Chatham, Inc., owner of the registered trademark Cortizone-10®.

<p>Drug Facts (continued)</p> <p>Active ingredient Hydrocortisone 1% Anti-itch</p> <p>Purpose Anti-itch</p> <p>Uses temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to: eczema ■ psoriasis ■ jewelry ■ insect bites soaps ■ cosmetics ■ detergents sorbetic dermatitis ■ poison ivy, oak, sumac temporarily relieves external anal and genital itching Other uses of this product should only be under the advice and supervision of a doctor.</p> <p>Warnings For external use only Do not use ■ in the genital area if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor. ■ more than directed unless directed by a doctor.</p> <p>When using this product ■ avoid contact with eyes ■ do not put directly into the rectum by using fingers or any mechanical device or applicator ■ condition worsens, symptoms persist for more than 7 days or clear up and occur unless you have asked a doctor ■ rectal bleeding occurs</p> <p>Stop use and ask a doctor if</p>	<p>Directions ■ for itching of skin irritation, inflammation, and rashes: adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: ask a doctor ■ for external anal and genital itching, adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly gently dry by patting or blotting with toilet tissue or a soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor</p> <p>Other information ■ store at room temperature 20-25°C (68-77°F)</p> <p>Inactive ingredients aloe vera gel, butylated hydroxytoluene, cetanol, cetyl-20, liquid paraffin, methylparaben, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearyl alcohol</p> <p>Questions or comments? Call 1-800-814-8028</p>
---	--

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

If pregnant or breast-feeding, ask a health professional before use.

TAPER EVIDENT. DO NOT USE IF CARTON IS OPEN OR FOLK UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



ANTI-ITCH			
hydrocortisone ointment			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-945
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
MINERAL OIL (UNII: T5L8T28FGP)	
CETETH-20 (UNII: I835H2IHHX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-945-28	1 in 1 CARTON	12/18/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41250-945-56	1 in 1 CARTON	12/18/2018	
2		58 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/18/2018	

Labeler - Meijer, Inc. (006959555)

Revised: 12/2018

Meijer, Inc.