HYDROCORTISONE MAXIMUM STRENGTH- hydrocortisone ointment medsource pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hydrocortisone Ointment Maximum Strength - Actavis

Drug Facts

Active ingredient

Hydrocortisone, USP 1%

Purpose

Anti-itch

Uses

for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema
- insect bites
- poisonivy
- poison oak
- poison sumac
- soaps
- jewelry
- detergents
- cosmetics
- psoriasis
- seborrheic dermatitis
- for external genital, feminine and anal itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- for external feminine itching if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with the eyes
- do not begin the use of any other hydrocortisone product unless directed by a doctor
- for external anal itching:

- do not use more than directed unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- symptoms last for more than 7 days
- the condition gets worse
- symptoms clear up and occur again in a few days
- rectal bleeding occurs, consult doctor promptly

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older

• apply to affected area not more than 3 to 4 times daily

Children under 2 years of age

• do not use, consult a doctor

For external anal itching

Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product Children under 12 years of age: consult a doctor

Other information

- Store at room temperature 59°-86°F (15°-30°C).
- Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients

mineral oil, white petrolatum

Questions?

1-800-432-8534 between 9 am and 4 pm EST, Monday–Friday.

PRINCIPAL DISPLAY PANEL

HYDROCORTISONE					HYDROCORTISONE OBJITMENT 2004 1% GENERACEOR CONTAGO & 1		PIH
OINTMENT 28GM	1%			LOT	Inter esp: #CC: 45865-6996-1_NFR.NDC: 30472-0345-56	N.	
GENERIC FOR CORTAID	PARSPPENT, NJ	EXP:	#1		HYDROCORTISONE OBITMENT 290H 1% CEPERIC FOR CORTAD # 1 61# HEP NDC 43965 6506-1 HER NDC: 00472 0345 36 HYDROCORTISONE 01NTHENT 290H 1% CEPERIC FOR CORTAD # 1 64# exp NDC 43965-0306-1 MER NDC: 00472 0345 36	LOG CHANT	-
					HYDROCORTISONE OINITHENT 280M 1 ¹ / ₈ OFMERIC FOR CORTAD # 1 807 807 807 807 807 807 807 807	CLANA	PE

HYDROCORTISONE MAXIMUM STRENGTH hydrocortisone ointment **Product Information Product** Type HUMAN OTC DRUG NDC:45865-906(NDC:0472-0345) Item Code (Source) TOPICAL **Route of Administration Active Ingredient/Active Moiety Ingredient Name** Basis of Strength Strength HYDROCORTISONE (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ) HYDROCORTISONE 1 g in 100 g **Inactive Ingredients Ingredient Name** Strength MINERAL OIL (UNII: T5L8T28FGP) PETROLATUM (UNII: 4T6H12BN9U) Packaging Item Code **Package Description** Marketing Start Date Marketing End Date # 1 NDC:45865-906-01 1 in 1 CARTON 06/01/2018 1 28 g in 1 TUBE; Type 0: Not a Combination Product **Marketing Information Marketing Start Date** Marketing End Date Marketing Category **Application Number or Monograph Citation** OTC monograph not final part348 07/21/1998

Labeler - medsource pharmaceuticals (833685915)

Establishment			
Name	Address	ID/FEI	Business Operations

medsource pharmaceuticals	833685915	repack(45865-906)	

Revised: 12/2018

medsource pharmaceuticals