

BURN RELIEF- lidocaine aerosol, spray
AmerisourceBergen Drug Corporation

GNP Burn Relief Spray

Active Ingredients

Lidocaine 0.5%

Purpose

External analgesic

Uses

for the temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use

in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clears up and occurs again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake can well
- for adults and children 2 years and older, apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age, ask a doctor
- to apply to face spray in palm of hand and gently apply

Other information

store between 20° and 25°C (68° and 77°F)

Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

Questions?

Call 1-866-964-0939

Principal Display Panel

GOOD

NEIGHBOR

PHARMACY

Burn Relief

Spray

External Analgesic

Lidocaine 0.5%

- Relieves pain and itching from sunburn, minor burns and insect bites
- Cools, moisturizes and soothes sunburned skin

NET WT 4.5 OZ (127 g)

Compare to Solarcalne® Burn Relief Spray active ingredient*

NDC 46122-555-28



Burn Relief Spray

External Analgesic

Lidocaine 0.5%

- Relieves pain and itching from sunburn, minor burns and insect bites
- Cools, moisturizes and soothes sunburned skin

NET WT 4.5 OZ (127 g)

Drug Facts

Active ingredient Purpose
Lidocaine 0.5%.....External analgesic

Uses for temporary relief of pain and itching associated with:

- sunburn ■ minor burns
- minor cuts ■ insect bites
- scrapes ■ minor skin irritations

Warnings

For external use only.

Flammable: Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face, spray in palm of hand and gently apply

Other information
store between 20° to 25°C (68° to 77°F)

Inactive ingredients
aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propene, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

Questions? Call 1-866-964-0939



0 87701 43145 6

This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Solarcalne®.


 Distributed By: AmerisourceBergan
 1300 Morris Drive, Chesterbrook, PA 19067
 Questions or Concerns? www.mygnp.com
 Made in USA with U.S. and Imported Parts

3/16 INCH OVERWRAP (NO TEXT)
N8220-05

BURN RELIEF

lidocaine aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-555
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
BUTANE (UNII: 6LV4FOR43R)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
GLYCERIN (UNII: PDC6A3C0OX)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPANE (UNII: T75W9911L6)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-555-28	127 g in 1 CAN; Type 0: Not a Combination Product	10/25/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/25/2018	

Labeler - AmerisourceBergen Drug Corporation (007914906)

Revised: 10/2025

AmerisourceBergen Drug Corporation