

CLE DE PEAU BEAUTE UV PROTECTIVE TINTED IVORY- octinoxate, octocrylene, and titanium dioxide cream

CLE DE PEAU BEAUTE UV PROTECTIVE TINTED OCHER- octinoxate, octocrylene, and titanium dioxide cream

CLE DE PEAU BEAUTE UV PROTECTIVE TINTED DARK- octinoxate, octocrylene, and titanium dioxide cream

SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CLÉ DE PEAU BEAUTÉ UV PROTECTIVE TINTED

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 4.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•DIPROPYLENE GLYCOL•DIMETHICONE•ISOPROPYL MYRISTATE•GLYCERIN•CYCLOPENTASILOXANE•SD ALCOHOL 40-B•LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE•METHYL METHACRYLATE CROSSPOLYMER•DISTEARDIMONIUM HECTORITE•POLYMETHYLSILSESQUIOXANE•PEG/PPG-14/7 DIMETHYL ETHER•CETYL PEG/PPG-10/1 DIMETHICONE•SILICA•SORBITAN SESQUISOSTEARATE•TREHALOSE•DEXTRIN PALMITATE•TOCOPHERYL

ACETATE•POLYQUATERNIUM-51•SODIUM ACETYLATED HYALURONATE•DIPOTASSIUM GLYCYRRHIZATE•SAXIFRAGA SARMENTOSA EXTRACT•GINKGO BILOBA LEAF EXTRACT•THYMUS SERPYLLUM EXTRACT•HYDROLYZED SILK•2-O-ETHYL ASCORBIC ACID•SCUTELLARIA BAICALENSIS ROOT EXTRACT•UNCARIA GAMBIR EXTRACT•GARCINIA MANGOSTANA BARK EXTRACT•HIBISCUS SABDARIFFA FLOWER EXTRACT•PANAX GINSENG ROOT EXTRACT•BUPLEURUM FALCATUM ROOT EXTRACT•HYDROLYZED CONCHIOLIN PROTEIN•PPG-17•HYDRATED SILICA•TRIETHOXYCAPRYLYLSILANE•BUTYLENE GLYCOL•TRISODIUM EDTA•ALUMINUM HYDROXIDE•POLYSILICONE-2•ALCOHOL•DISTEARYLDIMONIUM CHLORIDE•BHT•TOCOPHEROL•SODIUM METABISULFITE•TALC•THEANINE•METHYLPARABEN•PHENOXYETHANOL•FRAGRANCE•TITANIUM DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - IVORY

**clé de peau
BEAUTÉ**

50+

***UV protective cream
tinted***

***BROAD SPECTRUM
SPF 50+
SUNSCREEN***

30mL NET WT. 1.2 OZ.

clé de peau
BEAUTÉ
UV PROTECTIVE CREAM
TINTED
BROAD SPECTRUM
SPF 50+
SUNSCREEN
IVORY

Drug Facts

Active ingredients Purpose
OCTINOXATE 7.4% Sunscreen
OCTOCRYLENE 3.0% Sunscreen
TITANIUM DIOXIDE 4.6% ... Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 13306

www.cledepeau-beaute.com

縮小サイズ0.85倍 6mmバー
12mm×33mm

7 30852 13306 8

13306-41-5040
AAA



UV protective cream tinted



IVORY



50+
UV protective cream
tinted

BROAD SPECTRUM
SPF 50+
SUNSCREEN

30mL NET WT. 1.2 OZ.

This package is made using recycled paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

WATER · DIPROPYLENE GLYCOL · DIMETHICONE · CYCLOMETHICONE · ISOPROPYL MYRISTATE · GLYCERYL SD ALCOHOL 40-8 · LAURYL PEG-9 POLYDIMETHYLSILOXYMETHYL DIMETHICONE · POLYDIMETHYL METHACRYLATE · DISTEAROYLMONIUM HEPTOATE · POLYDIMETHYLSILOXANOLAN · PEG/PPG-3/4/7 DIMETHYL ETHER · CETYL PEG/PPG-10/1 DIMETHICONE · SILICA · SORBITAN SESQUISOOSTEARATE · TREHALOSE · DEXTRAN PALMITATE · TOCOPHERYL ACETATE · POLYQUATERNIUM-51 · SODIUM ACETATED HYALURONATE · DIPHOTASSIUM GLYCYRRHIZATE · SAMBUCUS SAMBUCIFOLIA EXTRACT · GINSENG BILOBA LEAF EXTRACT · THYMUS SERPYLLUM EXTRACT · HYDROLYZED SILK · 2-4-ETHYL ASCORBIC ACID · SCUTELLARIA BAIKALENSIS ROOT EXTRACT · UNCARLIA GAMBIR EXTRACT · GARCINIA MANGOSTANA BARK EXTRACT · HIBISCUS SABDARFFA FLOWER EXTRACT · PANAX GINSENG ROOT EXTRACT · BUPLEURUM FALCUTUM ROOT EXTRACT · HYDROLYZED CONCHUNIN PROTEIN · PPG-17 · HYDRATED SILICA · TRITHIONCAPRYLSULFANE · BUTYLENE GLYCOL · TRISODIUM EDTA · ALUMINUM HYDROXIDE · POLYSILOXANE-2 · ALCOHOL · DISTEAROYLMONIUM CHLORIDE · BHT · TOCOPHEROL · SODIUM METABISULFITE · TALC · THEAINE · METHYL PARABEN · PHENOXYMETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · NICA

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - OCHER

clé de peau

BEAUTÉ

50+

UV protective cream

tinted

BROAD SPECTRUM

SPF 50+

SUNSCREEN

30mL NET WT. 1.2 OZ.

UV protective cream tinted



OCHER



This package is made using bagasse paper (a non-wood paper).

clé de peau
BEAUTÉ
UV PROTECTIVE CREAM
TINTED
BROAD SPECTRUM
SPF 50+
SUNSCREEN
OCHER

Drug Facts

Active ingredients Purpose

OCTINOXATE 7.4% Sunscreen
OCTOCRYLENE 3.0% Sunscreen
TITANIUM DIOXIDE 4.8% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 13307

www.cledepeau-beaute.com

縮小サイズ0.85倍 6mmバー
12mmX33mm

7 30852 13307 5

13307-41-5040

AAA

Drug Facts (continued)

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶



50+

UV protective cream tinted

BROAD SPECTRUM
SPF 50+
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Inactive ingredients

WATER - DIPROPYLENE GLYCOL - DIMETHICONE - CYCLOMETHICONE - ISOPROPYL MYRISTATE - GLYCERIN - SO ALCOHOL 40-B - LAURYL PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE - POLY(METHYL METHACRYLATE) - DISTEAROYL DIMONIUM HECTOINATE - POLY(METHYL SILSESQUOXIDANE) - PEG-PPG-14/7 DIMETHYL ETHER - CETYL PEG/PPG-10/1 DIMETHICONE - SILICA - SORBITAN SESQUISOESTEARATE - TREHALOSE - DEXTRAN PALMATE - TOCOPHERYL ACETATE - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - DIPOTASSIUM GLYCRRHIZATE - SAMPERGA SARMENTOSA EXTRACT - GINKGO BILOBA LEAF EXTRACT - TRIMYS SERPYLLUM EXTRACT - HYDROLYZED SILK - 2-0-ETHYL ASCORBIC ACID - SCUTELLARIA BACALENSIS ROOT EXTRACT - UNICARIA GAMBIRI EXTRACT - GARCINIA MANGOSTANA BARK EXTRACT - HEBISCUS SABDARIFIA FLOWER EXTRACT - PANAX GINSENG ROOT EXTRACT - BAUPLEURUM FALCATUM ROOT EXTRACT - HYDROLYZED CONCOMBRIN PROTEIN - PPG-37 - HYDRATED SILICA - TRIMETHOXYCAPRYLYLSILANE - BUTYLENE GLYCOL - TRISODIUM EDTA - ALUMINUM HYDROXIDE - POLYSILOXANE-2 - ALCOHOL - DISTEAROYL DIMONIUM CHLORIDE - BHT - TOCOPHEROL - SODIUM METABISULFITE - TALC - THEAINE - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - DARK

clé de peau

BEAUTÉ

50+

UV protective cream

tinted

BROAD SPECTRUM

SPF 50+

SUNSCREEN

30mL NET WT. 1.2 OZ.

UV protective cream tinted



DARK



This package is made using bagasse paper (a non-wood paper).

clé de peau
BEAUTÉ
UV PROTECTIVE CREAM
TINTED
BROAD SPECTRUM
SPF 50+
SUNSCREEN
DARK

Drug Facts

Active ingredients Purpose

OCTINOXATE 7.4% Sunscreen
OCTOCRYLENE 3.0% Sunscreen
TITANIUM DIOXIDE 4.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
GLO. 13308

www.cledepeau-beaute.com

縮小サイズ0.85倍 6mmバー
12mm×33mm

7 30852 13308 2

13308-41-5040

AAA

Drug Facts
(continued)

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶



50+

UV protective cream
tinted

BROAD SPECTRUM
SPF 50+
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts
(continued)

Inactive ingredients

WATER - DIPROPYLENE GLYCOL - DIMETHICONE - CYCLOMETHICONE - ISOPROPYL MYRISTATE - GLYCERIN - SD ALCOHOL 40-B - LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE - POLYMETHYL METHACRYLATE - DISTEAROYL DIMONIUM HECTOATE - POLYMETHYLSILOXESQUOXANE - PEG/PPG-14/7 DIMETHYL ETHER - CETYL PEG/PPG-10/1 DIMETHICONE - SUCCA-SORBIFAN SESQUISOESTERATE - TREHALOSE - DEXTRIN PALMITATE - TOCOPHERYL ACETATE - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - DIPOTASSIUM GLYCYRRHIZATE - SAMPANGA SARMENTOSA EXTRACT - GINCO BILOBA LEAF EXTRACT - TRYMUS SERPILLUM EXTRACT - HYDROLYZED SILK - 2,4-CETYL ASCORBIC ACID - SCUTELLARIA BACALENSIS ROOT EXTRACT - UNICARIA GAMBIR EXTRACT - GARCINIA MANGOSTANA BARK EXTRACT - HEBRUS SIDAQUIFA FLOWER EXTRACT - PANAX GINSENG ROOT EXTRACT - BAUPLEURUM FALCATUS ROOT EXTRACT - HYDROLYZED CONCHILIN PROTEIN - PPG-17 - HYDRATED SILICA - TRIMETHONCAPRYLUSILANE - BUTYLENE GLYCOL - TRISODIUM EDTA - ALUMINUM HYDROXIDE - POLYSILOXANE-2 - ALCOHOL - DISTEAROYL MONIUM CHLORIDE - BHT - TOCOPHEROL - SODIUM METABISULFITE - TALC - THEAINE - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-808-7503

CLE DE PEAU BEAUTE UV PROTECTIVE TINTED IVORY

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-292
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2449 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	993 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1522 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GLYCERIN (UNII: PDC6A3C0OX)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TREHALOSE (UNII: B8WCK70T7J)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
GINKGO (UNII: 19FUJ2C58T)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)	
HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
PPG-17 (UNII: OV0Q322E0U)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALCOHOL (UNII: 3K9958V90M)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TALC (UNII: 7SEV7J4R1U)
THEANINE (UNII: 8021PR16QO)
METHYL PARABEN (UNII: A2I8C7HI9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-292-60	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

CLE DE PEAU BEAUTE UV PROTECTIVE TINTED OCHER

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-293
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2449 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	993 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1522 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GLYCERIN (UNII: PDC6A3C0OX)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TREHALOSE (UNII: B8WCK70T7I)
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)
GINKGO (UNII: 19FUJ2C58T)
THYMUS SERPYLLUM (UNII: 86H4S6K51N)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)
GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)
HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)
ASIAN GINSENG (UNII: CUQ3A77YXI)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
PPG-17 (UNII: OV0Q322E0U)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALCOHOL (UNII: 3K9958V90M)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TALC (UNII: 7SEV7J4R1U)
THEANINE (UNII: 8021PR16QO)
METHYL PARABEN (UNII: A2I8C7HI9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-293-60	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

CLE DE PEAU BEAUTE UV PROTECTIVE TINTED DARK

octinoxate, octocrylene, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-294
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2449 mg in 30 mL
	OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	993 mg in 30 mL
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1522 mg in 30 mL
Inactive Ingredients			
	Ingredient Name		Strength
	WATER (UNII: 059QF0K00R)		
	DIPROPYLENE GLYCOL (UNII: E107L85C40)		
	DIMETHICONE (UNII: 92RU3N3Y1O)		
	ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)		
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
	POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
	PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	TREHALOSE (UNII: B8WCK70T7I)		
	DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)		
	.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)		
	POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)		
	SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
	GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)		
	SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)		
	GINKGO (UNII: 19FUJ2C58T)		
	THYMUS SERPYLLUM (UNII: 86H4S6K51N)		
	2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)		
	SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)		
	GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)		
	HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)		
	ASIAN GINSENG (UNII: CUQ3A77YXI)		
	BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)		
	PPG-17 (UNII: OV0Q322E0U)		
	HYDRATED SILICA (UNII: Y6O7T4G8P9)		
	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
	EDETATE TRISODIUM (UNII: 420IP921MB)		
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
	ALCOHOL (UNII: 3K9958V90M)		
	DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)		
	BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
	.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
	SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
	TALC (UNII: 7SEV7J4R1U)		
	THEANINE (UNII: 8021PR16QO)		

METHYL PARABEN (UNII: A2I8C7HI9T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-294-60	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-292, 58411-293, 58411-294) , analysis(58411-292, 58411-293, 58411-294)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION