

SHISEIDO BENEFIANCE WRINKLERESIST24 DAY- avobenzone, octinoxate, and octocrylene cream
SHISEIDO AMERICAS CORPORATION

SHISEIDO BENEFIANCE WRINKLERESIST24 DAY CREAM

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZON 2.5 %	Sunscreen
OCTINOXATE 7.4 %	Sunscreen
OCTOCRYLENE 2.0 %	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every two hours

• **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•GLYCERIN•DIPROPYLENE GLYCOL•BUTYLENE GLYCOL•PHENYL
TRIMETHICONE•HYDROGENATED POLYDECENE•SORBITOL•MYRISTYL
MYRISTATE•DIMETHICONE•SD ALCOHOL 40-B•POLYBUTYLENE GLYCOL/PPG-9/1
COPOLYMER•PETROLATUM•STEARYL ALCOHOL•STEARIC
ACID•SILICA•BENTONITE•PALMITIC ACID•XANTHAN GUM•PEG/PPG-17/4 DIMETHYL
ETHER•PHYTOSTERYL MACADAMIATE•TOCOPHERYL ACETATE•SAPINDUS MUKUROSSI
PEEL EXTRACT•UNCARIA GAMBIR EXTRACT•SODIUM ACETYLATED
HYALURONATE•HYDROXYPROLINE•THYMUS SERPILLUM EXTRACT•CHLORELLA
VULGARIS EXTRACT•PEG-5 GLYCERYL STEARATE•GLYCERYL STEARATE SE•TRISODIUM
EDTA•POTASSIUM HYDROXIDE•SODIUM METAPHOSPHATE•AMMONIUM
ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER•ALCOHOL•SODIUM
METABISULFITE•BHT•TOCOPHEROL•PHENOXYETHANOL•FRAGRANCE•IRON OXIDES•

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton

SHISEIDO

BENEFIANCE

WrinkleResist24

Day Cream

BROAD SPECTRUM

SPF 18

SUNSCREEN

50mL NET WT. 1.8 OZ.

WrinkleResist24
Day Cream

SHISEIDO



BENEFIANCE
WrinkleResist24
Day Cream
BROAD SPECTRUM
SPF 18
SUNSCREEN

50mL NET WT. 1.8 OZ.

Drug Facts (continued)

Directions

- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER · GLYCERIN · DIPROPYLENE GLYCOL · BUTYLENE GLYCOL · PHENYL TRIMETHICONE · HYDROGENATED POLYDECENE · SORBITOL · MYRISTYL MYRISTATE · DIMETHICONE · SD ALCOHOL 40-8 · POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER · PETROLATUM · STEARYL ALCOHOL · STEARIC ACID · SILICA · BENTONITE · PALMITIC ACID · XANTHAN GUM · PEG/PPG-17/4 DIMETHYL ETHER · PHYTOSTERYL MACADAMATE · TOCOPHERYL ACETATE · SAPINDUS MUKUROSSI PEEL EXTRACT · UNCARIA GAMBIR EXTRACT · SODIUM ACETYLATED HYALURONATE · HYDROXYPROLINE · THYMUS SERPILLUM EXTRACT · CHLORELLA VULGARIS EXTRACT · PEG-6 GLYCERYL STEARATE · GLYCERYL STEARATE SE · TRISODIUM EDTA · POTASSIUM HYDROXIDE · SODIUM METAPHOSPHATE · AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER · ALCOHOL · SODIUM METABISULFITE · BHT · TOCOPHEROL · PHENOXYETHANOL · FRAGRANCE · IRON OXIDES

70x70x67

NS 1 2 3 4 5 6 7 8 9 0

SHISEIDO
BENEFIANCE
WRINKLERESIST24
DAY CREAM
BROAD SPECTRUM
SPF 18

Age-defying benefit for youthful vibrance

An age-defense daytime moisturizer that helps protect skin from damage caused by external aging factors such as UV rays. The appearance of lines and wrinkles are dramatically reduced, while maintaining rich moisture to the skin under even dry conditions all day long.

- Smooth over face each morning after cleanser and softening lotion.
- Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

DERMATOLOGIST-TESTED.



<http://s1872.com/10307AA>
See our website for more information.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 10307
www.shiseido.com



Drug Facts

Active ingredients

Purpose

AVOBENZONE 2.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure

Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

7 30852 10307 X

10307-43-5040

AAC

SHISEIDO BENEFIANCE WRINKLERESIST24 DAY

avobenzone, octinoxate, and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-629
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.28 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.85 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.02 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
SORBITOL (UNII: 506T60A25R)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PETROLATUM (UNII: 4T6H12BN9U)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PALMITIC ACID (UNII: 2V16EO95H1)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAPINDUS MUKOROSI FRUIT RIND (UNII: 3D1P12PN9U)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
HYDROXYPROLINE (UNII: RMB44WO89X)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	

EDETATE TRISODIUM (UNII: 420IP921MB)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)
ALCOHOL (UNII: 3K9958V90M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-629-10	1 in 1 CARTON	01/01/2021	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)