TIGER SUPPLY INC APF- sodium fluoride gel Tiger Supply Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active Ingredient:

Fluoride Ion 1.23%

Available from 2.09% Sodium Fluoride and Hydrofluoric Acid

Purpose:

Fluoride Treatment Gel

Indications and Usage:

- A stable thixotropic fluoride treatment gel used to help prevent dental decay.
- For Professional Use Only. This product is not intended for home or unsupervised use.

Warnings:

- Keep out of reach of children.
- Do not swallow. If product is accidentally swallowed in quantities greater than would normally occur with a treatment gel, seek medical help or contact a Poison Control Center right away.
- Read directions carefully before using.

Dosage and Administration:

Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventative caries treatment two times a year.

- 1. After thorough prophylaxsis, fill two single or one dual tray, one third full with gel. Air dry teeth and insert trays into the mouth.
- 2. Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
- 3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minutes.

Other Information:

Store at controlled room temperature 59° to 86°F (15°-30°C).

Inactive Ingredients:

Citric Acid, FD&C Red #40, Flavor, Magnesium Aluminum Silicate, Phosphoric Acid, Polysorbate 20, Sodium Benzoate, Sodium Saccharin, Titanium Dioxide, Water, Xanthan Gum, Xylitol.





Acidulated Phosphate Fluoride
Treatment Gel
1.23% Fluoride Ion

GLUTEN FREE

Ronly

Strawberry

Re-order#: TIG-24-45077

IMPORTANT: READ DIRECTIONS FOR PROPER USE

MADE IN USA

Net wt. 16 oz (454 g)

Active Ingredient:

Purpose:

Fluoride Ion 1.23% Fluoride Treatment Gel Available from 2.09% Sodium Fluoride and Hydrofluoric Acid.

Indications and Usage:

- A stable thixotropic fluoride treatment gel used to help prevent dental decay.
- For Professional Office Use Only. This product is not intended for home or unsupervised consumer use.

Warnings

- · Keep out of reach of children.
- Do not swallow. If product is accidentally swallowed in quantities greater than would normally occur with a treatment gel, seek medical help or contact a Poison Control Center right away.
- · Read directions carefully before using.

Dosage and Administration:

Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventative caries treatment two times a year.

- After thorough prophylaxis, fill two single or one dual tray, one third full with gel. Air dry teeth and insert trays into the mouth.
- Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
- 3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minutes.

Other Information:

• Store at controlled room temperature 59° to 86°F (15°-30°C). Protect from freezing.

Inactive Ingredients:

Citric Acid, FD&C Red #40, Flavor, Magnesium Aluminum Silicate, Phosphoric Acid, Polysorbate 20, Sodium Benzoate, Sodium Saccharin, Titanium Dioxide, Water, Xantham Gum, Xylitol.

Manufactured for:



99 Sherwood Avenue Farmingdale, NY 11735 Tel: 631.293.2700 www.tigersupplyinc.com

99092280 Rev 03/2013

TIGER SUPPLY INC APF

sodium fluoride gel

Product Information

Product Type

HUMAN PRESCRIPTION DRUG

Item Code (Source)

NDC:69484-050

Route of Administration

DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080) FLUORIDE ION

N 5.6 g in 454 g

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)		
PHOSPHORIC ACID (UNII: E4GA8884NN)		
POLYSORBATE 20 (UNII: 7T1F30V5YH)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
WATER (UNII: 059QF0KO0R)		
XANTHAN GUM (UNII: TTV12P4NEE)		
XYLITOL (UNII: VCQ006KQ1E)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:69484- 050-15	454 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2013	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2013	

Labeler - Tiger Supply Inc (168720709)

Revised: 1/2022 Tiger Supply Inc