

**4064 FIRST AID KIT- 4064 first aid kit**  
**4065 FIRST AID KIT- 4065 first aid kit**  
**4066 FIRST AID KIT- 4066 first aid kit**  
**4067 FIRST AID KIT- 4067 first aid kit**  
**Honeywell Safety Products USA, Inc**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**4064, 4065, 4066, 4067 First Aid Kit (PVP, First Aid Burn Cr, Triple- Z019737-0024L, 019737-0024L, Z019708, 019708-0005L)**

### **PVP Wipes**

#### ***Active ingredient***

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

### **PVP Wipes**

#### ***Purpose***

First aid antiseptic

### **PVP Wipes**

#### ***Uses***

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

### **PVP Wipes**

#### ***Warnings***

**For external use only.**

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- condition worsens or persists for more than 72 hours
- irritation and redness develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **PVP Wipes**

#### ***Directions***

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

- discard wipe after single use

### **PVP Wipes**

#### **Other information**

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

### **PVP Wipes**

#### **Inactive ingredients**

nonoxynol 9, water

### **PVP Wipes**

#### **Questions**

800-430-5490

### ***Burn Cream***

#### ***Active ingredient***

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5%

### **Burn Cream**

#### ***Purpose***

First aid antiseptic

External analgesic

### **Burn Cream**

#### ***Uses***

- prevent skin infection
- for temporary relief of pain associated with minor burns

### **Burn Cream**

#### ***Warnings***

#### **For external use only**

#### **Do not use**

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body particularly over raw surfaces or blistered areas
- for more than 10 days

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Burn Cream*****Directions***

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (equal to the area of the tip of finger) onto the affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Burn Cream*****Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

**Burn Cream*****Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

**Burn Cream*****Questions***

1-800-430-5490

**Triple*****Active ingredients***

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

**Triple*****Purpose***

First aid antibiotic

First aid antibiotic

First aid antibiotic

**Triple**

## **Uses**

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

## **Triple**

### **Warnings**

**For external use only**

**Allergy alert: do not use if you are allergic to any of the ingredients**

## **Triple**

### **Do not use**

- in the eyes
- over large areas of the body

## **Triple**

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

## **Triple**

**Stop use and ask a doctor if:**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

## **Triple**

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Triple**

### **Directions**

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Triple**

### **Other information**

- store at 15 ° to 25 ° C (59 ° to 77 °F)
- tamper evident sealed packets
- do not use if packet is torn or opened

## **Triple**

### **Inactive ingredients**

petrolatum

**Triple  
Questions**

1-800-430-5490

**4064**

**Z019737-0024L Kit Contents**

TRIPLE ANTIBIOTIC 10 PER  
FIRST AID BURN CREAM 6 PER  
TRIANGULAR BDG, NON-STERILE  
WIRE SPLINT 1 PER  
BANDAGE COMP, 2" OFFSET, 4 PER  
BANDAGE COMP, 4" OFFSET, 1 PER  
ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER  
PVP IODINE WIPES 10 PER  
NITRILE GLOVES 2 PR BBP  
FIRST AID GUIDE ASHI

**4065**

**019737-0024L Kit Contents**

TRIPLE ANTIBIOTIC 10 PER  
FIRST AID BURN CREAM 6 PER  
TRIANGULAR BDG, NON-STERILE  
WIRE SPLINT 1 PER  
GAUZE PADS, 3" X 3", 4 PER  
BANDAGE COMP, 2" OFFSET, 4 PER  
BANDAGE COMP, 4" OFFSET, 1 PER  
ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER  
PVP IODINE WIPES 10 PER  
ADHESIVE TAPE W/P 1/2" X 5 YD  
1 PR LRG NITRILE GLVES ZIP BAG

**4066**

**Z019839 Kit Contents**

TRIPLE ANTIBIOTIC 10 PER  
FIRST AID BURN CREAM 6 PER  
TRIANGULAR BDG, NON-STERILE  
GAUZE PADS, 3" X 3", 4 PER  
ADH TAPE, .5" X 2.5 YD, 2 PER

GAUZE COMP, 1 SQ YARD, 1 PER  
INSTANT COLD PACK 4" X 6"  
ADHESIVE BDG,PLSTIC,1"X3"16PER  
PVP IODINE WIPES 10 PER  
NITRILE GLOVES 2PR BBP  
FIRST AID GUIDE ASHI  
SCISSOR BDGE 4" RED PLS HDL



**4067**

**019708-0005L Kit Contents**

TRIPLE ANTIBIOTIC 10 PER  
FIRST AID BURN CREAM 6 PER  
TRIANGULAR BDG, NON-STERILE  
GAUZE PADS, 3" X 3", 4 PER  
ADH TAPE, .5" X 2.5 YD, 2 PER  
GAUZE COMP, 1 SQ YARD, 1 PER  
INSTANT COLD PACK 4" X 6"  
ADHESIVE BDG,PLSTIC,1"X3"16PER  
PVP IODINE WIPES 10 PER  
NITRILE GLOVES 2PR BBP  
FIRST AID GUIDE ASHI  
SCISSOR BDGE 4" RED PLS HDL



**Honeywell PVP Wipes**

796042 Rev. B Unit Carton Printing Plate for "A" size carton.




# Principal Display Panel

796353-10 Rev. A Unit Carton Printing Plate for "B" size





# Triple Principal Display Panel



4064 Kit Label  
Z019737-0024L

4 color process, pms 072 blue, and pms 186 red



**4065 Kit Label**  
**019737-00241**

4 color process, pms 072 blue, and pms 186 red



4066 Kit label  
Z019839

# FIRST AID

GENERAL PURPOSE, UNITIZED  
10 PERSON



# GRAINGER®

FOR THE ONES WHO GET IT DONE

GRAINGER.COM®

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

47001728RA

4067 Kit Label  
019708-0005L



## 4064 FIRST AID KIT

4064 first aid kit kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4064
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4064-01	1 in 1 KIT	11/21/2018	10/18/2019

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

## Part 1 of 3

### PVP IODINE WIPE

povidone-iodine 10% swab

#### Product Information

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 2 of 3

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

#### Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

### Part 3 of 3

### TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

### Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	10/18/2019

## 4065 FIRST AID KIT

4065 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4065
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4065-01	1 in 1 KIT	11/21/2018	

### Quantity of Parts



Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

## Part 1 of 3

### PVP IODINE WIPE

povidone-iodine 10% swab

#### Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0K00R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 2 of 3

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

#### Product Information

<b>Item Code (Source)</b>	NDC:0498-0903
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

### Part 3 of 3

### TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

### Product Information

<b>Item Code (Source)</b>	NDC:0498-0750
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	

## 4066 FIRST AID KIT

4066 first aid kit kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4066
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4066-01	1 in 1 KIT	11/21/2018	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

**Part 1 of 3****PVP IODINE WIPE**

povidone-iodine 10% swab

**Product Information**

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

**Part 2 of 3**

# FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0K00R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

## TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

### Product Information

Item Code (Source) NDC:0498-0750

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	

## 4067 FIRST AID KIT

4067 first aid kit kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4067
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4067-01	1 in 1 KIT	11/21/2018	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

**Part 1 of 3****PVP IODINE WIPE**

povidone-iodine 10% swab

**Product Information**

<b>Item Code (Source)</b>	NDC:0498-0121
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 2 of 3

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

#### Product Information

**Item Code (Source)** NDC:0498-0903

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

#### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

## Part 3 of 3

### TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

#### Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

#### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

#### Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other		11/21/2018	
-----------------------	--	------------	--

**Labeler** - Honeywell Safety Products USA, Inc (079287321)

**Registrant** - Honeywell Safety Products USA, Inc (079287321)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Honeywell Safety Products USA, Inc		079287321	pack(0498-4064, 0498-4065, 0498-4066, 0498-4067)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Water-Jel Technologies		155522589	manufacture(0498-0903, 0498-0750)

Revised: 10/2019

Honeywell Safety Products USA, Inc