ESOMEPRAZOLE MAGNESIUM- esomeprazole capsule, delayed release Rite Aid Corporation

Rite Aid Corporation Esomeprazole Magnesium Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole.
- Esomeprazole may cause severe skin reactions. Symptoms may include:
- skin reddening
- blisters
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn

- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect 14-Day Course of Treatment
- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor Repeated 14-Day Courses (if needed)
- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

acacia, D&C yellow #10, FD&C blue #1, FD&C red #3, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, menthol, methacrylic acid and ethyl acrylate copolymer dispersion, natural and artificial cool mint flavor, peppermint oil, pharmaceutical ink, polyethylene glycol, polysorbate 80, sodium lauryl sulfate, spearmint oil, sucralose, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel Compare to the active ingredient in Nexium® 24 HR TREATS FREQUENT HEARTBURN ESOMEPRAZOLE MAGNESIUM Delayed Release Capsules 20 mg Acid Reducer REALEASES A COOLING SENSATION IN MOUTH & THROAT ACTUAL SIZE 24HR COOL MINT FLAVORED CAPSULES 42 CAPSULES THREE 14-DAY COURSES OF TREATMENT MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT



KEEP CARTON FOR COMPLETE WARN Drug Facts Purpose Active ingredient (in each capsule) Purpose Esomeprazole 20 mg	Drug Facts (continued) Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if you need to take more than 1 course of treatment every 4 months you need to take more than 1 course of treatment every 4 months you get diarthea you develop a rash or joint pain If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Directions adults 18 years of age and older this product is to be used once a day (every 24 hours), every day for 14 days may take 1 to 4 days for full effect 14-Day Course of Treatment wavallow 1 capsule with a glass of water before eating in the morning take every day for 14 days wavallow whole. Do not crush or chew capsules. do not take more than 1 4 days unless directed by your doctor Repeated 14-Day Courses (if needed) you may repeat a 14-day course every 4 months do not take for more than 14 days or more often than every would be for more than 14 days or more often than every	Drug Facts (continued) Other information • read the directions and warnings before use • keep the carton. It contains important information. • store at 20-25°C (68-77°F) Inactive ingredients acacia, D&C yellow #10, FD&C blue #1, FD&C red #3, gelding uyceryl monostearate, hyppromellose, magnesium stearate, meglumine, menthol, methacrylic acid and ethyl acrylate copolymer dispersion, natural and artificial cool mint flavor, peppermint oil, pharmaceutical ink, polyethylene glycol, polysorbate 80, sodium lauryl sulfate, spearmint oil, sucralose, sugar spheres, talc, titanium dioxide, triethyl citrate Questions or comments? 1-800-719-9260 DISTRIBUTED BY: RITE AID, 200 NEWBERRY COMMONS ETTERS, PA 17319 uww.riteaid.com SATISFACTION CATISFACTION
■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain ►	children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.	If you're not satisfied, we'll happily refund your money.

ESOMEPRAZOLE MA	GNESIUM				
esomeprazole capsule, delay	ed release				
Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (Source)		NDC:11822-4011	
Route of Administration	ORAL				
Active Ingredient/Active Moiety					
Ingredient Name			Basis of S	trength	Strength
ESOMEPRAZOLE (UNII: N3PA6559FT) (ESOMEPRAZOLE - UNII:N3PA6559FT)			ESOMEPRAZ OLE		20 mg
Inactive Ingredients					
-					

Ingredient Name	Strength
ACACIA (UNII: 5C5403N260)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEGLUMINE (UNII: 6HG8UB2MUY)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SPEARMINT OIL (UNII: C3M81465G5)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	BLUE (sealed with green band)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor	MINT	Imprint Code	L898
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:11822- 4011-0	3 in 1 CARTON	06/06/2024		
1	NDC:11822- 4011-1	14 in 1 BOTTLE; Type 0: Not a Combination Product			
M	Marketing Information				

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
ANDA	ANDA207193	06/06/2024	

Labeler - Rite Aid Corporation (014578892)