

HERPES SORES - arsenicum alb., bryonia, cantharis, chelidonium majus, cistus canadensis, conium, croton, dulcamara, graphites, kali bic., lycopodium, mezereum, nux vom., petroleum, pulsatilla, ranunc. bulb., rhus toxicodendron, sarsaparilla, sepia, sulphur, thuja occ., echinacea, hypericum liquid
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Herpes Sores

INDICATIONS & USAGE SECTION

HERPES SORES Formulated for associated symptoms of Herpes Simplex and Herpes Zoster such as itching, tingling, crusting and painful skin eruptions or ulcerations.

DOSAGE & ADMINISTRATION SECTION

Directions: ORAL USE ONLY - SHAKE WELL. Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional.

ACTIVE INGREDIENT SECTION

Arsenicum alb. 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Cistus canadensis 15x, Conium 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Kali bic. 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulsatilla 15x, Ranunc. bulb. 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sepia 15x, Sulphur 15x, Thuja occ. 15x, Echinacea 8x, Hypericum 8x, Echinacea 3x, Hypericum 3x.

PURPOSE SECTION

Formulated for associated symptoms of Herpes Simplex and Herpes Zoster such as itching, tingling, crusting and painful skin eruptions or ulcerations.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

QUESTIONS? SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant or nursing or if symptoms worsen or persist for more than a few days.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL.

www.newtonlabs.net
 Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics **PRO**
 NDC# 55714-4452-1 *Nurturing Naturally Since 1987™*

Herpes Sores

Formulated for associated symptoms of Herpes Simplex and Herpes Zoster such as itching, tingling, crusting and painful skin eruptions or ulcerations.

1 fl oz (29.57 ml)

Dispensed by healthcare professionals only.
 Not for over-the-counter sale.
Directions: ORAL USE ONLY - SHAKE WELL.
 Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional.
Active Ingredients: Arsenicum alb. 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Cistus canadensis 15x, Conium 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Kali bic. 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulsatilla 15x, Ranunc. bulb. 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sepia 15x, Sulphur 15x, Thuja occ. 15x, Echinacea 8x, Hypericum 8x, Echinacea 3x, Hypericum 3x.
Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# **R027** Lot#

HERPES SORES

arsenicum alb., bryonia, cantharis, chelidonium majus, cistus canadensis, conium, croton, dulcamara, graphites, kali bic., lycopodium, mezereum, nux vom., petroleum, pulsatilla, ranunc. bulb., rhus toxicodendron, sarsaparilla, sepia, sulphur, thuja occ., echinacea, hypericum liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55714-4452
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 mL
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 mL
Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lyttia Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	15 [hp_X] in 1 mL

Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	15 [hp_X] in 1 mL
Helianthemum Canadense (UNII: 46G3W789Q3) (Helianthemum Canadense - UNII:46G3W789Q3)	Helianthemum Canadense	15 [hp_X] in 1 mL
Conium Maculatum Flowering Top (UNII: Q28R5GF371) (Conium Maculatum Flowering Top - UNII:Q28R5GF371)	Conium Maculatum Flowering Top	15 [hp_X] in 1 mL
Croton Tiglium Seed (UNII: 0HK2GZK66E) (Croton Tiglium Seed - UNII:0HK2GZK66E)	Croton Tiglium Seed	15 [hp_X] in 1 mL
Solanum Dulcamara Top (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)	Solanum Dulcamara Top	15 [hp_X] in 1 mL
Graphite (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)	Graphite	15 [hp_X] in 1 mL
Potassium Dichromate (UNII: T4423S18FM) (Dichromate Ion - UNII:9LKY4BFN2V)	Potassium Dichromate	15 [hp_X] in 1 mL
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 mL
Daphne Mezereum Bark (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)	Daphne Mezereum Bark	15 [hp_X] in 1 mL
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 mL
Kerosene (UNII: 1C89KKC04E) (Kerosene - UNII:1C89KKC04E)	Kerosene	15 [hp_X] in 1 mL
Pulsatilla Vulgaris (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	15 [hp_X] in 1 mL
Ranunculus Bulbosus (UNII: AEQ8NXJ0MB) (Ranunculus Bulbosus - UNII:AEQ8NXJ0MB)	Ranunculus Bulbosus	15 [hp_X] in 1 mL
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 mL
Smilax Regelii Root (UNII: 2H1576D5WG) (Smilax Regelii Root - UNII:2H1576D5WG)	Smilax Regelii Root	15 [hp_X] in 1 mL
Sepia Officinalis Juice (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	15 [hp_X] in 1 mL
Sulfur (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	15 [hp_M] in 1 mL
Thuja Occidentalis Leafy Twig (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	15 [hp_X] in 1 mL
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	8 [hp_X] in 1 mL
Hypericum Perforatum (UNII: XK4IUX8MNB) (Hypericum Perforatum - UNII:XK4IUX8MNB)	Hypericum Perforatum	8 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4452-1	29.57 mL in 1 BOTTLE, GLASS		
2	NDC:55714-4452-2	59.14 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved homeopathic

06/01/2011

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4452)

Revised: 6/2011

Newton Laboratories, Inc.