CD2-10G BASE- sodium chlorite spray, metered Wausau Chemical

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Disposal:

Dispose of contents/container to an approved waste disposal plant.

Hazards/Precautions:

Causes severe skin burns and eye damage.

Harmful to aquatic life.

Do not breathe mists.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

First Aid:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Handling Instructions:

For external use only. Not for use in sanitizing dairy equipment. Avoid contact with eyes. Avoid contact with food.

Storage & Handling:

Do not mix with any other teat dip or other product. Store at room temperature and out of direct sunlight.

Avoid freezing - If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

Store locked up.

Avoid release to the environment.

DIRECTIONS:

Measure equal volumes of CD2-10G Base and CD2 Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping.

Before each cow is milked, dip the teats as far up as possible. Leave CD2-10G teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2-10G teat dip. Allow to air dry. DO NOT WIPE. CD2-10G teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2-10G teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2-10G teat dip. CD2-10G teat dip may be diluted with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2-10G should be used with a compatible pre-dip or udder wash.

Active Ingredient: Sodium Chlorite......0.6%

Wausau Chemical Corporation

2001 N River Drive

Wausau, WI 54403

800-950-6656

CD2-10G Base



PRE- & POST-MILKING TEAT DIP FOR USE ONLY WITH CD2 ACTIVATOR DANGER

Active Ingredient: 0.6% Sodium Chlorite

Contains: 10% Glycerin

Hazards: Causes severe skin burns and eye damage.

Harmful to aquatic life

First Aid:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Caution:

Do not breathe mists. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Avoid release to the environment.

Store locked up. Dispose of contents/ container to an approved waste disposal plant.

For external use only. Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product. Avoid contact with food. Store at room temperature and out of direct sunlight.

DIRECTIONS FOR USE:

Measure equal volumes of CD2-10G Base and CD2 Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2-10G teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2-10G teat dip. Allow to air dry. DO NOT WIPE. CD2-10G teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2-10G teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2-10G teat dip. CD2-10G teat dip may be diluted with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2-10G should be used with a compatible pre-dip or udder wash.

 $Avoid \ Freezing -$ If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.



		Contents:		
	WAUSAU CHEMICAL CORPORATION 2001 N RIVER DRIVE WAUSAU, WI 54403 800-950-6656	15 Gallons (64892-017-17)	Mfg Code:	190206
		55 Gallons (64892-017-21)	Exp. Date:	MMDDYY
		275 Gallons (64892-017-88)		

C	CD2-10G BASE											
so	sodium chlorite spray, metered											
F	Product Information											
Product Type			OTC ANIMAL DRUG	Item Code (Source)		NDC:64892-017						
Route of Administration			TOPICAL									
Active Ingredient/Active Moiety												
		Ing	gredient Name	Basis of S			rength	Strength				
S	odium Chlorite (UN	II: G538EBV4VF)	(CHLORITE ION - UNII:Z63H374	SB6)		Sodium Chlori	te	6 mg in 1 L				
P	Packaging											
#	Item Code		Package Description			eting Start Date	Market	ing End Date				
1	NDC:64892-017-17	56.78 L in 1 CO	NTAINER									
2	NDC:64892-017-21	208.2 L in 1 DRU	JM									
3	NDC:64892-017- 88	1040 L in 1 CON BULK	TAINER, FLEXIBLE INTERMEDI	ATE								
Marketing Information												
ľ	Aarketing Categor	y Applicatio	on Number or Monograph Cit	ation	Marketing Start Date M		Marketi	Marketing End Date				
uı	napproved drug other			0	2/15/2019							

Labeler - Waus au Chemical (006136220)

Registrant - Wausau Chemical (006136220)

Establishment									
Address	ID/FEI	Business Operations							
	006136220	manufacture, api manufacture							
	Address								

Revised: 2/2019

Wausau Chemical