

**LANCOME PARIS TEINT IDOLE ULTRA WEAR BREATHABLE COVERAGE  
FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN- octinoxate and titanium  
dioxide liquid  
L'Oreal USA Products Inc**

-----

**Drug Facts**

**Active ingredients**

Octinoxate 6.7%

Titanium dioxide 5.1%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable until dry.**

Do not use near fire, flame, or heat.

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## Other information

protect the product in this container from excessive heat and direct sun

## Inactive ingredients

water, dimethicone, isododecane, alcohol denat., trimethylsiloxy silicate, butylene glycol, PEG-10 dimethicone, perlite, synthetic fluorophlogopite, moringa oleifera seed extract, polymnia sonchifolia root juice, calcium aluminum borosilicate, glycerin, dipentaerythrityl tetrahydroxystearate/tetraisostearate, alpha-glucan oligosaccharide, sodium hyaluronate, silica, silica silylate, HDI/trimethylol hexyllactone crosspolymer, cellulose, aluminum hydroxide, magnesium sulfate, nylon-12, disodium phosphate, disodium stearyl glutamate, isopropyl lauroyl sarcosinate, hydrogen dimethicone, citric acid, diisopropyl sebacate, bis-PEG/PPG-14/14 dimethicone, lactobacillus, maltodextrin, disteardimonium hectorite, BHT, tocopherol, phenoxyethanol; may contain: titanium dioxide, iron oxides

## Questions or comments?

**1-800-LANCOME**

**(1-800-526-2663)**

Monday - Friday

(9 a.m. - 5 p.m. EST)

**Drug Facts (continued)**

**Inactive ingredients**  
water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol, PEG-10 dimethicone, perilla, synthetic fluorophlogopite, mongra olisifera seed extract, polyinnia sonchifolia root juice, calcium aluminum borosilicate, glycerin, dipentaerythrityl tetrahydroxystearate/ tetraisoostearate, alpha-glucan oligosaccharide, sodium hyaluronate, silica, silica silylate, HDI/trimethylol hexyllactone crosspolymer, cellulose, aluminum hydroxide, magnesium sulfate, nylon-12, disodium phosphate, disodium stearyl glutamate, isopropyl lauryl sarcosinate, hydrogen dimethicone, citric acid, diisopropyl sebacate, bis-PEG/PPG-14/14 dimethicone, lactobacillus, mactocyclotri, disteardimonium hectorite, BHT, tocopherol, phenoxethanol, may contain: titanium dioxide, iron oxides

**Questions or comments?**  
1-800-LANCOME (1-800-526-2663)  
Monday - Friday (p.a.m. - 5 p.m. EST)

6933800 V297134/4

**LONG WEAR FOUNDATION**  
Breathable and buildable full coverage.  
Natural matte finish.

Paraben-free  
Non-comedogenic  
Non-scrubbing  
Tested under dermatological control for safety



RECYCLABLE GLASS BOTTLE MADE WITH 25% RECYCLED MATERIAL.

Anti Diversion



LANCÔME SUPPORTS FOREST MANAGEMENT THAT RESPECTS PEOPLE AND NATURE.

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS.  
LANCÔME PARIS 14 RUE ROYALE 75008 PARIS LANCÔME LUXURY PRODUCTS LLC 10 HUDSON YARDS, NEW YORK, NY 10001 - IMP. BY LANCÔME CANADA, MONTREAL, H4T 1K5 - LONDON W6 8AZ - TSA760003565451 OULENCEZELLE

30 ml 1.0 FL. OZ.  
MADE IN FRANCE  
LANCÔME.COM

LANCÔME PARIS

LANCÔME PARIS



TEINT IDOLE  
ULTRA WEAR

SUNSCREEN  
BROAD SPECTRUM SPF 25  
UP TO 24H WEAR FOUNDATION  
BREATHABLE COVERAGE

COVERAGE  
● ● ● ● ●  
100W

TRANSFER-RESISTANT  
30 ml - 1.0 FL. OZ.

**Drug Facts**

**Active ingredients Purpose**  
Octinoxate 6.7%.....Sunscreen  
Titanium dioxide 5.1%...Sunscreen

**Uses**  
• helps prevent sunburn  
• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Flammable until dry. Do not use near fire, flames or heat.  
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
• shake well  
• apply liberally 15 minutes before sun exposure  
• reapply at least every 2 hours  
• use a water resistant sunscreen if swimming or sweating  
• Sun Protection Measures.  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. - 2 p.m.  
• wear long-sleeved shirts, pants, hats, and sunglasses  
• children under 6 months of age:  
Ask a doctor

**Other information**  
• protect the product in this container from excessive heat and direct sun

SV 3614273793025  
GENCOD 80%

**Drug Facts (continued)**

**Inactive ingredients**  
water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol, PEG-10 dimethicone, perilla, synthetic fluorophlogopite, mongra olisifera seed extract, polyvinia sonchifolia root juice, calcium aluminum borosilicate, glycerin, dipentaerythryl tetrahydroxystearate/ tetraisoostearate, alpha-glucan oligosaccharide, sodium hyaluronate, silica, silica silylate, HDI/trimethylol hexyllactone crosspolymer, cellulose, aluminum hydroxide, magnesium sulfate, nylon-12, disodium phosphate, disodium stearyl glutamate, isopropyl lauryl sarcosinate, hydrogen dimethicone, citric acid, diisopropyl sebacate, bis-PEG/PPG-14/14 dimethicone, lactobacillus, metoclopramide, disteardimonium hectorite, BHT, tocopherol, phenoxethanol, may contain: titanium dioxide, iron oxides

**Questions or comments?**  
1-800-LANCOME (1-800-526-2663)  
Monday - Friday (p.a.m. - 5 p.m. EST)

6933800 V297134/4

**LONG WEAR FOUNDATION**  
Breathable and buildable full coverage. Natural matte finish.

Paraben-free  
Non-comedogenic  
Non-scrubbing  
Tested under dermatological control for safety

 CAUTION: FLAMMABLE UNTIL DRY. KEEP AWAY FROM FLAMES AND HEAT. AVOID SPRAYING IN EYES.

RECYCLABLE GLASS BOTTLE MADE WITH 25% RECYCLED MATERIAL.

 MIX Packaging PSC. Fsc® C200050

LANCOME SUPPORTS FOREST MANAGEMENT THAT RESPECTS PEOPLE AND NATURE.

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS  
LANCOME PARIS 14 RUE ROYALE 75008 PARIS LANCOME LUXURY PRODUCTS LLC 10 HUDSON YARDS, NEW YORK, NY 10001 - IMP. BY LANCOME CANADA, MONTREAL, H4T 1K5 - LONDON W6 8AZ - TSA750003565451 OULNECELEF

30 ml   
MADE IN FRANCE  
LANCOME.COM

# LANCÔME

PARIS



**TEINT IDOLE  
ULTRA WEAR**

SUNSCREEN  
BROAD SPECTRUM SPF 25  
UP TO 24H WEAR FOUNDATION  
BREATHABLE COVERAGE

COVERAGE  
● ● ● ● ●  
**100W**

TRANSFER-RESISTANT  
30 ml - 1.0 FL. OZ.

**Drug Facts**

**Active ingredients Purpose**  
Octinoxate 6.7%.....Sunscreen  
Titanium dioxide 5.1%...Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Flammable until dry. Do not use near fire, flames or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

SV 3614273793025  
GENCOD 80%

C1 - Internal use

**LANCOME PARIS TEINT IDOLE ULTRA WEAR BREATHABLE**

# COVERAGE FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN

octinoxate and titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-302
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	51 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>PERLITE</b> (UNII: 0SG101ZGK9)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>MORINGA OLEIFERA SEED</b> (UNII: TIX5482832)	
<b>SMALLANTHUS SONCHIFOLIUS ROOT JUICE</b> (UNII: M9S7HX36CT)	
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIPENTAERYTHRITYL TETRAHYDROXYSTEARATE/TETRAISOSTEARATE</b> (UNII: 230K0823CE)	
<b>.ALPHA.-GLUCAN OLIGOSACCHARIDE</b> (UNII: S95658MI3W)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ISOPROPYL LAUROYL SARCOSINATE</b> (UNII: LYR06W430J)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>EMMENTAL LACTOBACILLUS</b> (UNII: B253LSV04X)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	

<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-302-01	1 in 1 CARTON	12/12/2022	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49967-302-02	100 mL in 1 TUBE; Type 0: Not a Combination Product	12/12/2022	
3	NDC:49967-302-03	1 mL in 1 PACKET; Type 0: Not a Combination Product	12/12/2022	
4	NDC:49967-302-04	0.4 mL in 1 PACKAGE; Type 0: Not a Combination Product	12/12/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/12/2022	

**Labeler** - L'Oreal USA Products Inc (002136794)

### Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(49967-302) , pack(49967-302)

### Establishment

Name	Address	ID/FEI	Business Operations
BPS60		272259304	pack(49967-302)

### Establishment

Name	Address	ID/FEI	Business Operations
Socoplan		276221405	pack(49967-302)

Revised: 12/2023

L'Oreal USA Products Inc