

**OXYGEN- oxygen gas**  
**O2 for U, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen, USP**

**Principal for Oxygen Product**



OXYGEN, COMPRESSED

USP

UN1072

PRODUCED BY AIR LIQUEFACTION

⚠ **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain special instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

NO SMOKING

NO VAPING

O2 For U Inc

8281-B South 89th West Ave • Tulsa, OK 74131

PH# 918-227-9995

CONTENTS:

Liters  CU FT

# OXYGEN, REFRIGERATED LIQUID USP UN1073



**DANGER:**

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.  
CONTAINS REFRIGERATED  
GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.  
COMBUSTIBLES IN  
CONTACT WITH LIQUID OXYGEN MAY EXPLODE  
ON IGNITION OR IMPACT**

NO VAPING  
NO SMOKING

**O<sub>2</sub>  
For U**

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: stop leak if safe to do so. use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the safety data sheet (SDS) before use.

**FIRST AID:**

**FIRST AID:**

**IF ON SKIN:** Thaw frosted parts with luke warm water. Do not rub affected area. Get immediate medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL.**

**WARNING:** for emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. for all other medical applications, RX only. uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**PRODUCED BY AIR LIQUEFACTION.**

**Manufactured by:**

**O2 for U, Inc.**

**8281 S 89th West Ave,**

**Tulsa, OK 74131**

OXYGEN,

REFRIGERATED

LIQUID USP

UN1073

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.

CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the safety data sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with luke warm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: for emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. for all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

PRODUCED BY AIR LIQUEFACTION.

Manufactured by:

O2 for U, Inc.

8281 S 89th West Ave.

Tulsa, OK 74131

NO VAPING

NO SMOKING

**LOT**  
**EXPIRATION DATE**

Representative Labeling  
pursuant to 21 CFR 207.3 (10)

**OXYGEN**

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:20175-072
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:20175-072-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
2	NDC:20175-072-02	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
3	NDC:20175-072-03	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
4	NDC:20175-072-04	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
5	NDC:20175-072-05	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
6	NDC:20175-072-06	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
7	NDC:20175-072-07	640 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
8	NDC:20175-072-08	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
9	NDC:20175-072-09	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
10	NDC:20175-072-10	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
11	NDC:20175-072-11	7080 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
12	NDC:20175-072-12	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
13	NDC:20175-072-13	200 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
14	NDC:20175-072-14	21 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
15	NDC:20175-072-15	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
16	NDC:20175-072-16	41 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
17	NDC:20175-072-17	46 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
18	NDC:20175-072-18	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
19	NDC:20175-072-19	3468 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
20	NDC:20175-072-20	9599 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		01/10/2000	

---

**Labeler** - O2 for U, Inc. (623597783)

**Establishment**

Name	Address	ID/FEI	Business Operations
O2 for U, Inc.		623597783	manufacture(20175-072)

Revised: 12/2025

O2 for U, Inc.