

SUNFORGETTABLE BRUSH-ON SUNSCREEN SPF 30- titanium dioxide and zinc oxide powder
Colorescience

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sunforgettable® Brush-On Sunscreen SPF 30

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 21.0%	Sunscreen
Zinc Oxide 11.8%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 80 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.

▪ **Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.– 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Lithothamnion Calcareum Extract, Mannitol, Methicone, Dimethicone, Laureth-4, Calcium Silicate, Triethoxycaprylylsilane, Diatomaceous Earth, Sodium Sulfate, Zinc Sulfate, Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Distributed in USA by
Colorescience®
Carlsbad, CA 92011

PRINCIPAL DISPLAY PANEL - 6 g Tube Carton

colorescience®

SUNFORGETTABLE®

**BRUSH-ON
SUNSCREEN**

Fights skin aging

Mess-free powder

Immediate on-the-go
protection

Water resistant
(80 minutes)

30
Broad Spectrum
SPF 30
Sunscreen

Net Wt. 6 g / 0.21 oz.



SUNFORGETTABLE®
SPF 30

colorescience®

SUNFORGETTABLE®
BRUSH-ON
SUNSCREEN

Fights skin aging
Mess-free powder
Immediate on-the-go

For USA only

Drug Facts (continued)

Inactive ingredients:

Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Lithothamnion Calcareum Extract, Mannitol, Methicone, Dimethicone, Laureth-4, Calcium Silicate, Triethoxycaprylylsilane, Diatomaceous Earth, Sodium Sulfate, Zinc Sulfate, Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information:

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Ingredients (EU)

Mica, Titanium Dioxide, Dimethicone/Vinyl Dimethicone Crosspolymer, Zinc Oxide,

Lithothamnion Calcareum Extract, Mannitol, Methicone, Dimethicone, Laureth-4, Calcium Silicate, Triethoxycaprylylsilane, Diatomaceous Earth, Sodium Sulfate, Zinc Sulfate, [+/- CI 77491, CI 77492, CI 77499,

protection

Water resistant
(80 minutes)



30 Broad Spectrum
SPF 30
Sunscreen

Net Wt. 6 g / 0.21 oz.

CI 77891]

How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs.



Embrace The Brush

Natural beauty begins with protected skin. Sunforgettable® Brush-on Sunscreen offers powerful SPF 30 UVA/UVB sunscreen defense, alone or over makeup. Broad spectrum SPF and environmental defense in one simple, on-the-go application.

Experience the confidence and ease of Colorescience®

- + Trusted and personally used by thousands of physicians.
- + 365-day defense from UV rays and environmental stressors.

How to Use

Sweep generously and evenly on the skin prior to sun exposure. Reapply at least every two hours. See insert for more details.

Discover our full line of uncompromising, health-forward formulas designed to fit your life at colorescience.com

Distributed in USA by
Colorescience®
Carlsbad, CA 92011
Made in USA

BIORIUS
Rue de la Croix, 10A
BE-7170 MANAGE

1709030



Drug Facts

Active ingredients	Purpose
Titanium Dioxide 21.0%	Sunscreen
Zinc Oxide 11.8%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 80 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel ▶



SUNFORGETTABLE BRUSH-ON SUNSCREEN SPF 30

titanium dioxide and zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68078-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	210 mg in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	118 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Mica (UNII: V8A1AW0880)	
Dimethicone/Vinyl Dimethicone Crosspolymer (Soft Particle) (UNII: 9E4CO0W6C5)	
Phymatolithon Calcareum (UNII: 6J1M3WA0ZK)	
Mannitol (UNII: 3OWL53L36A)	
Methicone (20 CST) (UNII: 6777U11MKT)	
Dimethicone (UNII: 92RU3N3Y1O)	
Laureth-4 (UNII: 6HQ855798J)	
Calcium Silicate (UNII: S4255P4G5M)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Diatomaceous Earth (UNII: 2RF6EJ0M85)	
Sodium Sulfate (UNII: 0YPR65R21J)	
Zinc Sulfate, Unspecified Form (UNII: 89DS0H96TB)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-021-22	1 in 1 CARTON	02/01/2017	
-		6 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a		

Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2017	

Labeler - Colorescience (128731929)

Revised: 12/2021

Colorescience