GERI-TUSSIN DM- dextromethorphan hbr, guaifenes in liquid Geri-Care Pharmaceuticals, Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

per 5 mL teaspoonful

Dextromethorphan HBr - 10 mg

Guaifenesin - 100 mg

Purpose

©Cough Suppressant

Expectorant

Uses

- temporarilyrelievescoughduetominorthroatand bronchial irritation
- helps loosen phlegm (mucus)
- helps thin bronchial secretions to make coughs more productive

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Do not use if you have ever had an allergic reaction to any of the ingredients in this product.

Ask a doctor before use if you have

- a cough with too much phlegm (mucus)
- a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back or is accompanied by fever, rash, or headache that lasts. These could be signs of a serious condition.

IIf pregnant or breast-feeding, <code>lask</code> a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours as needed, or as directed by a doctor
- do not take more than 6 doses in 24 hours
- do not exceed recommended dose

Adults and children 12 years and over	2 teaspoonfuls (10 mL)
Children under 12 years	do not use

Inactive ingredients: artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, sucrose COMPARE TO THE ACTIVE INGREDIENTS OF

Drug Facts

Active ingredient (per 5mL teaspoonful) Purposes Dextromethorphan HBr, USP 10 mg......Cough suppresssant

Guaifenesin, USP 100 mg...

Uses • temporarily relieves cough due to minor throat and bronchial irritation • helps loosen phlegm (mucus) • helps thin bronchial secretions to make coughs more productive

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist pefore taking this product.

Do not use if you have ever had an allergic reaction to any of the ingredients in this product.

Ask a doctor before use if you have • a cough with too much phlegm (mucus) • a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



NDC 57896-661-16

COUGH SUPPRESSANT • EXPECTORANT

- CONTROLS COUGH
- LOOSENS & RELIEVES

CHEST CONGESTION

COMPARE TO THE ACTIVE INGREDIENTS OF ROBITUSSIN® DM*

ALCOHOL FREE

COUGH FORMULA FOR ADULTS & CHILDREN 12 YEARS AND OVER

PACKAGE NOT CHILD RESISTANT

16 FL OZ (473 mL)

Drug Facts (continue)

Directions

- take every 4 hours as needed, or as directed by a doctor
- do not take more than 6 doses in 24 hours
- do not exceed recommended dose

Adults and children 12 years and over 2 teaspoonfuls (10 mL) Children under 12 years do not use

Other information

- each teaspoonful (5 mL) contains: sodium 2 mg
- store at room temperature 15°- 30°C (59°-86°F)
- protect from freezing do not refrigerate protect from light
 TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn broken or missing.

Inactive ingredients: artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, sucrose

*This product is not manufactured or distributed by the owner of the registered trademark Robitussin® DM

For Institutional Use Distributed by: GERI-CARE PHARMACEUTICALS CORP 1650 63rd Street Brooklyn, NY 11204



REV0419

Code# L151

Lot#

Exp. Date:

dextromethorphan hbr, guaifenesin liquid

Product Information

GERI-TUSSIN DM

Product Type HUMAN OTC DRUG Item Code (Source) NDC:57896-661

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name

Basis of Strength Strength **DEXTROMETHORPHAN HYDROBROMIDE** (UNII: 9 D2RTI9 KYH) DEXTROMETHORPHAN 10 mg (DEXTROMETHORPHAN - UNII:7355X3ROTS) **HYDROBROMIDE** in 5 mL 100 mg GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) **GUAIFENES IN** in 5 mL

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
METHYLPARABEN (UNII: A218 C7HI9 T)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

SUCROSE (UNII: C151)	H8 M554)				
Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:57896-661-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019			
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341	05/01/2019			

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 6/2019 Geri-Care Pharmaceuticals, Corp