

API E.M ERYTHROMYCIN- erythromycin powder
MARS FISHCARE NORTH AMERICA, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Label

Active Ingredient: 400 mg Erythromycin per teaspoon.

Directions for Use:

For best results, remove activated carbon or filter cartridge from filter and continue aeration.

For each 20 gallons (75 L) of water add 1 scoop (1 tsp.).

For larger systems, for each 240 gallons (908 L) of water add 12 scoops (4 Tbsp.), or for each 960 gallons (3,634 L) of water add one cup.

Repeat dose after 24 hours.

Wait another 24 hours then change 25% of the aquarium water.

Repeat this treatment for a second time, for a total of 4 doses.

Four doses required for full course of treatment.

Then make a final 25% water change and add API BIO-CHEM ZORB, fresh activated carbon or replace filter cartridge.

This treatment may be repeated, if necessary.

KEEP OUT OF THE REACH OF CHILDREN.

For aquarium use only.

Not for human consumption or for the treatment of fish intended for human consumption.

Avoid contact with skin and eyes.

May cause irritation.

Note: Medicating an aquarium with antibiotics may suppress the biological filter. API QUICK START contains live nitrifying bacteria to strengthen the biological filter. Add QUICK START after the final water change.

! WARNING:

This product can expose you to chemicals including Silica, crystalline, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

Diagnostic Chart

Fin and Tail Rot:

Fins appear ragged and split. In severe cases, fins, and tail are almost completely eroded. Secondary fungal infections, observed as white, "cottony" growth, commonly occur.

Open Red Sores:

A bacterial infection that causes open red sores on body. Infections can range from very small ulcers to deep skin lesions. Coloring can range from reddish or gray ulcers to very dark areas associated with necrotic (dying) tissue.

Mouth Fungus:

Common bacterial infection that affects the mouth and other soft tissue. Fungus-like in appearance with red periphery. If left untreated severe erosion and lesions will develop.

Hemorrhagic Septicemia:

A bacterial infection of the bloodstream. Fish may show blood streaks on the body and fins, bleeding (red patches) and localized swelling.

Bacterial Gill Disease:

Fish may breathe heavily and show bright red gills. Fish may sit at bottom of aquarium or near the water's surface. However, visual diagnosis is often difficult.

Treatment Tips

Quarantine aquarium. Remove any dead fish immediately. Do not remove or add any live fish to the infected aquarium. Bacterial pathogens can be spread to other aquariums by nets, algae scrapers and wet hands.

To aid osmoregulation and ease stress of infected fish in freshwater aquariums, add 1 tablespoon of API AQUARIUM SALT for each 5 gallons (19 L) of aquarium water, or 1-1/4 cup for each 100 gallons (378 L).

This medication may be used with API anti-parasitic medications, API SUPER ICK CURE or API GENERAL CURE, to help prevent secondary bacterial infection.

API

E.M. ERYTHROMYCIN

TREATS BACTERIAL FISH DISEASE

Broad spectrum control of bacterial

fish infections

Fin and Tail Rot

Open Red Sores

Gill Disease

Mouth Fungus

Hemorrhagic

Septicemia

GUIDE

Fish Problem

Solving

850 g

Treats 3,270 U.S. gallons (12,375 L) of fresh or salt water.

Diagnostic Chart

- Fin & Tail Rot:** Fins appear ragged and split. In severe cases, fins and tail are almost completely eroded. Secondary fungal infections, observed as white, "cottony" growth, commonly occur.
- Open Red Sores:** A bacterial infection that causes open red sores on body. Infection can range from very small ulcers to deep skin lesions. Coloring can range from reddish or gray ulcers to very dark areas associated with necrotic (dying) tissue.
- Mouth Fungus:** Common bacterial infection that affects the mouth and other soft tissue. Fungus-like in appearance with red periphery. If left untreated severe erosion and lesions will develop.
- Hemorrhagic Septicemia:** A bacterial infection of the bloodstream. Fish may show blood streaks on the body and fins, bleeding (red patches) and localized swelling.
- Bacterial Gill Disease:** Fish may breathe heavily and show bright red gills. Fish may sit at bottom of aquarium or near the water's surface. However, visual diagnosis is often difficult.

Treatment Tips

- Quarantine aquarium. Remove any dead fish immediately. Do not remove or add any live fish to the infected aquarium. Bacterial pathogens can be spread to other aquariums by nets, algae scrapers and wet hands.
- To aid osmoregulation and ease stress of infected fish in freshwater aquariums, add 1 tablespoon of API AQUARIUM SALT for each 5 gallons (19 L) of aquarium water, or 1-1/4 cup for each 100 gallons (378 L).
- This medication may be used with API anti-parasitic medications, API SUPER ICK CURE™ or API GENERAL CURE™, to help prevent secondary bacterial infection.

API
E.M. ERYTHROMYCIN™

TREATS BACTERIAL FISH DISEASE

• Broad spectrum control of bacterial fish infections

850 g
Treats 3,270 U.S. gallons (12,375 L) of fresh or salt water

GUIDE Fish Problem Solving

Directions for Use: For best results, remove activated carbon or filter cartridge from filter and continue aeration. For each 20 gallons (75 L) of water add 1 scoop (1 tsp.). For larger systems, for each 240 gallons (908 L) of water add 12 scoops (4 Tbsp.), or for each 960 gallons (3,634 L) of water add one cup. Repeat dose after 24 hours. Wait another 24 hours then change 25% of the aquarium water. Repeat this treatment for a second time, for a total of 4 doses. Four doses required for full course of treatment. Then make a final 25% water change and add API BIO-CHEM ZORB®, fresh activated carbon or replace filter cartridge. This treatment may be repeated, if necessary.

Active Ingredient: 400 mg Erythromycin per teaspoon.

KEEP OUT OF THE REACH OF CHILDREN. For aquarium use only. Not for human consumption or for the treatment of fish intended for human consumption. Avoid contact with skin and eyes. May cause irritation.

NOTE: Medicating an aquarium with antibiotics may suppress the biological filter. API QUICK START™ contains live nitrifying bacteria to strengthen the biological filter. Add QUICK START™ after the final water change.

WARNING: This product can expose you to chemicals including Silica, crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Distributed By:
Mars Fishcare North America, Inc., 50 E. Hamilton St.
Chalfont, PA 18914 • Made in USA

Questions or Comments? Call us at 1-800-847-0659 or visit us at www.marfishcare.com
www.facebook.com/apifishcare



Product # 55Q

3 17163 17055 7

Diagnostic Chart

- Fin & Tail Rot:** Fins appear ragged and split. In severe cases, fins and tail are almost completely eroded. Secondary fungal infections, observed as white, "cottony" growth, commonly occur.
- Open Red Sores:** A bacterial infection that causes open red sores on body. Infection can range from very small ulcers to deep skin lesions. Coloring can range from reddish or gray ulcers to very dark areas associated with necrotic (dying) tissue.
- Mouth Fungus:** Common bacterial infection that affects the mouth and other soft tissue. Fungus-like in appearance with red periphery. If left untreated severe erosion and lesions will develop.
- Hemorrhagic Septicemia:** A bacterial infection of the bloodstream. Fish may show blood streaks on the body and fins, bleeding (red patches) and localized swelling.
- Bacterial Gill Disease:** Fish may breathe heavily and show bright red gills. Fish may sit at bottom of aquarium or near the water's surface. However, visual diagnosis is often difficult.

Treatment Tips

- Quarantine aquarium. Remove any dead fish immediately. Do not remove or add any live fish to the infected aquarium. Bacterial pathogens can be spread to other aquariums by nets, algae scrapers and wet hands.
- To aid osmoregulation and ease stress of infected fish in freshwater aquariums, add 1 tablespoon of API AQUARIUM SALT for each 5 gallons (19 L) of aquarium water, or 1-1/4 cup for each 100 gallons (378 L).
- This medication may be used with API anti-parasitic medications, API SUPER ICK CURE™ or API GENERAL CURE™, to help prevent secondary bacterial infection.

API
E.M. ERYTHROMYCIN™

TREATS BACTERIAL FISH DISEASE

• Broad spectrum control of bacterial fish infections

850 g
Treats 3,270 U.S. gallons (12,375 L) of fresh or salt water

GUIDE Fish Problem Solving

Directions for Use: For best results, remove activated carbon or filter cartridge from filter and continue aeration. For each 20 gallons (75 L) of water add 1 scoop (1 tsp.). For larger systems, for each 240 gallons (908 L) of water add 12 scoops (4 Tbsp.), or for each 960 gallons (3,634 L) of water add one cup. Repeat dose after 24 hours. Wait another 24 hours then change 25% of the aquarium water. Repeat this treatment for a second time, for a total of 4 doses. Four doses required for full course of treatment. Then make a final 25% water change and add API BIO-CHEM ZORB®, fresh activated carbon or replace filter cartridge. This treatment may be repeated, if necessary.

Active Ingredient: 400 mg Erythromycin per teaspoon.

KEEP OUT OF THE REACH OF CHILDREN. For aquarium use only. Not for human consumption or for the treatment of fish intended for human consumption. Avoid contact with skin and eyes. May cause irritation.

NOTE: Medicating an aquarium with antibiotics may suppress the biological filter. API QUICK START™ contains live nitrifying bacteria to strengthen the biological filter. Add QUICK START™ after the final water change.

WARNING: This product can expose you to chemicals including Silica, crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Distributed By:
Mars Fishcare North America, Inc., 50 E. Hamilton St.
Chalfont, PA 18914 • Made in USA

Questions or Comments? Call us at 1-800-847-0659 or visit us at www.marfishcare.com
www.facebook.com/apifishcare



Product # 55Q

3 17163 17055 7

API E.M. ERYTHROMYCIN

erythromycin powder

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17163-056
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ERYTHROMYCIN (UNII: 63937KV33D) (ERYTHROMYCIN - UNII:63937KV33D)	ERYTHROMYCIN	400 mg in 5.2 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17163-056-17	850 g in 1 JAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2011	

Labeler - MARS FISHCARE NORTH AMERICA, INC. (049630700)**Establishment**

Name	Address	ID/FEI	Business Operations
MARS FISHCARE NORTH AMERICA, INC.		049630700	manufacture, relabel, repack

Revised: 12/2021

MARS FISHCARE NORTH AMERICA, INC.