

**DG HEALTH PAIN RELIEVER- acetaminophen tablet, coated  
Dolgencorp, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dolgencorp, LLC Pain Reliever Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- the common cold
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see Liver warning)

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 tablets every 6 hours while symptoms last</li><li>• do not take more than 6 tablets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other Information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carrageenan\*, corn starch\*, croscarmellose sodium\*, FD&C red #40 aluminum lake, microcrystalline cellulose\*, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid, sucralose, talc, titanium dioxide

\*may contain one or more of these ingredients

**Questions or comments?**

1-888-309-9030

**Principal Display Panel**

Compare to active ingredient of Extra Strength Tylenol®

Extra Strength

Pain Reliever



22773 VT CH

EXP.

LOT NO.



A0548

**Drug Facts**

**Active ingredient** *Purpose*  
**(in each tablet)**

Acetaminophen 500 mg...Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - the common cold
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than directed (see Liver warning)

adults and children 12 years and over	<ul style="list-style-type: none"> <li>■ take 2 tablets every 6 hours while symptoms last</li> <li>■ do not take more than 6 tablets in 24 hours, unless directed by a doctor</li> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information**

■ store at 20-25°C (68-77°F)

**Inactive ingredients**

carrageenan\*, corn starch\*, croscarmellose sodium\*, FD&C red #40 aluminum lake, microcrystalline cellulose\*, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid, sucralose, talc, titanium dioxide \*may contain one or more of these ingredients

22773 VT CH

Drug Facts (continued)

Questions or comments?

-888-309-9030

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol®.

**DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY DOLGENCORP, LLC  
100 MISSION RIDGE  
GOODETTSVILLE, TN 37072 USA

**100% Quality Guaranteed**

## DG HEALTH PAIN RELIEVER

acetaminophen tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-227
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
CARRAGEENAN (UNII: 5C69YCD2YJ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	RED	Score	no score
Shape	ROUND (convex)	Size	10mm

<b>Flavor</b>		<b>Imprint Code</b>	L227	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:559 10-227-71	1 in 1 CARTON	02/21/2010	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph not final	part343	02/21/2010		

**Labeler** - Dolgencorp, LLC (068331990)

Revised: 12/2019

Dolgencorp, LLC