

**NU-DERM SYSTEM NORMAL-DRY SKIN TRANSFORMATION- hydroquinone,  
octinoxate, and zinc oxide  
OMP, INC.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**NU-DERM® SYSTEM NORMAL-DRY  
SKIN TRANSFORMATION KIT**

**Gentle Cleanser 6.7 fl. oz. (198 mL.) AM+PM**

A mild facial cleanser that provides gentle yet effective cleansing for normal to dry skin. For skin that's beautifully clean and fresh, the Nu-Derm Gentle Cleanser instantly dissolves excess oil, makeup, and other everyday impurities, without stripping your skin of its natural protective oils, and prepares your skin for the next step in your skin care regimen.

**Directions**

Use twice daily, morning and evening. Massage a small amount of cleanser and water onto skin. Rinse with lukewarm water and gently pat dry.

**Warnings**

Avoid getting into eyes. **For external use only.**

**Keep out of reach of children.**

**Ingredients**

water (aqua), cocamidopropyl betaine, glycerin, sodium lauroyl oat amino acids, aloe barbadensis leaf juice (aloe barbadensis), sodium laureth sulfate, glycereth-7, prunus armeniaca (apricot) kernel oil, panthenol, acrylates/C10-30 alkyl acrylate crosspolymer, oleyl lactate, ethoxydiglycol, triethanolamine, salvia officinalis (sage) leaf extract (salvia officinalis), borago officinalis extract, saponins, phenoxyethanol, methylparaben, ethylparaben, butylparaben, propylparaben, isobutylparaben, fragrance (parfum), yellow 5 (CI 19140)

**Toner 6.7 fl. oz. (198 mL.) AM+PM**

An essential step in your daily skin care routine, this alcohol-free, non-drying toner helps adjust your skin's pH for increased penetration of product ingredients. Use after cleansing to remove impurities and dead skin cells and to prepare the skin for hydration or appropriate products.

**Directions**

Use daily, in the morning and evening after cleansing. Saturate a cotton pad and gently wipe over entire face. Do not rinse.

**Warnings**

Avoid getting into eyes. **For external use only.**

**Keep out of reach of children.**

## Ingredients

water (aqua), hamamelis virginiana (witch hazel) water, aloe barbadensis leaf juice (aloe barbadensis), potassium alum, sodium PCA, panthenol, DMDM hydantoin, polysorbate 80, allantoin, glycerin, salvia officinalis (sage) leaf extract (salvia officinalis), borago officinalis extract, calendula officinalis flower extract (calendula officinalis), saponins, iodopropynyl butylcarbamate, fragrance (parfum), blue 1 (CI 42090)

## **Clear (Skin Bleaching and Corrector Cream) NDC 62032-101-36 Net wt. 2 oz. (57 g.) Hydroquinone USP, 4% Rx Only AM+PM**

Dark spots may appear on the surface of your skin, but they actually start deep within the skin's layers. This gentle yet effective formula absorbs into the layers of your skin to deliver prescription-strength hydroquinone, helping to correct the appearance of age and sun spots for a healthier, more even complexion.

## Indications and usage

The gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentigines, and other unwanted areas of melanin hyperpigmentation.

## Dosage and administration

Use daily, in the morning and evening. Squeeze a small amount (approximately 1-2 pea-sized amounts) onto your hand. Apply evenly to the entire face, extending to the hairline, over the ears, and ending with a feathering motion, or as directed by your physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccurring.

## Warnings

**Avoid contact with eyes, nose, mouth, or lips. In case of accidental contact, patient should rinse eyes thoroughly with water and contact physician. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.**

**Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in nonasthmatic people.**

Each gram of Obagi Nu-Derm Clear contains:

## Active ingredient

Hydroquinone USP, 4% (40 mg/g)

## Inactive ingredients

water, cetyl alcohol, glycerin, sodium lauryl sulfate, stearyl alcohol, lactic acid, tocopheryl acetate, ascorbic acid, sodium metabisulfite, disodium EDTA, methylparaben, BHT, propylparaben, saponins, butylparaben

See enclosed Package Insert for full prescribing information.

**Rx ONLY. FOR EXTERNAL USE ONLY.**

## **Exfoderm® (Skin Smoothing Lotion) Net wt. 2 oz. (57 g.) AM**

A lightweight lotion that exfoliates the top layer of skin, removing dull, old skin cells while promoting new skin cells for a brighter complexion. Specifically developed for normal to dry skin, this gentle, skin-enhancing formula contains a plant acid (phytic acid) to help transform the appearance of damaged skin and reveal your skin's radiance.

### **Directions**

Use daily, in the morning. Squeeze a small amount (approximately 1-2 pea-sized drops) onto your hands. Using your fingertips, apply evenly to the entire face. Massage until completely absorbed.

### **Warnings**

Avoid getting into eyes. **For external use only.**

**Keep out of reach of children.**

### **Ingredients**

water (aqua), ethoxydiglycol, glycerin, phytic acid, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, canola oil, isohehexadecane, magnesium aluminum silicate, potassium cetyl phosphate, cetyl alcohol, bis-diglyceryl polyacyladipate-2, dimethicone, polysorbate 60, PEG-150 stearate, steareth-20, xanthan gum, glycereth-7, tocopheryl acetate, saponins, phenoxyethanol, methylparaben, ethylparaben, butylparaben, propylparaben, isobutylparaben

## **Hydrate (Facial Moisturizer) Net wt. 1.7 oz. (48 g.) AM+PM**

A multi-action moisturizer with Hydromanil, a natural moisturizing agent derived from tara seed known to gradually deliver moisture to the skin. Also contains shea butter, mango butter, avocado and glycerin to help combat skin dryness. Suitable for all skin types.

### **Directions**

Apply to face in the morning and evening or as needed.

### **Warnings**

Avoid getting into eyes. **For external use only.**

**Keep out of reach of children.**

### **Ingredients**

water (aqua), glycerin, caprylic/capric triglyceride, butyrospermum parkii (shea) butter, cyclopentasiloxane, glyceryl stearate, cetyl alcohol, dimethicone, saccharide isomerate, stearic acid, polysilicone-11, glycine soja (soybean) sterols, persea gratissima (avocado) oil, mangifera indica (mango) seed butter, hydrolyzed caesalpinia spinosa gum, caesalpinia spinosa gum, hydrolyzed soybean fiber, sodium stearyl glutamate, caprylyl glycol, bisabolol, allantoin, tocopherol, tetrahydrodiferuloylmethane, panthenol, carbomer, hexylene glycol, sodium hydroxide, laureth-12, ethylhexylglycerin, phenoxyethanol

## **Blender® (Skin Lightener and Blending Cream) NDC 62032-100-36 Net wt. 2 oz. (57 g.) Hydroquinone USP, 4% Rx Only PM**

A unique formula containing prescription-strength hydroquinone for the gradual lightening of sun spots,

age spots, and other types of hyperpigmentation (discoloration). Specially formulated to optimize the delivery of product ingredients in the Nu-Derm System, this skin lightener helps reduce the signs of aging and correct uneven skin tone. May be used with Tretinoin Cream<sup>1</sup> or Refissa<sup>2</sup> as prescribed by a physician.

---

<sup>1</sup> Tretinoin cream is indicated for topical application in the treatment of acne vulgaris.

<sup>2</sup> Refissa [Tretinoin Cream, USP (Emollient) 0.05%] is indicated as an adjunctive agent for use in the mitigation (palliation) of fine wrinkles, mottled hyperpigmentation, and tactile roughness of facial skin in patients who do not achieve such palliation using comprehensive skin care and sun avoidance programs. REFISSA DOES NOT ELIMINATE WRINKLES, REPAIR SUN-DAMAGED SKIN, REVERSE PHOTOAGING, or RESTORE A MORE YOUTHFUL or YOUNGER DERMAL HISTOLOGIC PATTERN.

## **Indications and usage**

The gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentiginos, and other unwanted areas of melanin hyperpigmentation. Specially formulated for blending purposes as part of the Obagi Nu-Derm System.

## **Dosage and administration**

Use daily, in the evening. Squeeze a small amount (approximately 1-2 pea-sized drops) onto your hand. Apply evenly to the entire face, or as directed by your skin care physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccurring.

## **Warnings**

**Avoid contact with eyes, nose, mouth, or lips. In case of accidental contact, patient should rinse eyes thoroughly with water and contact physician. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.**

**Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in nonasthmatic people.**

Each gram of Obagi Nu-Derm Blender contains

## **Active ingredient**

Hydroquinone USP, 4% (40 mg/g)

## **Inactive ingredients**

water, glycerin, cetyl alcohol, PPG-2 myristyl ether propionate, sodium lauryl sulfate, TEA-salicylate, lactic acid, phenyl trimethicone, tocopheryl acetate, sodium metabisulfite, ascorbic acid, methylparaben, disodium EDTA, propylparaben, saponins, BHT

See enclosed Package Insert for full prescribing information.

**Rx ONLY. FOR EXTERNAL USE ONLY.**

**Sun Shield Matte Broad Spectrum SPF 50 Net wt. 3 oz. (85 g.)**

This sunscreen combines UVB absorption and UVA protection in an elegant, matte finish that is non-comedogenic, allergy tested, and dermatologist tested. Sheer, PABA free, and fragrance free for all skin types.

### **Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Octinoxate 7.5%	Sunscreen
Zinc Oxide 10.5%	Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

#### **For external use only**

**Do not use** on damaged or broken skin

**Stop use and ask a doctor** if rash occurs

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Inactive ingredients**

1,2-hexanediol, caprylyl glycol, cetareth-20, cetaryl alcohol, chlorphenesin, citric acid, cyclopentasiloxane, dimethicone crosspolymer-3, disodium EDTA, hydrogenated palm glycerides, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, methylisothiazolinone, PEG-10 dimethicone, PEG-40 stearate, pentyleneglycol, phenyl trimethicone, polysilicone-11, polysorbate 60, potassium sorbate, sodium benzoate, sodium dihydroxycetyl phosphate, squalane, stearyl alcohol, tetrahexyldecyl ascorbate, tocopheryl acetate, tropolone, ubiquinone, water, xanthan gum

### **Other information**

- Store at controlled room temperature:  
15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

**Questions or comments?**

**1.800.636.7546**

Monday–Friday 9 a.m.-4 p.m. Pacific Time

**Travel Bag and Patient Instruction Guide**

**Store at controlled room temperature 15°C–25°C (59°F–77°F).**

Blender, Exfoderm, Nu-Derm, Obagi and the Obagi logo are registered trademarks of OMP, Inc.

Refissa is a registered trademark of Spear Pharmaceuticals, Inc.  
Distributed by OMP, Inc., Long Beach, CA 90806

©2012 Obagi Medical Products, Inc. All Rights Reserved.

OBAGI.COM Made in USA 41706110Z 7061

**PRINCIPAL DISPLAY PANEL - Kit Carton**

NDC# 62032-514-00

**OBAGI®  
MEDICAL**

**NU-DERM® SYSTEM**

NORMAL DRY

Skin Transformation Kit

NU-DERM® SYSTEM

OBAGI®  
MEDICAL

REG. U.S. PAT. & TM. OFF.

OBAGI®  
MEDICAL

NU-DERM® SYSTEM

NORMAL DRY  
Skin Transformation Kit

NU-DERM® SYSTEM

OBAGI®  
MEDICAL

NU-DERM® SYSTEM  
BAGNO 100

©2012 Obagi Medical, Inc. All rights reserved. MADE IN USA. PATENTED.

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231


Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231

Obagi Medical, Inc., 11500 E. Harvard Ave., Suite 200, Denver, CO 80231




at all layers of the skin, helping to make skin  
The #1 prescription-strength, physician-dispensed  
NU-DERM® SYSTEM  
look and act younger and healthier.

OBAGI®  
MEDICAL







## NU-DERM SYSTEM NORMAL-DRY SKIN TRANSFORMATION

hydroquinone, octinoxate, and zinc oxide kit

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:62032-514
---------------------	-------------------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-514-00	1 in 1 CARTON		

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	57 g
Part 2	1 BOTTLE, PLASTIC	57 g
Part 3	1 TUBE	85 g
Part 4	1 BOTTLE, PLASTIC	198 mL
Part 5	1 BOTTLE, PLASTIC	198 mL
Part 6	1 BOTTLE, PLASTIC	57 g
Part 7	1 BOTTLE, PLASTIC	48 g

## Part 1 of 7

### NU-DERM BLENDER SKIN LIGHTENER AND BLENDING

hydroquinone cream

### Product Information

<b>Item Code (Source)</b>	NDC:62032-100
---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
TROLAMINE SALICYLATE (UNII: H8O4040BHD)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID (UNII: 33X04XA5AT)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0KO0R)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

## Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-100-36	57 g in 1 BOTTLE, PLASTIC		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		01/01/1988	

## Part 2 of 7

### NU-DERM CLEAR SKIN BLEACHING AND CORRECTOR

hydroquinone cream

## Product Information

Item Code (Source)	NDC:62032-101
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL PARABEN (UNII: 3QP1U3FV8)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID (UNII: 33X04XA5AT)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0KO0R)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

**Product Characteristics**

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-101-36	57 g in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		01/01/1988	

**Part 3 of 7**

**NU-DERM SUN SHIELD BROAD SPECTRUM SPF 50 MATTE SUNSCREEN**  
octinoxate and zinc oxide lotion

**Product Information**

<b>Item Code (Source)</b>	NDC:62032-104
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	105 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4HIY)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PEG-40 STEARATE</b> (UNII: ECU18C66Q7)	
<b>SODIUM DIHYDROXYCETYL PHOSPHATE</b> (UNII: YWI33EV595)	
<b>HYDROGENATED PALM GLYCERIDES</b> (UNII: YCZ8EM144Q)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>TROPOLONE</b> (UNII: 7L6DL16P1T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>UBIDECARENONE</b> (UNII: EJ27X76M46)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPAS AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-104-90	85 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/07/2012	

## Part 4 of 7

### NU-DERM GENTLE CLEANSER

cleansing (cold creams, cleansing lotions, liquids, and pads) liquid

## Product Information

Route of Administration	TOPICAL
-------------------------	---------

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	METHYL PARABEN (UNII: A2I8C7H9T)	
INGR	PROPYL PARABEN (UNII: Z8IX2SC1OH)	
INGR	BUTYL PARABEN (UNII: 3QPHU3FV8)	
INGR	ETHYL PARABEN (UNII: 14255EXE39)	
INGR	ISOBUTYL PARABEN (UNII: 0QQJ25X58G)	
INGR	SODIUM LAUROYL OAT AMINO ACIDS (UNII: FSW2K9B9N5)	
INGR	COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
INGR	SODIUM LAURETH SULFATE (UNII: BPV390UAP0)	
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	
INGR	GLYCERETH-7 (UNII: 3D2Y91QZ2H)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
INGR	TROLAMINE (UNII: 9O3K93S3TK)	
INGR	SAGE (UNII: 065C5D077J)	
INGR	FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
INGR	APRICOT KERNEL OIL (UNII: 54JB35T06A)	
INGR	OLEYL LACTATE (UNII: B3AWW0N3GM)	
INGR	CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	

## Product Characteristics

<b>Color</b>	YELLOW	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		198 mL in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/01/1988	

### Part 5 of 7

#### NU-DERM TONER

face and neck (excluding shaving preparations) liquid

### Product Information

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
INGR	DMDM HYDANTOIN (UNII: BYR0546TOW)	
INGR	IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
INGR	POTASSIUM ALUM (UNII: 1L24V9R23S)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	SAGE (UNII: 065C5D077J)	
INGR	CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
INGR	POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	
INGR	FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
INGR	HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00Y05A2V)	

### Product Characteristics

<b>Color</b>	BLUE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	

<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		198 mL in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/01/1988	

### Part 6 of 7

### NU-DERM EXFODERM

face and neck (excluding shaving preparations) lotion

### Product Information

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	METHYLPARABEN (UNII: A2I8C7HI9T)	
INGR	PROPYLPARABEN (UNII: Z8IX2SC1OH)	
INGR	POLYSORBATE 60 (UNII: CAL22UVI4M)	
INGR	CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
INGR	STEARETH-20 (UNII: L0Q8IK9E08)	
INGR	CANOLA OIL (UNII: 331KBJ17RK)	
INGR	ISOHEXADECANE (UNII: 918X10UF1E)	
INGR	MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	FYTIC ACID (UNII: 7IGF0S7R8I)	
INGR	GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
INGR	PEG-100 STEARATE (UNII: YD01N1999R)	
INGR	DIMETHICONE (UNII: 92RU3N3Y1O)	
INGR	PEG-150 STEARATE (UNII: 7BSG7DF10Q)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	BUTYLPARABEN (UNII: 3QPI1U3FV8)	
INGR	ETHYLPARABEN (UNII: 14255EXE39)	
INGR	ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
INGR	POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
INGR	XANTHAN GUM (UNII: TTV12P4NEE)	

INGR	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
INGR	GLYCERETH-7 (UNII: 3D2Y91QZ2H)	
INGR	DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)	

### Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		57 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/01/1988	

## Part 7 of 7

### NU-DERM HYDRATE FACIAL MOISTURIZER

face and neck (excluding shaving preparations) lotion

### Product Information

Route of Administration	TOPICAL
-------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
INGR	CAESALPINIA SPINOSA RESIN (UNII: WL3883U2PO)	
INGR	SHEA BUTTER (UNII: K49155WL9Y)	
INGR	GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
INGR	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
INGR	DIMETHICONE (UNII: 92RU3N3Y1O)	
INGR	LAURETH-12 (UNII: OAH19558U1)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	



INGR	ETHYLHEXYL GLYCERIN (UNII: 147D247K3P)	
INGR	STEARIC ACID (UNII: 4ELV7Z65AP)	
INGR	AVOCADO OIL (UNII: 6VNO72PFC1)	
INGR	SOY STEROL (UNII: PL360EPO9J)	
INGR	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
INGR	LEVOMENOL (UNII: 24WE03BX2T)	
INGR	HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	MANGIFERA INDICA SEED BUTTER (UNII: 40XD9M35X2)	
INGR	SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
INGR	CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	
INGR	TETRAHYDRODIFERULOLMETHANE (UNII: 00U0645U03)	
INGR	TOCOPHEROL (UNII: R0ZB2556P8)	
INGR	SODIUM HYDROXIDE (UNII: 55X04QC32I)	

### Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		48 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		11/07/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		11/07/2012	

**Labeler** - OMP, INC. (790553353)

### Establishment

Name	Address	ID/FEI	Business Operations
MILBAR LABORATORIES		195556790	MANUFACTURE(62032-514)

### Establishment

Name	Address	ID/FEI	Business Operations
PURETEK CORPORATION		785961046	MANUFACTURE(62032-514) , LABEL(62032-514) , PACK(62032-514)

## Establishment

Name	Address	ID/FEI	Business Operations
Ei INC.		105803274	MANUFACTURE(62032-514) , LABEL(62032-514) , PACK(62032-514) , ANALYSIS(62032-514)

## Establishment

Name	Address	ID/FEI	Business Operations
G.S. COSMECEUTICAL USA, INC.		017014734	MANUFACTURE(62032-514)

## Establishment

Name	Address	ID/FEI	Business Operations
Bay Cities Container Corporation		066229618	RELABEL(62032-514) , REPACK(62032-514)

Revised: 12/2012

OMP, INC.