

GLYCERIN- glycerin suppository
Cardinal Health

Leader Children's Glycerin Suppository

Active ingredient (in each suppository)

Glycerin 1g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if child has

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within 1 hour using this product

These symptoms may indicate a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions - single daily dose

children 2 to under 6 years - 1 suppository, or as directed by a doctor

children under 2 - ask a doctor

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Questions or comments?

1-800-492-5988

Label

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Children's Glycerin Suppositories, 25 count

Distributed by Cardinal Health, Dublin OH 43017

CH ChildSupp.jpg

LEADER²

NDC 70000-0429-1

Children's Glycerin Suppositories
Laxative

Ages 2-5 Years
For Relief of Occasional Constipation
Rectal Laxative

COMPARE TO FLEET® PEDIA-LAX® GLYCERIN SUPPOSITORIES active ingredient*

25 SUPPOSITORIES

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL IS DAMAGED OR MISSING.

Drug Facts

Active ingredient (in each suppository)
Glycerin 1gLaxative

Purpose
Laxative

Uses
■ for relief of occasional constipation
■ this product generally produces bowel movement in 1/4 to 1 hour

Warnings
For rectal use only
May cause rectal discomfort or a burning sensation.
Ask a doctor before using any laxative if child has
■ abdominal pain, nausea or vomiting
■ a sudden change in bowel habits lasting more than 2 weeks
■ already used a laxative for more than 1 week
Stop use and consult a doctor if child has
■ rectal bleeding
■ no bowel movement within 1 hour of using this product
These symptoms may indicate a serious condition.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Single daily dosage
children 2 to under 6 years 1 suppository, or as directed by a doctor
children under 2 years ask a doctor
Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

Other Information
■ Store container tightly closed.
■ Keep away from excessive heat.

Inactive ingredients
purified water, sodium hydroxide, stearic acid

Questions or Comments?
1-800-492-5988

Dist. by CH, Dublin, OH 43017 ©2018 Cardinal Health
*This product is not manufactured or distributed by C.S. Peet Company, Inc., owner of the registered trademark, Fleet® Pedia-Lax® Glycerin Suppositories.
100% Money Back Guarantee
Return to place of purchase if not satisfied.
CIN 5478557 REV. 12/18

NO VARNISH

0 96295 13613 5

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0429
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0429-1	25 in 1 JAR; Type 0: Not a Combination Product	01/02/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/02/2019	

Labeler - Cardinal Health (063997360)

Registrant - DSC Laboratories, Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(70000-0429)

Revised: 10/2025

Cardinal Health