CLARUS ANTIFUNGAL- tolnaftate cream Clinical Therapeutic Solutions

CLARUS Antifungal

Drug Facts

Active Ingredient

Tolnaftate 1 %

Purpose

Anti-fungal

Uses:

For effective treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis). Relieves: Itching, Scaling, Cracking, Redness, Soreness, Burning, Irritation and prevents the reoccurrence of most athlete's foot with daily use.

Warnings

For external use only. Avoid contact with eyes.

Do not use

on children under 2 years of age unless directed by a physician.

Stop use and ask physician if:

- When using for athlete's foot or ringworm: if irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a physician.
- When using for prevention of athlete's foot: If irritation occurs, discontinue use and consult a physician.

If pregnant or breast-feeding,

ask a healthcare professional before use.

Keep out of reach of children

In the case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions:

For treatment of athlete's foot and ringworm:

To prevent athlete's foot:

- Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a physician.
- Supervise children in the use of this product.
- For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult a physician. This product is not effective on scalp or nail infections.
- Clean the feet and dry thoroughly.
- Apply a thin layer of the product to the feet once or twice daily (morning and/or night).
- Supervise children in the use of this product.
- Pay special attention to spaces between the toes; wear well-fitting shoes, and change shoes and socks at least once daily.

Other information:

Store between 20 -25 C (68 -77 F) 0000

Inactive ingredients:

Aqua (Deionized Water), C12-15 Alkyl Benzoate, C13-14 Isoparafin, Dimethyl Sulfone (MSM), Ethylhexylglycerin, Helianthus Annuus (Sunflower) Seed Oil, Laureth-7, Melaleuca Alternifolia (Tea Tree) Oil, Phenoxyethanol, Polyacrylamide, Polysorbate-20, Urea.

CLARUS ANTIFUNGAL CREAM Tolnaftate 1% MEDICAL STRENGTH ANTIFUNGAL CREAM IN A VEHICLE CONTAINING TEA TREE OIL AND UREA CLINICAL THERAPEUTIC SOLUTIONS NET WT. 1.5 oz (45g) PRFOESSIONAL Distributed by Clinical Therapeutic Solutions, PO Box 1257, Wall, NJ 07719 www.CTSRX.com

Product Label



Tolnaftate 1%

MEDICAL STRENGTH ANTIFUNGAL CREAM

IN A VEHICLE CONTAINING TEA TREE OIL AND UREA



NET WT. 1.5 oz (45 g)

Drug Facts

Active ingredient Purpose Anti-funga

Uses: For effective treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis). Relieves: Itching, Scaling, Cracking, Redness, Soreness, Burning, Irritation and prevents the reoccurrence of most athlete's foot with daily use,

Warnings: For external use only. Avoid contact with the eyes. Do not use on children under 2 years of age unless directed by a physician. Stop use and ask physician if:

■ When using for athlete's foot or ringworm: if irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a physician.

■ When using for the prevention of athlete's foot: If irritation occurs, discontinue use and consult a physician, if pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In the case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions:

For treatment of athlete's foot and ringworm:

- Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a physician.
- Supervise children in the use of this product.
- For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult a physician. This product is not effective on scalp or nail infections.

To prevent athlete's foot:

- Clean the feet and dry thoroughly.
 Apply a thin layer of the product to the feet once or twice daily (morning and/or night).
- Supervise children in the use of this product,
- Pay special attention to spaces between the toes; wear well-fitting shoes, and change shoes and socks at least once daily.

Other information: Store between 20°-25°C (68°-77°F)

Inactive ingredients: Aqua (Deionized Water), C12-15 Alkyl Benzoate, C13-14 Isoparaffin, Dimethyl Sulfone (MSM), Ethylhexylglycerin, Helianthus Annuus (Sunflower) Seed Oil, Laureth-7, Melaleuca Alternifolia (Tea Tree) Oil, Phenoxyethanol, Polyacrylamide, Polysorbate-20, Urea.

Distributed by Clinical Therapeutic Solutions, PO Box 1257, Wall, NJ 07719 © 2012 Clinical Therapeutic Solutions www.CTSRX.com

ROFESSIONAL

OFESSIONAL

CLARUS ANTIFUNGAL

tolnaftate cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44577-001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g		

Ingredient Name Strength WATER (UNII: 059QF0KO0R) ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) C13-14 ISOPARAFFIN (UNII: E4F12ROE70) DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH) UREA (UNII: 8W8T17847W)					
WATER (UNII: 059QF0KO0R) ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) C13-14 ISOPARAFFIN (UNII: E4F12ROE70) DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	Inactive Ingredients				
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) C13-14 ISOPARAFFIN (UNII: E4F12ROE70) DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	Ingredient Name	Strength			
C13-14 ISOPARAFFIN (UNII: E4F12ROE70) DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	WATER (UNII: 059QF0KO0R)				
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	C13-14 ISOPARAFFIN (UNII: E4F12ROE70)				
SUNFLOWER OIL (UNII: 3W1JG795YI) LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)				
LAURETH-7 (UNII: Z95S6G8201) TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
TEA TREE OIL (UNII: VIF565UC2G) PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	SUNFLOWER OIL (UNII: 3W1JG795YI)				
PHENOXYETHANOL (UNII: HIE492ZZ3T) POLYSORBATE 20 (UNII: 7T1F30V5YH)	LAURETH-7 (UNII: Z95S6G8201)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)	TEA TREE OIL (UNII: VIF565UC2G)				
	PHENOXYETHANOL (UNII: HIE492ZZ3T)				
UREA (UNII: 8W8T17847W)	POLYSORBATE 20 (UNII: 7T1F30V5YH)				

l	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
l	1	NDC:44577-001- 01	45 g in 1 TUBE; Type 0: Not a Combination Product	02/05/2017	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	06/07/2012		

Labeler - Clinical Therapeutic Solutions (078402750)

Establishment					
Name	Address	ID/FEI	Business Operations		
Pure Source, LLC		080354456	manufacture(44577-001)		

Revised: 11/2023 Clinical Therapeutic Solutions