

**DIPHENHYDRAMINE HCL STRAWBERRY FLAVOR- diphenhydramine  
hcl solution  
Innovida Pharmaceutique Corporation**

-----

***Active Ingredient (in each 5mL tsp)***

Diphenhydramine HCl, 12.5 mg

***Purpose***

Antihistamine

***Warnings***

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to the enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking** sedatives or tranquilizers

**When using this product:**

- excitability might occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness effect
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Uses***

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

### ***Directions***

- Take every 4 to 6 hours, or as directed by a doctor.
- **Do not exceed recommended dose.**

---

Adults and Children 12 years of age and over	take 10 to 20 mL (2 to 4 tsp) not to exceed 300 mg in 24 hours
Children 6 to under 12 years of age	take 5 to 10 mL (1 to 2 tsp) not to exceed 150 mg in 24 hours
Children under 6 years of age:	consult a doctor

---

### ***Other Information***

- Store at controlled room temperature 15° - 30°C (59° - 86°F).
- Do not refrigerate. Avoid excessive heat or humidity.
- Protect from light.

### ***Inactive Ingredients***

Citric acid, FD&C red #40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, strawberry flavor, sucralose.

***Questions or Comments? 1-888-462-4166***

**TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS TORN, BROKEN OR MISSING.**

**Product label**

**Drug Facts**

**Active Ingredient (in each 5 mL tsp)** **Purpose**  
Diphenhydramine HCl, 12.5 mg.....Antihistamine

**Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes  
■ itching of the nose or throat

Temporarily relieves these symptoms due to the common cold:  
■ runny nose ■ sneezing

**Warnings****Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to the enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers****When using this product:**

- excitability might occur, especially in children
- marked drowsiness may occur ■ avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness effect
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ►

NDC: 71800-058-19

INNNOVIDA  
PHARMACEUTIQUE CORPORATION

# Diphenhydramine HCl

12.5 mg/5 mL

ANTIHISTAMINE

STRAWBERRY FLAVOR

4.02 fl oz (119 mL)

**Drug Facts (continued)****Directions**

- Take every 4 to 6 hours, or as directed by a doctor.
- Do not exceed recommended dose.

Adults and Children 12 years of age and over:	take 10 to 20 mL (2 to 4 tsp) not to exceed 300 mg in 24 hours
Children 6 to under 12 years of age:	take 5 to 10 mL (1 to 2 tsp) not to exceed 150 mg in 24 hours
Children under 6 years of age:	consult a doctor

**Other Information**

- Store at controlled room temperature 15° - 30°C (59° - 86°F).
- Do not refrigerate. Avoid excessive heat or humidity.
- Protect from light.

**Inactive Ingredients**

Citric acid, FD&C red #40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, strawberry flavor, sucralose.

**Questions or Comments? 1-888-462-4166**

TAMPER EVIDENT: DO NOT USE IF SEAL UNDER  
CAP IS TORN, BROKEN OR MISSING.

Mfd. for:  
Innovida Pharmaceutique  
Corporation, Phoenix  
AZ 85040  
Tel.: 888-462-4166



Lot:  
Exp.:

## DIPHENHYDRAMINE HCL STRAWBERRY FLAVOR

diphenhydramine hcl solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71800-058
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>STRAWBERRY</b> (UNII: 4J2TY8Y81V)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71800-058-19	119 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/10/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/10/2025	

**Labeler** - Innovida Pharmaceutique Corporation (080892908)

Revised: 6/2025

Innovida Pharmaceutique Corporation