

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled
Rite Aid Corporation

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adult and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

black iron oxide, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in **Colace® Regular Strength Stool Softener***

REGULAR STRENGTH STOOL SOFTENER

COL•RITE

DOCUSATE SODIUM 100 mg

STOOL SOFTENER LAXATIVE

Stimulant-free

Relief of constipation

SOFTGELS

*This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc, distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY:

200 NEWBERRY COMMONS

Product Label

Exp. Date:

Lot No.:

PLD-E717A F0007610



0 11822 13729 4

DISTRIBUTED BY: RITE AID,
200 NEUBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com

NDC 11822-1372-9

Compare to the active ingredient in Colace®
Regular Strength Stool Softener*

REGULAR STRENGTH STOOL SOFTENER

COL•RITE

DOCUSATE SODIUM 100 mg

STOOL SOFTENER LAXATIVE

Stimulant-free
Relief of occasional
constipation



30
SOFTGELS

Drug Facts

Active ingredient
(in each softgel)
Docusate sodium 100 mg..... Stool softener laxative

Purpose

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 12 to 72 hours

Warnings
Do not use if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks

Drug Facts (continued)

Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.

Drug Facts (continued)

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information
■ each softgel contains: sodium 6 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Drug Facts (continued)

Inactive ingredients black iron oxide, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc, distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

RITE AID Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1372
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)			DOCUSATE SODIUM	100 mg
Inactive Ingredients				
Ingredient Name				Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C00X)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SORBITAN (UNII: 6O92ICV9RU)				
SORBITOL (UNII: 506T60A25R)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
FERROSOFERRIC OXIDE (UNII: XM0M87F357)				
Product Characteristics				
Color	red, white	Score	no score	
Shape	OVAL	Size	12mm	
Flavor		Imprint Code	P10	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1372-9	1 in 1 BOX	04/30/2021	01/01/2027
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007	04/30/2021	01/01/2027

Revised: 10/2025

Rite Aid Corporation