RUGBY ALMACONE- aluminum hydroxide, magnesium hydroxide, simethicone suspension Rugby Laboratories

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rugby Laboratories Almacone® Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg Magnesium hydroxide 400 mg Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- measure with dosing cup provided
- **adults and children 12 years and over:** 10 mL 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- **children under 12 years:** ask a doctor
- mL = milliliter

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F), do not freeze

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-645-2158

Principal Display Panel

Regular Strength

Almacone[®]

Aluminum Hydroxide

Magnesium Hydroxide, Simethicone

ANTACID

ANTIGAS

VERY LOW SODIUM

12 fl oz (355 mL)

ALCOHOL 0.2%



DO NOT USE IF Printed Neckband Is Broken or Missing



Drug Facts

Uses relieves ■ heartburn ■ acid indigestion ■ sour stomach

- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription

drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ shake well before use ■ measure with dosing cup provided

- adults and children 12 years and over: 10 mL 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor mL = milliliter

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F), do not freeze

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion,

sorbitol, sorbitol solution

Drug Facts (continued)

Questions or comments? 1-800-645-2158

Gluten Free

Distributed by: Rugby Laboratories 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152 www.rugbylaboratories.com Re-Order No. 370622 REV. 04/18 R-05

: 35740 AT Bl

RUGBY ALMACONE

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1185
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL	
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6 V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL	
DIMETHICO NE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
BUTYLPARABEN (UNII: 3QPI1U3FV8)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)		
PEPPERMINT OIL (UNII: AV092KU4JH)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		

Product Characteristics			
Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT, LEMON	Imprint Code	
Contains			

l	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:0536-1185-83	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/19/2018	

Marketing Info	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part331	12/19/20 18		

Labeler - Rugby Laboratories (079246066)

Revised: 1/2019 Rugby Laboratories