

**OXYMETAZOLINE HCL- oxymethazoline hcl spray**  
**Reliable 1 Laboratories**

-----  
**12 Hour Decongestant Nasal Spray**

***Drug Facts***

***Active ingredient***

Oxymetazoline HCL 0.05%

***Purpose***

Nasal decongestant

***Uses***

temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies

temporarily relieves sinus congestion and pressure

shrinks swollen nasal membranes

**Ask a doctor before use if you have**

heart disease

high blood pressure

thyroid disease

diabetes

trouble urinating due to an enlarged prostate gland

**Stop use and ask a doctor if** symptoms persist

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril. Not more often than every 10-12 hours. Do not exceed 2 doses in 24 hours.

**children under 6 years of age:** ask a doctor.

**Instructions for use:** Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull to remove. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto bottle.

### ***Other information***

store between 20° to 25° C (68° to 77° F)

retain carton for future reference on full labeling

### ***Inactive ingredients***

benzalkonium chloride, dibasic sodium phosphate, edetate disodium dihydrate, monobasic sodium phosphate, polyethylene glycol, propylene glycol, povidone, purified water

### **Questions or comments?**

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

### ***Warnings***

#### **Ask a doctor before use if you have**

heart disease

high blood pressure

thyroid disease

diabetes

trouble urinating due to an enlarged prostate gland

#### **When using this product**

#### **do not use more than directed**

do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.

temporary discomfort such as burning, stinging, sneezing, or an increased nasal discharge may occur

use of this container by more than one person may spread infection

NDC 69618-050-51

Reliabel-1 Laboratories

12 Hour Decongestant Nasal Spray

Oxymetazoline HCL

Pump Mist Anti-Drip

Rapid & Powerful

Congestion Relief

12 Hour Relief

1 FL OZ (30 mL)



## OXYMETHAZOLINE HCL

oxymethazoline hcl spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69618-050
<b>Route of Administration</b>	NASAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS</b> (UNII: KH7I04HPUU)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69618-050-51	1 in 1 CARTON	01/01/2019	
1		1 in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2019	

**Labeler** - Reliable 1 Laboratories (079718111)

**Registrant** - Reliable 1 Laboratories (079718111)