

AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray
Meijer Distribution, Inc

Meijer D41.000/D41AA
Sport Sunscreen Spray SPF 30

Active Ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Purpose

Sunscreen

☐ Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor

rash occurs

Keep out of reach of children.

If swallowed, seek immediate medical attention or call a poison control center.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Disclaimers

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Sunscreen Spray Broad Spectrum SPF 30.

May stain or damage some fabrics or surfaces

Adverse Reaction

Questions 1-888-593-0593

DISTRIBUTED BY:

MEIJER DISTRIBUTION INC.

GRAND RAPIDS, MI 49544

www.meijer.com

OUR QUALITY GUARANTEE

The Meijer Family

www.meijer.com/satisfaction

Principal display panel

meijer®

sport sunscreen spray

BROAD SPECTRUM SPF 30

UVA/UVB SUNSCREEN

SPF 30

WATER RESISTANT (80 MINUTES)

WON'T RUN WHEN YOU START TO SWEAT

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

Compare to Coppertone® Sport Broad Spectrum SPF 30*

NET WT 5.5 OZ (156 g)

Drug Facts

| Active ingredients | Purpose |
|--------------------|-----------|
| Avobenzone 3% | Sunscreen |
| Homosalate 10% | Sunscreen |
| Octisalate 5% | Sunscreen |

Uses
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Flammable: Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking
Do not use ■ on damaged or broken skin
When using this product ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.
Stop use and ask a doctor if ■ rash occurs
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ spray liberally and spread evenly by hand 15 minutes before sun exposure
 ■ apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply
 ■ do not spray directly into face. Spray on hands then apply to face.
 ■ do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation
 ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying
 ■ at least every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m.–2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 ■ children under 6 months of age: Ask a doctor

Other information
 ■ protect the product in this container from excessive heat and direct sun


Inactive ingredients alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyl octyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, limonol, tocopheryl acetate

May stain or damage some fabrics or surfaces


OUR QUALITY GUARANTEE

www.meijer.com/satisfaction

Questions 1-888-593-0593
 DISTRIBUTED BY
 MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
www.meijer.com



 7 08820 50889 7
 L0021087WA
 PID 2881868

*This product is not manufactured or distributed by Belcorp AG, distributor of Coppertone® Sunscreen Spray. Sport Broad Spectrum SPF 30.



sport sunscreen spray

**BROAD SPECTRUM SPF 30
UVA/UVB SUNSCREEN**



WATER RESISTANT (80 MINUTES)

**WON'T RUN WHEN
YOU START TO SWEAT**

**OXYBENZONE, OCTINOXATE
AND OCTOCRYLENE FREE**

**COMPARE TO COPPERTONE® SPORT
BROAD SPECTRUM SPF 30***

NET WT 5.5 OZ (156 g)

avobenzon, homosalate, octisalate spray

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:79481-0941 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 100 mg in 1 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |

| | |
|--|--|
| DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM) | |
| ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV) | |
| DIISOPROPYL ADIPATE (UNII: P7E6YFV72X) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| .ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418) | |
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) | |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:79481-0941-1 | 156 g in 1 CAN; Type 0: Not a Combination Product | 08/08/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 08/08/2023 | |

Labeler - Meijer Distribution, Inc (006959555)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------------|---------|-----------|-------------------------|
| Consumer Product Partners, LLC | | 119091514 | manufacture(79481-0941) |

Revised: 6/2025

Meijer Distribution, Inc