

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray**  
**Meijer, Inc.**

-----

**Meijer D41.000/D41AA**  
**Sport Sunscreen Spray SPF 30**

**Active Ingredients**

Avobenzone 3%

Homosalate 10%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable**

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use**

on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor**

rash occurs

## **Keep out of reach of children.**

If swallowed, seek immediate medical attention or call a poison control center.

## **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

## **Disclaimers**

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone<sup>®</sup> Sunscreen Spray Broad Spectrum SPF 30.

May stain or damage some fabrics or surfaces

## **Adverse Reaction**

Questions 1-888-593-0593

DISTRIBUTED BY:

MEIJER DISTRIBUTION INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

OUR QUALITY GUARANTEE

The Meijer Family

[www.meijer.com/satisfaction](http://www.meijer.com/satisfaction)

**Principal display panel**

meijer®

sport sunscreen spray

BROAD SPECTRUM SPF 30

UVA/UVB SUNSCREEN

SPF 30

WATER RESISTANT (80 MINUTES)

WON'T RUN WHEN YOU START TO SWEAT

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

Compare to Coppertone® Sport Broad Spectrum SPF 30\*

NET WT 5.5 OZ (156 g)

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**  
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
**Flammable:** Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking  
**Do not use** ■ on damaged or broken skin  
**When using this product** ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.  
**Stop use and ask a doctor if** ■ rash occurs  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ spray liberally and spread evenly by hand 15 minutes before sun exposure  
 ■ apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply  
 ■ do not spray directly into face. Spray on hands then apply to face.  
 ■ do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation  
 ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 ■ limit time in the sun, especially from 10 a.m.–2 p.m.  
 ■ wear long-sleeved shirts, pants, hats and sunglasses  
 ■ children under 6 months of age: Ask a doctor

**Other information**  
 ■ protect the product in this container from excessive heat and direct sun

**Inactive ingredients** alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/acrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

May stain or damage some fabrics or surfaces

Questions 1-888-593-0593  
 DISTRIBUTED BY  
 MEIJER DISTRIBUTION, INC.  
 GRAND RAPIDS, MI 49544  
 www.meijer.com

**OUR QUALITY GUARANTEE**  
*The Meijer Family*  
 www.meijer.com/satisfaction



**BROAD SPECTRUM SPF 30 UVA/UVB SUNSCREEN**



**WATER RESISTANT (80 MINUTES)**  
**WON'T RUN WHEN YOU START TO SWEAT**  
**OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE**

**COMPARE TO COPPERTONE® SPORT BROAD SPECTRUM SPF 30\***

**NET WT 5.5 OZ (156 g)**

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 30.

## AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0941
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**DIETHYLHEXYL 2,6-NAPHTHALATE** (UNII: I0DQJ7YGXM)

**ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)**  
(UNII: 7LL6SY9YFV)

**DIISOPROPYL ADIPATE** (UNII: P7E6YFV72X)

**NEOPENTYL GLYCOL DIHEPTANOATE** (UNII: 5LKWBC543X)

**BUTYLOCTYL SALICYLATE** (UNII: 2EH13UN8D3)

**.ALPHA.-AMYLCINNAMALDEHYDE** (UNII: WC51CA3418)

**HYDROXYCITRONELLAL** (UNII: 8SQ0VA4YUR)

**LINALOOL, (+/-)-** (UNII: D81QY6I88E)

**.ALPHA.-TOCOPHEROL ACETATE** (UNII: 9E8X80D2L0)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0941-1	156 g in 1 CAN; Type 0: Not a Combination Product	08/08/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/08/2023	

**Labeler** - Meijer, Inc. (006959555)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0941)

Revised: 2/2026

Meijer, Inc.