

GOOD SENSE PAIN RELIEF- acetaminophen tablet
L. Perrigo Company

Perrigo Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)
- **do not use if printed pouch is torn or punctured**

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-800-719-9260

Principal Display Panel - Non Child Resistant Package

GoodSense®

Extra Strength

See New Warnings

Pain Relief

Pain Reliever/Fever Reducer

Acetaminophen

Actual Size

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

CAPLETS

For Adults

Compare to active ingredient of Extra Strength Tylenol®

50 Pouches of 2 Caplets – 500 mg Each

Total 100 Caplets

Convenient Take-Along Packs

GOODSENSE[®]

NDC 0113-1975-09

Extra Strength

See New Warnings

Pain Relief

Pain Reliever/Fever Reducer
Acetaminophen



**THIS PACKAGE
FOR HOUSEHOLDS
WITHOUT YOUNG
CHILDREN**

CAPLETS
For Adults

Compare to active ingredient of
Extra Strength Tylenol[®]

50 Pouches of 2 Caplets - 500 mg Each
Total 100 Caplets


**Convenient
Take-Along
Packs**

Print Free Zone



3 0113-1975-09 1

975B3 C2 C1



GOODSENSE[®]

Extra Strength


Pain Relief

Pain Reliever/Fever Reducer
Acetaminophen



CAPLETS
For Adults

**THIS PACKAGE FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN**



Actual Size
of Pouch

**Convenient
Take-Along
Packs**

**Non Varnish
Area
Print Free
Zone**

Convenient Take-Along Packs

For Adults
CAPLETS

THIS PACKAGE
FOR HOUSEHOLDS
WITHOUT YOUNG
CHILDREN

Acetaminophen
Pain Reliever/Fever Reducer

Extra Strength Pain Relief

GOODSENSE®

Non Varnish Area
No Print

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - minor pain of arthritis
 - backache
 - muscular aches
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

- Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
- more than 4,000 mg of acetaminophen in 24 hours
 - with other drugs containing acetaminophen
 - 3 or more alcoholic drinks every day while using this product
- Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
- skin reddening
 - hives
 - rash
- If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over
 - take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not use for more than 10 days unless directed by a doctor
- children under 12 years
 - ask a doctor

Other information

- store at 20-25°C (68-77°F)
- do not use if printed pouch is torn or punctured

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Questions or comments? 1-800-719-9260

Gluten Free

Distributed by

Perrigo®

Allegan, MI 49010

KEEP CARTON FOR REFERENCE

**CODE
AREA**

* no varnish * no color

Print Free Zone

GOODSENSE®

NDC 0113-1975-09

Extra Strength

See New Warnings

Pain Relief

Pain Reliever/Fever Reducer
Acetaminophen



Actual Size

CAPLETS
For Adults

THIS PACKAGE
FOR HOUSEHOLDS
WITHOUT YOUNG
CHILDREN

Compare to active ingredient of
Extra Strength Tylenol®

50 Pouches of 2 Caplets - 500 mg Each
Total 100 Caplets

Convenient
Take-Along
Packs

Non Varnish
Area
Print Free
Zone

GOOD SENSE PAIN RELIEF

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-1975
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-1975-54	2 in 1 POUCH; Type 0: Not a Combination Product	01/23/2022	
2	NDC:0113-1975-09	50 in 1 PACKAGE	01/23/2022	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/23/2022	

Labeler - L. Perrigo Company (006013346)

Revised: 9/2024

L. Perrigo Company