

MOTION SICKNESS- carbolicum acidum, cocculus indicus, hepar suis, lobelia inflata, nux vomica, phosphoricum acidum, sepia spray

Liddell Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

(in each spray) 14.29% of Carbolicum acidum 6X, Cocculus indicus 200C, Hepar suis 6X, Lobelia inflata 6X, Nux vomica 6X, Phosphoricum acidum 200C, Sepia 6X.

INDICATIONS:

Temporarily relieves symptoms associated with motion sickness (air, car, or sea): dizziness, nausea, vomiting.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If symptoms persist, consult a doctor.

If pregnant or breast feeding, ask a doctor before use.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12: Spray twice under the tongue up to each 30 minutes until symptoms are relieved.

Children 12 and under: Consult a doctor prior to use.

As a preventative, spray once or twice under the tongue three times per day as needed.

INDICATIONS:

Temporarily relieves symptoms associated with motion sickness (air, car, or sea): dizziness, nausea, vomiting.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified water.

QUESTIONS:

DIST. BY LIDDELL LABORATORIES INC.

WOODBINE, IA 51579

WWW.LIDDELL.NET 1-800-460-7733

PACKAGE LABEL DISPLAY:

ORAL SPRAYS

LIDDELL

LABORATORIES

37 **MoS**

Motion Sickness

HOMEOPATHIC

1.0 FL. OZ. (30 ml)

INDICATIONS May temporarily relieve symptoms associated with motion sickness (air, car, or sea): dizziness, nausea, vomiting.**

DIRECTIONS Adults & children over 12: Spray twice under the tongue up to each 30 minutes until symptoms are relieved. Children 12 and under: Consult a doctor prior to use. As a preventative, spray once or twice under the tongue three times per day as needed.

WARNINGS If symptoms persist for more than 7 days, consult a doctor. **If pregnant or breast feeding, ask a doctor before use. Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away. **Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.**

ORAL SPRAYS
LIDDELL
~ LABORATORIES ~
EST. 1994
37
MoSTM
Motion Sickness
HOMEOPATHIC
1.0 FL OZ. (30 ml) 20% organic alcohol

ACTIVE INGREDIENTS (in each spray) 14.29% of Carbulicum ac 6X, Cocculus 200C, Hepar suis 6X, Lobelia inf 6X, Nux vom 6X, Phosphoricum ac 200C, Sepia 6X. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY LIDDELL LABORATORIES INC.
WOODBINE, IA 51579
WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX
EXP: MM/YY

3 63113 12996 0

MOTION SICKNESS

carbolicum acidum, cocculus indicus, hepar suis, lobelia inflata, nux vomica, phosphoricum acidum, sepia spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0255
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	6 [hp_X] in 1 mL
ANAMIRTA COCCULUS SEED (UNII: 810258W28U) (ANAMIRTA COCCULUS SEED - UNII:810258W28U)	ANAMIRTA COCCULUS SEED	200 [hp_X] in 1 mL
PORK LIVER (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	6 [hp_X] in 1 mL
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	6 [hp_X] in 1 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_X] in 1 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	200 [hp_C] in 1 mL
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50845-0255-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/24/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/24/2019	

Labeler - Liddell Laboratories, Inc. (832264241)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0255) , api manufacture(50845-0255) , label(50845-0255) , pack(50845-0255)