PAIN RELIEVER PLUS- acetaminophen, aspirin and caffeine tablet, film coated Carilion Materials Management

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Major 44-159

Active ingredients (in each tablets)

Acetaminophen 250 mg Aspirin 250 mg (NSAID)* Caffeine 65 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever Pain reliever Pain reliever aid

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - a cold
 - arthritis
 - muscular aches
 - sinusitis
 - toothache
 - premenstrual and menstrual cramps

Warnings

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with naussea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. **Reye's syndrome:**

Aspirin may cause a severe allergic reaction, which may include: **Allergy alert:**

- hives
- facial swelling
- shock
- asthma (wheezing)

This product contains acetaminophen. Severe lliver damage may occur if you take: **Liver warning**:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: **Stomach bleeding warning:**

- are age 60 or older
- hae had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspiring, ibuprofen, naproxen or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionaly, rapid heartbeat. **Caffeine warning:**

Do not use

- if you ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- you have liver disease
- stomach bleeding warning appies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug or are under a doctor's care for any serious condition

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- have bloody or black stools
- vomit blood
- have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- any new symptoms appear
- ringing in the ears or loss of hearing occurs
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- painful area is red or swollen

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not use more than directed

- drink a full glass of water with each dose
- adults and children 12 years and over
 - take 2 tablets every 6 hours
 - do not take more than 8 tablets in 24 hours
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, hypromellose, microcrystalline cellulose, povidone, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

(800) 616-2471

Aspirin/Acetaminophen/Caffeine



PAIN RELIEVER PLUS

acetaminophen, aspirin and caffeine tablet, film coated

ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)

CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)

Product Information									
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68151-4672(NDC:090	04-5135)					
Route of Administration	ORAL								
Active Ingredient/Active Moiety									
Ingredient Name			Basis of Strength	Strength					
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)			ACETAMINOPHEN	250 mg					

ASPIRIN

CAFFEINE

250 mg

65 mg

	Ingredient Name						
CRO SPO VIDO NE	(UNII: 68401	960MK)					
HYPROMELLOSE	S (UNII: 3NX	W29V3WO)					
CELLULOSE, MIC	ROCRYSTA	LLINE (UNII: OP1R32D6	1U)				
PO VIDO NES (UNI	:FZ989GH94	4E)					
PROPYLENE GLY	COL (UNII: 6	5DC9Q167V3)					
SO DIUM LAURYL	SULFATE (UNII: 368GB5141J)					
SODIUM STARCH	GLYCOLA	TE TYPE A POTATO (UI	NII: 5856J3G2A2)				
STEARIC ACID (U	NII: 4ELV7Z6	5AP)					
TITANIUM DIO XII	DE (UNII: 15F	IX9 V2JP)					
Product Chara	cteristics						
Color		WHITE	Score		no score	o score	
Shape		ROUND	Size		13mm	13mm	
Flavor			Imprint Code		44;159	44;159	
Contains							
Packaging							
# Item Co	de	Package Descriptio	n Marketing	Marketing Start Date		larketing End Date	
1 NDC:68151-4672	5 1 i	n 1 PACKAGE					
Marketing I	nformat	ion					
-			or Monograph Citatio	n Marketing Start	Date Marketi	ng Frd Da	
Marketing I Marketing Ca OTC MONOGRAPH	ategory	Application Number	or Monograph Citatio	n Marketing Start	Date Marketi	ng End Da	

Labeler - Carilion Materials Management (079239644)

Registrant - Carilion Materials Management (079239644)

Establishment								
Name	Address	ID/FEI	Business Operations					
Carilion Materials Management		079239644	REPACK(68151-4672)					

Revised: 11/2013

Carilion Materials Management