# RUBBING ALCOHOL 50 PERCENT- is opropyl alcohol liquid SAGE OIL LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Active ingredient (BY VOLUME)

ISOPROPYL ALCOHOL (50% CONCENTRATE)

### **Purpose**

FIRST AID ANTISEPTIC

#### Uses

FIRST AID TO HELP THE RISK OF INFECTION IN MINOR CUTS AND SCRAPES.

### **Keep Out of Reach of Children**

IN CASE OF INGESTION, GET MEDICAL HELP OR CONTACT A POSON CONTROL CENTER (1-800-222-1222) IMMEDIATELY.

### **WARNINGS**

For external use only.

- FLAMMABLE, KEEP AWAY FROM FIRE AND FLAME
- IF TAKEN NTERNALLY SERIOUS GASTRIC DISTURBANCES WILL RESULT

#### ASK A DOCTOR BEFORE USE IF YOU HAVE

• DEEP OR PUNCTURE WOUNDS, ANIMAL BITES OR SERIOUS BURNS

### WHEN USING THIS PRODUCT

- DO NOT GET INTO EYES
- DO NOT APPLY OVER LARGE AREAS OF THE BODY
- DO NOT USE LONGER THAN ONE WEEK UNLESS DIRECTED BY A DOCTOR

### STOP USE AND ASK A DOCTOR IF

• CONDITION PERSISTS OR GET WORSE.

#### **Directions**

- CLEAN AFFECTED AREA
- APPLY SMALL AMOUNT OF THIS PRODUCT ON THE AREA 1-3 TIMES DAILY
- MAY BE COVERED WITH A STERILE BANDAGE
- IF BANDAGED, LET DRY FIRST

### OTHER INFORMATION

- STORE AT ROOM TEMPERATURE
- DOES NOT CONTAIN, NOR IS INTENDED AS A SUBSTITUTE FOR GRAIN OR ETHYL ALCOHOL

# **Inactive Ingredient**

PURIFIED WATER



# 50% Isopropyl RUBBING ALCOHOL

## **Drug Facts**

# Active ingredient (by volume) Purpose

Isopropyl alcohol

(50% concentrate)......first aid antiseptic

Uses • first aid to help the risk of infection in minor cuts and scrapes.

Warnings: For external use only

- · flammable, keep away from fire and flame
- · if taken internally serious gastric disturbances will result

Ask a doctor before use If you have • deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body. • do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if • condition persists or gets worse.

Keep out of reach of children In case of ingestion, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions** • clean affected area • apply small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if bandaged, let dry first

Other information • store at room temperature • does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient purified water

H25/KD-280

Dist by: Sage Oil LLC Las Vegas, USA

12 FL. OZ. (355 ML)

Lot #: Batch #: Exp date:

### **RUBBING ALCOHOL 50 PERCENT**

isopropyl alcohol liquid

Pro	duct	Info	rmation
110			ıınanı

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69730-301

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

ı			
	Ingredient Name	Basis of Strength	Strength
	ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	50 mL in 100 mL

## **Inactive Ingredients**

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69730-301-12	355 mL in 1 BOTTLE		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/03/2014	

### Labeler - SAGE OIL LLC (079371966)

Revised: 3/2015 SAGE OIL LLC