

**RESILIENCE LIFT FIRMING SCULPTING FACE AND NECK BROAD SPECTRUM SPF 15-
avobenzone, octisalate, and octocrylene cream
ESTEE LAUDER INC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**RESILIENCE LIFT FIRMING/SCULPTING FACE AND NECK CRÈME BROAD SPECTRUM
SPF 15**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Avobenzone 3.00%	Sunscreen
Octisalate 5.00%	Sunscreen
Octocrylene 2.70%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • neopentyl glycol diheptanoate • cetyl alcohol • pentaerythrityl tetraethylhexanoate • glycerin • polyethylene • butyloctyl salicylate • di-c12-15 alkyl fumarate • petrolatum • hydrogenated lecithin • butylene glycol • propanediol • hydrogenated polyisobutene • octyldodecyl myristate • hexyldecyl stearate • dimethicone • glyceryl stearate • laminaria digitata extract • behenyl alcohol • algae extract • persea gratissima (avocado) oil • coleus barbatus extract • cucumis melo (melon) fruit

extract • potato starch modified • mimosa tenuiflora bark extract • yeast extract\faex\extrait de levure • plankton extract • aminopropyl ascorbyl phosphate • thermus thermophilus ferment • saccharomyces ferment lysate filtrate • artemia extract • c12-16 alcohols • acetyl glucosamine • linoleic acid • whey protein\lactis protein\proteine du petit-lait • peg-100 stearate • tocopheryl acetate • caffeine • ergothioneine • glycine soja (soybean) sterols • decarboxy carnosine hcl • palmitic acid • creatine • ethylhexylglycerin • polymethyl methacrylate • trehalose • glucose • sodium hyaluronate • sorbitol • zinc pca • cholesterol • malachite • acetyl hexapeptide-8 • maltodextrin • lecithin • acrylamide/sodium acryloyldimethyltaurate copolymer • isohexadecane • sodium hydroxide • polysorbate 80 • lactoperoxidase • hexylene glycol • hydrogenated starch hydrolysate • potassium sulfate • glucose oxidase • polysilicone-11 • propylene glycol dicaprylate • xanthan gum • caprylyl glycol • citric acid • fragrance (parfum) • bht • disodium edta • phenoxyethanol • potassium sorbate • mica • titanium dioxide (ci 77891) • red 4 (ci 14700) • yellow 5 (ci 19140) <iln39076>

Other information

protect the product in this container from excessive heat and direct sun

© ESTÉE LAUDER, DIST., NEW YORK, N.Y. 10022

PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton

EL

ESTÉE LAUDER

Resilience Lift

Firming/Sculpting Face and Neck Creme

Broad Spectrum SPF 15

Normal/Combination Skin

POIDS NET WT. 1.7 OZ./50ml e



ESTÉE LAUDER

Resilience Lift
Firming/Sculpting Face and Neck Creme
Broad Spectrum SPF 15

■
Normal/Combination Skin

POIDS NET WT. 1.7 OZ./50ml e

Firming/Sculpting Face and Neck Creme
Broad Spectrum SPF 15

■ For Normal/Combination Skin

You want it all—the lifted look, the firmer feeling and the radiance that reflects how beautiful you are. This intensely nourishing formula with our exclusive Photo-Activated Lift Complex, harnesses the beneficial power of light to help skin boost its natural collagen and elastin production for a multi-faceted lift. Skin re-bounds as facial contours appear sculpted and newly defined. Radiance is re-ignited. And you start to look as young as you feel. Use it with Resilience Lift Night for a 24-Hour lift.

© ESTÉE LAUDER, DIST., NEW YORK, N.Y. 10022
NEW YORK • LONDON W1K 3BO • PARIS • MILANO
MADE IN U.S.A. WP36
esteeauder.com



W/FJM-01-8115



SED#C321931202

Drug Facts

Active ingredients

Avobenzone 3.00%
Octisalate 5.00%
Octocrylene 2.70%

Purpose

Sunscreen
Sunscreen
Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

Drug Facts (continued)

• children under 6 months of age; ask a doctor

Inactive ingredients

water/aqua/eau • neopentyl glycol diheptanoate • cetyl alcohol • pentaerythrityl tetraethylhexanoate • glycerin • polyethylene • butyloctyl salicylate • di-c12-15 alkyl fumarate • petrolatum • hydrogenated lecithin • butylene glycol • propanediol • hydrogenated polyisobutene • octyldodecyl myristate • hexyldodecyl stearate • dimethicone • glyceryl stearate • laminaria digitata extract • behenyl alcohol • algae extract • persea gratissima (avocado) oil • colous barbatus extract • cucumis melo (melon) fruit extract • potato starch modified • mimosa tenuiflora bark extract • yeast extract/maex/extract de levure • plankton extract • aminopropyl ascorbyl phosphate • thermus thermophilus ferment • saccharomyces ferment lysate filtrate • artemia extract • c12-16 alcohols • acetyl glucosamine • linoleic acid • whey protein/lactis protein/proteine du petit-lait • peg-100 stearate • tocopheryl acetate • caffeine • ergothioneine • glycine soja (soybean) sterols • decarboxy carnosine hcl • palmitic acid • creatine • ethylhexylglycerin • polymethyl methacrylate • trehalose • glucose • sodium hyaluronate • sorbitol • zinc pca • cholesterol • malachite • acetyl hexapeptide-8 • maltodextrin • lecithin • acrylamide/sodium acryloyldimethyltaurate copolymer • isohexadecane • sodium hydroxide • polysorbate 80 • lactoperoxidase • hexylene glycol • hydrogenated starch hydrolysate • potassium sulfate • glucose oxidase • polysilicone-11 • propylene glycol dicaprylate • xanthan gum • caprylyl glycol • citric acid • fragrance (parfum) • bht • disodium edta • phenoxyethanol • potassium sorbate • mica • titanium dioxide (ci 77891) • red 4 (ci 14700) • yellow 5 (ci 19140) <ln39076>

Other information

protect the product in this container from excessive heat and direct sun



WP36-01-1115

RESILIENCE LIFT FIRING SCULPTING FACE AND NECK BROAD SPECTRUM SPF 15

avobenzone, octisalate, and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11559-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.0312 g in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.052 g in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.02808 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0K00R)	
neopentyl glycol diheptanoate (UNII: 5LKW3C543X)	
cetyl alcohol (UNII: 936JST6JCN)	
pentaerythrityl tetraethylhexanoate (UNII: XJ7052W897)	
glycerin (UNII: PDC6A3C0OX)	
high density polyethylene (UNII: UG00KM4WR7)	
butyloctyl salicylate (UNII: 2EH13UN8D3)	
di-c12-15 alkyl fumarate (UNII: A1CB3Z898P)	
petrolatum (UNII: 4T6H12BN9U)	
butylene glycol (UNII: 3XUS85K0RA)	
propanediol (UNII: 5965N8W85T)	
octyldodecyl myristate (UNII: S013N99GR8)	
hexyldecyl stearate (UNII: OJX2P28Y14)	
dimethicone (UNII: 92RU3N3Y1O)	
glyceryl monostearate (UNII: 230OU9XXE4)	
laminaria digitata (UNII: 15E7C67EE8)	
docosanol (UNII: 9G1OE216XY)	
avocado oil (UNII: 6VNO72PFC1)	
muskmelon (UNII: ZV095H5633)	
mimosa tenuiflora bark (UNII: 515MQE449I)	
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	
aminopropyl ascorbyl phosphate (UNII: 290O2PQ83R)	
thermus thermophilus lysate (UNII: 775R692494)	
c12-16 alcohols (UNII: S4827SZE3L)	
n-acetylglucosamine (UNII: V956696549)	
linoleic acid (UNII: 9KJL21T0QJ)	
peg-100 stearate (UNII: YD01N1999R)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
caffeine (UNII: 3G6A5W338E)	
ergothioneine (UNII: BDZ3DQM98W)	

soy sterol (UNII: PL360EPO9J)	
decarboxy carnosine Hydrochloride (UNII: 6X7K9I5QR7)	
palmitic acid (UNII: 2V16EO95H1)	
creatine (UNII: MU72812GK0)	
ethylhexylglycerin (UNII: 147D247K3P)	
trehalose (UNII: B8WCK70T7I)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
sorbitol (UNII: 506T60A25R)	
zinc pidolate (UNII: C32PQ86DH4)	
cholesterol (UNII: 97C5T2UQ7J)	
acetyl hexapeptide-8 (UNII: L4EL31FWIL)	
maltodextrin (UNII: 7CVR7L4A2D)	
isohexadecane (UNII: 918X1OUF1E)	
sodium hydroxide (UNII: 55X04QC32I)	
polyorbate 80 (UNII: 6OZP39ZG8H)	
hexylene glycol (UNII: KEH0A3F75J)	
potassium sulfate (UNII: 1K573LC5TV)	
glucose oxidase (UNII: 0T8392U5N1)	
propylene glycol dicaprylate (UNII: 581437HWX2)	
xanthan gum (UNII: TTV12P4NEE)	
caprylyl glycol (UNII: 00YIU5438U)	
citric acid monohydrate (UNII: 2968PHW8QP)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
edetate disodium (UNII: 7FLD91C86K)	
phenoxyethanol (UNII: HIE492ZZ3T)	
potassium sorbate (UNII: 1VPU26JZZ4)	
mica (UNII: V8A1AW0880)	
titanium dioxide (UNII: 15FIX9V2JP)	
fd&c red no. 4 (UNII: X3W0AM1JLX)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11559-018-01	1 in 1 CARTON	10/12/2010	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	10/12/2010	

Labeler - ESTEE LAUDER INC (005914387)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

ESTEE LAUDER COMPANY, THE		828534516	RELABEL(11559-018) , REPACK(11559-018)
---------------------------	--	-----------	--

Establishment

Name	Address	ID/FEI	Business Operations
ESTEE LAUDER COSMETICS, LTD		244669714	MANUFACTURE(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
ESTEE LAUDER COSMETICS, LTD.		202952982	MANUFACTURE(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
ESTEE LAUDER N.V.		370151326	MANUFACTURE(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
LEN-RON MANUFACTURING DIVISION OF ARAMIS INC		809771152	MANUFACTURE(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
NORTHTEC INC		943871157	RELABEL(11559-018) , REPACK(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
PADC 1		949264774	RELABEL(11559-018) , REPACK(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
WHITMAN LABORATORIES, LTD.		216866277	MANUFACTURE(11559-018)

Establishment

Name	Address	ID/FEI	Business Operations
ESTEE LAUDER COSMETICS, LTD		255175580	MANUFACTURE(11559-018)