

NEUTROGENA HYDRO BOOST WATER GEL SUNSCREEN BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, and octocrylene lotion
Kenvue Brands LLC

Neutrogena® Hydro Boost water gel sunscreen BROAD SPECTRUM SPF 50

Drug Facts

| <i>Active Ingredients</i> | <i>Purpose</i> |
|----------------------------------|-----------------------|
| Avobenzone 3% | Sunscreen |
| Homosalate 15% | Sunscreen |
| Octisalate 5% | Sunscreen |
| Octocrylene 10% | Sunscreen |

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
 - reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- protect from freezing
- May stain some fabrics

Inactive ingredients

Water, Butyloctyl Salicylate, Glycerin, Alcohol Denat., Silica, Caprylyl Methicone, Aluminum Starch Octenylsuccinate, Dimethicone, Polyurethane-62, Phenoxyethanol, Pentylene Glycol, Styrene/Acrylates Copolymer, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Acrylates/Dimethicone Copolymer, Fragrance, Glyceryl Stearate, Chlorphenesin, Menthyl Lactate, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Hydrolyzed Hyaluronic Acid, Sodium Hydroxide, Blue 1

Questions or comments?

Call toll-free **800-299-4786** or **215-273-8755** (collect) www.neutrogena.com

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 88 mL Tube Label

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Hydro

Boost

water gel lotion

sunscreen

BROAD SPECTRUM SPF 50

50

helioplex®

broad spectrum uva.uvb

invisible finish

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Hydro Boost

water gel lotion
sunscreen

BROAD SPECTRUM SPF 50

50



invisible finish

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)


30060410

Neutrogena® Hydro Boost with Helioplex® Technology delivers powerful broad spectrum UVA/UVB protection with a water-light feel. It quenches skin with vital hydration and helps maintain healthy looking skin.

| Drug Facts | Purpose |
|---|-----------|
| Active ingredients Avobenzone (3%), Homosalate (15%), Octisalate (5%), Octocrylene (10%) | Sunscreen |
| Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun | |
| Warnings For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away | |
| Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.–2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age. Ask a doctor | |
| Other information ■ protect this product from excessive heat and direct sun ■ protect from freezing ■ May stain some fabrics | |
| Inactive ingredients Water, Butyloctyl Salicylate, Glycerin, Alcohol Denat., Silica, Caprylyl Methicone, Aluminum Starch Octenylsuccinate, Dimethicone, Polyurethane-62, Phenoxylethanol, Pentylene Glycol, Styrene/Acrylates Copolymer, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Acrylates/Dimethicone Copolymer, Fragrance, Glyceryl Stearate, Chlorphenesin, Menthyl Lactate, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Hydrolyzed Hyaluronic Acid, Sodium Hydroxide, Blue 1 | |
| Questions or comments? Call toll-free 800-299-4786 or 215-273-8755 (collect) www.neutrogena.com | |



0 70501 11342 4

non-printable area

NEUTROGENA HYDRO BOOST WATER GEL SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, and octocrylene lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69968-0669 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 mL |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 150 mg in 1 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 100 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| HYALURONIC ACID (UNII: S270N0TRQY) | |
| POLYURETHANE-62 (UNII: TBK645J3J8) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) | |
| BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H) | |
| GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| TRIDECETH-6 (UNII: 3T5PCR2H0C) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| WATER (UNII: 059QF0KO0R) | |
| 2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69968-0669-3 | 88 mL in 1 TUBE; Type 0: Not a Combination Product | 10/01/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/01/2020 | |

